5

6

8

9

11

12 13 EPA-SAB-19-xxx

DATE

The Honorable Andrew Wheeler Acting Administrator U.S. Environmental Protection Agency 10 1200 Pennsylvania Avenue, NW Washington, D.C. 20460

Subject: SAB review of Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources (2014)

14 15

Dear Acting Administrator Wheeler:

The EPA Science Advisory Board (SAB) was asked by the EPA Office of Air and Radiation to review and comment on its Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources (2014) ("2014 Framework"). The 2014 Framework considers the scientific and technical issues associated with accounting for emissions of carbon dioxide (CO₂) from biogenic feedstocks used at stationary sources.

24

25

26

27

The purpose of the 2014 Framework was to develop a method for calculating the adjustment, or Biogenic Assessment Factor (BAF), for CO₂ emissions associated with the combustion of biogenic feedstocks at stationary facilities by accounting for the biological carbon cycle effects associated with growth, harvest, and processing of these feedstocks. The BAF is an accounting term developed by EPA to adjust stack emissions to reflect a feedstock's net carbon emissions after accounting for subsequent sequestration of carbon in regrown biomass or soil, and after considering emissions that might have occurred with an alternate fate had the biomass not been used for fuel.

32

33

The SAB notes that EPA's 2014 Framework may be used to develop BAFs for multiple regulations and associated climate objectives (e.g., total emissions versus temperature, etc.); it therefore must be able to accommodate a wide range of potential time and spatial scales and all relevant GHGs. Lack of specificity in the BAF objectives to be addressed under the Framework has made it difficult for the SAB to address many of the charge questions fully.

38 39 EPA's 2014 Framework is a revision of its 2011 Framework, which the SAB previously reviewed. The SAB notes that the 2014 Framework incorporated some of the SAB's prior advice and advanced the analytical foundation for making determinations about the net contribution of biogenic feedstocks to CO₂ in the atmosphere. Specifically, the 2014 Framework has incorporated the SAB's prior advice as follows:

44

45

It has adopted an alternative fate approach (i.e., a counterfactual evaluation of what the net biogenic atmospheric contribution might have been if the feedstocks were not used for energy) to the collection and use of waste-derived feedstocks, including avoided methane (CH₄) emissions.

• It includes a discussion of the trade-offs inherent in the selection of a temporal scale for considering net emissions.

- It has developed representative BAFs by feedstock and region rather than facility-specific BAFs.
- It includes a review of existing approaches to addressing leakage, the phenomenon by which
 efforts to reduce emissions in one place affect market prices that shift emissions to another
 location.
- It offers an approach to construct an anticipated baseline that allows assessment of the additional CO₂ emissions to, or uptake from, the atmosphere that can be attributed to biogenic feedstocks as a result of changes in biomass feedstock demand.

The 2014 Framework does <u>not</u>, however, provide the regulatory context, specific BAF calculations for that context, or the implementation details the SAB previously requested. In fact, the lack of information in both Frameworks on how the EPA may use potential BAFs made it difficult to fully evaluate these frameworks. The BAF is a *construct* designed to evaluate the importance of the stack emissions of CO₂ at a given time relative to their climate impacts at some point in the future when some of the emitted CO₂ may have been sequestered by regrowth of biogenic feedstocks. As such, the computation of the BAF for a feedstock in a region depends upon the climate impact of concern and the future point in time that is of interest, which is a choice that depends upon the specific regulation or policy that will rely on that BAF. If the objective of interest for the BAF computation is defined by short term processes, then the relevant time-period for the BAF computation needs to include relevant details on short term climate phenomena, which might be less important if the objective of interest is much longer term. In addition to identifying the relevant analytic time frame, knowing the objectives of interest would provide other information necessary to the assessment of the science underpinning the BAFs, such as the scale of demand for biogenic feedstocks, the anticipated time frame for that demand and eligible feedstocks to meet it, relevant spatial scope, and importance of including each type of GHG in the analysis.

While the SAB agreed with many of the recommendations developed by the Biogenic Carbon Emissions Panel in previous drafts of the report, it disagreed with the extended time frame recommended for BAF computation. There was much discussion between the SAB and the Biogenic Carbon Emissions Panel over the significance of the time horizon used to calculate BAFs. The Panel recommended that a general principle for determining the time horizon for BAF calculations should be to select a time horizon that fully accounts for the temporal dynamics for all feedstocks to accommodate the Agency's preference for a regulatory or policy sign-neutral approach. During quality reviews the SAB disagreed with this recommendation noting that for regulatory initiatives that focus on objectives that reflect shorter time horizons, a general model with a long time horizon may not adequately capture the net carbon dioxide emissions relevant to the nearer-term outcomes. The SAB favors selecting the time horizon for calculating the BAF to comport with the objective under consideration, which is generally dependent on the regulation mandating use of that particular BAF. The Panel's previous reports remain available on the SAB [HYPERLINK

40 "https://yosemite.epa.gov/sab/sabproduct.nsf/LookupWebProjectsCurrentBOARD/3235DAC747C16FE
 41 985257DA90053F252?OpenDocument"].
 42

As we stated in our 2012 report and we reiterate here: this SAB review would have been enhanced if the Agency offered a specific regulatory application that, among other things, provided explicit proposed BAF objectives, which would in turn have defined the applicable boundaries regarding upstream and

downstream emissions in the feedstock life cycles. The 2014 Framework lacks specificity and is written in a way that is too generic, with too many possibilities that would require assessment of different underlying science. Rather than offering a lengthy menu of calculation options, the EPA Framework needs to define its scenarios and justify those choices. This would enable the SAB to evaluate the science underpinning those decisions and justifications.

Despite this significant limitation, the SAB offers overarching suggestions for moving forward with a framework for assessing the BAFs of biogenic feedstocks. In addition we offer specific responses to EPA's charge questions when possible and the SAB offers general guidance regarding the calculation of BAFs. EPA's equations were based on emissions (fluxes) with some adjustment terms to account for carbon mass escaping the system between the point of assessment and the point of emissions. In the enclosed report, the SAB recommends an alternative formulation based on changes in terrestrial (non-atmospheric) carbon stocks (or pools) such as the live stocks in biomass, dead stocks, soil stocks, etc., that explicitly incorporates the principle of conservation of mass. While the carbon-stock-based accounting system results in a formula for BAF similar to that of EPA's emissions-based approach, it offers multiple advantages: the component stocks are regularly inventoried and modeled by the scientific community; the different stocks can be aggregated and rearranged as needed or further subdivided; and it is appropriately constrained by conservation of mass and therefore the validity of the results can be assessed using mass balance calculations. Although this alternative formulation provides these benefits, other important modeling issues remain. These include selecting appropriate temporal or spatial boundaries, considering variability among classes of feedstocks, accounting for non-CO2 greenhouse gases such as nitrous oxide and methane, and quantifying stocks and fluxes that are difficult to measure

As an additional caveat, the SAB is aware that the EPA report and this review are focused only on accounting for CO₂ related to the use of biomass for electricity generation. Neither EPA nor the SAB evaluated other concerns like forest conservation, biodiversity, and ecosystem services. We offer this caution about the model boundaries as defined by EPA's method and identified in the SAB review. In addition, we recognize that biodiversity and ecosystem health are valid concerns worthy of a whole different analysis and policy response.

Finally, EPA did not ask the SAB for feedback on its modeling approach. We think this was an oversight, given that modeling is critical to the development of the BAF and different modeling approaches can yield different results. The 2014 Framework employed an integrated model that captures economic and biophysical dynamics and interactions for some of its alternative BAF calculations; however, EPA did not offer explicit justification for its modeling choices derived from articulated criteria. In addition, the sensitivity of BAF responses to some underlying features of the model was not examined by the EPA or the SAB. Thus, we conclude EPA should identify and evaluate its criteria for choosing a model or models and examine the sensitivity of BAF estimates to key modeling features.

The SAB appreciates the opportunity to provide advice on the 2014 Framework and looks forward to your response.

Sincerely,

Enclosure

NOTICE

This report has been written as part of the activities of the EPA Science Advisory Board (SAB), a public advisory group providing extramural scientific information and advice to the Administrator and other officials of the Environmental Protection Agency. The SAB is structured to provide balanced, expert assessment of scientific matters related to problems facing the Agency. This report has not been reviewed for approval by the Agency and, hence, the contents of this report do not represent the views and policies of the Environmental Protection Agency, nor of other agencies in the Executive Branch of the Federal government, nor does mention of trade names of commercial products constitute a recommendation for use. Reports of the SAB are posted on the EPA Web site at [HYPERLINK "http://www.epa.gov/sab"].

1 2	U.S. Environmental Protection Agency Science Advisory Board
3	·
4	
5	CHAIR
6	Dr. Michael Honeycutt , Division Director, Toxicology Division, Texas Commission on Environment
7 8	Quality, Austin, TX
9	MEMBERS
10	Dr. Rodney Andrews, Director, Center for Applied Energy Research, UK Research, University of
11	Kentucky, Lexington, KY
12	
13	Dr. Deborah Hall Bennett, Professor and Interim Chief, Environmental and Occupational Health
14	Division, Department of Public Health Sciences, School of Medicine, University of California, Davis,
15	Davis, CA
16	
17	Dr. Frederick Bernthal , President Emeritus and Senior Advisor to the Board of Trustees, Universities
18 19	Research Association, Washington, DC
20	Dr. Bob Blanz, Chief Technical Officer, Arkansas Department of Environmental Quality, North Little
21	Rock, AR
22	
23	Dr. Todd Brewer, Senior Manager, Partnership Programs, American Water Works Association,
24	Denver, CO
25	
26	Dr. Joel G. Burken, Curator's Professor and Chair, Civil, Architectural, and Environmental
27	Engineering, College of Engineering and Computing, Missouri University of Science and Technology,
28 29	Rolla, MO
30	Dr. Janice E. Chambers, William L. Giles Distinguished Professor and Director, Center for
31	Environmental Health and Sciences, College of Veterinary Medicine, Mississippi State University,
32	Starkville, MS
33	
34	Dr. Samuel Cohen, Professor, Pathology and Microbiology, University of Nebraska Medical Center,
35	Omaha, NE
36	
37	Dr. Louis Anthony (Tony) Cox, Jr., President, Cox Associates, Denver, CO
38	Also Member: CASAC
39 40	D. Alice C. College Design Design I Francisco de la finalia de la companiona del companiona de la companiona de la companiona del companiona de la companiona del comp
41	Dr. Alison C. Cullen, Professor, Daniel J. Evans School of Public Policy and Governance, University of Washington, Seattle, WA
42	or washington, scattle, wa
43	Dr. Otto C. Doering III, Professor, Department of Agricultural Economics, Purdue University, W.
44	Lafayette, IN
45	
46	IDACE * MEDCEEODMAT 1

	Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.			
1 2 3	Dr. Joel J. Ducoste , Professor, Department of Civil, Construction, and Environmental Engineering, College of Engineering, North Carolina State University, Raleigh, NC			
4 5	Dr. Susan P. Felter, Research Fellow, Global Product Stewardship, Procter & Gamble, Mason, OH			
6 7 8	Dr. R. William Field , Professor, Department of Occupational and Environmental Health and Department of Epidemiology, College of Public Health, University of Iowa, Iowa City, IA			
9 0 1	Dr. H. Christopher Frey , Glenn E. Futrell Distinguished University Professor, Department of Civil, Construction and Environmental Engineering, College of Engineering, North Carolina State University, Raleigh, NC			
13 14 15	Dr. Joseph A. Gardella , SUNY Distinguished Professor and John and Frances Larkin Professor of Chemistry, Department of Chemistry, College of Arts and Sciences, University at Buffalo, Buffalo, NY			
16 17 18	Dr. John D. Graham , Dean, School of Public and Environmental Affairs, Indiana University, Bloomington, IN			
19 20	Dr. Steven P. Hamburg, Chief Scientist, Environmental Defense Fund, Boston, MA			
21 22 23	Dr. Cynthia M. Harris , Director and Professor, Institute of Public Health, Florida A&M University, Tallahassee, FL			
24 25	Dr. Merlin R. Lindstrom, Vice President Technology, Phillips 66 Research Center, Bartlesville, OK			
26 27 28	Dr. Robert E. Mace , The Meadows Center for Water and the Environment, Texas State University, San Marcos, TX			
29 30 31	Dr. Clyde F. Martin , Horn Professor of Mathematics, Emeritus, Department of Mathematics and Statistics, Texas Tech University, Crofton, MD			
32 33	Dr. Sue Marty , Senior Toxicology Leader, Toxicology & Environmental Research, The Dow Chemical Company, Midland, MI			
34 35 36	Dr. Kristina D. Mena , Associate Professor, Epidemiology, Human Genetics and Environmental Sciences, School of Public Health, University of Texas Health Science Center at Houston, El Paso, TX			
37 38	Dr. Surabi Menon, Director of Research, ClimateWorks Foundation, San Francisco, CA			
39 10	Mr. Robert W. Merritt, Independent Consultant, Houston, TX			

[PAGE * MERGEFORMAT]

Dr. Thomas F. Parkerton, Senior Environmental Associate, Toxicology & Environmental Science

Dr. Larry Monroe, Independent Consultant, Braselton, GA

Division, ExxonMobil Biomedical Science, Houston, TX

42

43 44

45

2 3	Medicine, University of California-Irvine, Irvine, CA
5 4 5	Mr. Richard L. Poirot, Independent Consultant, Burlington, VT
6	Dr. Kenneth M. Portier, Independent Consultant, Athens, GA
8	Dr. Robert Puls, Owner/Principal, Robert Puls Environmental Consulting, Hilton Head Island, SC
10 11 12	Dr. Kenneth Ramos , Associate Vice-President of Precision Health Sciences and Professor of Medicine, Arizona Health Sciences Center, University of Arizona, Tucson, AZ
13 14 15	Dr. Tara L. Sabo-Attwood , Associate Professor and Chair, Department of Environmental and Global Health, College of Public Health and Health Professionals, University of Florida, Gainesville, FL
16 17	Dr. William Schlesinger, President Emeritus, Cary Institute of Ecosystem Studies, Millbrook, NY
18 19	Dr. Anne Smith, Managing Director, NERA Economic Consulting, Washington, DC
20 21 22	Dr. Richard Smith , Professor, Department of Statistics and Operations Research, University of North Carolina, Chapel Hill, NC
23 24 25 26	Dr. Jay Turner , Associate Professor and Vice Dean for Education, Department of Energy, Environmental and Chemical Engineering, School of Engineering & Applied Science, Washington University, St. Louis, MO
27 28 29	Dr. Jeanne M. VanBriesen , Duquesne Light Company Professor of Civil and Environmental Engineering, and Director, Center for Water Quality in Urban Environmental Systems (Water-QUEST), Department of Civil and Environmental Engineering, Carnegie Mellon University, Pittsburgh, PA
31	Dr. Donald vanderVaart, Independent Consultant, Raleigh, NC
33 34 35	Dr. Kimberly White , Senior Director, Chemical Products and Technology Division, American Chemistry Council, Washington, DC
36 37 38	Dr. Peter J. Wilcoxen , Laura J. and L. Douglas Meredith Professor for Teaching Excellence, Director, Center for Environmental Policy and Administration, The Maxwell School, Syracuse University, Syracuse, NY
10 11 12 13	Dr. S. Stanley Young, Chief Executive Officer, CGStat, Raleigh, NC
14 15 16	SCIENCE ADVISORY BOARD STAFF Mr. Thomas Carpenter, Designated Federal Officer, U.S. Environmental Protection Agency, Science Advisory Board, Washington, DC [PAGE * MERGEFORMAT]
	11100 11111001011111

TABLE OF CONTENTS

3 [TOC \O "1-3" \H \Z \U \T "HEADING 7,1"]

1 2

List of Figures 1 2 3 Commented [LSM1]: No figures that I can see now [TOC h z t "Caption" c]

Acronyms and Abbreviations

7	AVOIDEMIT	Avoided Emissions
8	BACT	Best Available Control Technology
9	BAF	Biogenic Assessment Factor
10	BAU	Business as Usual
11	$\mathrm{CH_4}$	Methane
12	CO_2	Carbon Dioxide
13	CO26	- Carbon Dioxide Equivalent
14	D0E	Department of Energy
15	EPA	Environmental Protection Agency
16	FASOM-	Forestry and Agricultural Sector Optimization Model
17	GHG	Greenhouse Gas
18	GROW	Term in EPA's BAF equation representing net feedstock growth (or removals)
19	GWP	Global Warming Potential
20	PSD	Prevention of Significant Deterioration
21	N_2O	Nitrous Oxide
22	SAB	Science Advisory Board
23	USDA	U.S. Department of Agriculture
24		

[PAGE * MERGEFORMAT]

Commented [LSM2]: I delete the ones that do not show up anywhere else in the document

7

8

9

10

11

12

13

14

15 16

17 18 19

20

26

36

37

1. EXECUTIVE SUMMARY

The EPA requested the SAB review a revised framework for accounting for biogenic carbon emissions, which the agency defines as "CO₂ emissions related to the natural carbon cycle, as well as those resulting from the combustion, harvest, digestion, fermentation, decomposition, or processing of biologically based materials." The goal of the 2014 Framework was to evaluate biogenic CO₂ emissions from stationary sources that use biomass feedstocks, given the ability of green plants to remove CO₂ from the atmosphere through photosynthesis. The 2014 Framework and its 2011 predecessor introduced the concept of a Biogenic Assessment Factor (BAF), which is the proposed adjustment for carbon emissions associated with the combustion of biomass feedstocks. The BAF is an accounting term developed in the Framework to denote the offset to stack emissions (mathematical adjustment) to reflect net carbon emissions after taking into account the sequestration of carbon in regrown biomass or soil, as well as emissions that might have occurred with an alternative fate had the biomass not been used for fuel.

Importance of Defining the Objective to Be Addressed by a BAF

The questions before the EPA in 2011 and presented for the SAB's review, were whether and how to consider greenhouse gas (GHG) emissions and decisions about best available control technology (BACT) for CO₂ emissions from biomass feedstocks used for electricity generation at stationary facilities. EPA proposed to address this issue by defining a term, Biogenie Assessment Factor, intended to be used to assess effects relative to the desired objectives. The 2014 Framework, however, removed the regulatory context, and did not include specific BAF calculations for any regulatory context, or the implementation details the SAB previously requested.

Because the EPA's 2014 Framework report does not identify the specific metric of climate impact (or

"objective") with resulting regulations that a BAF estimate should reflect, BAFs that may be developed under the Framework could entail a wide range of objectives, e.g., temporal and spatial domains, total emissions, temperature, etc. While ideally it would be desirable to identify a universal methodology that could be applied to any of a wide range of potential objectives, doing so poses exceptional technical challenges and the concept was not endorsed by the SAB. Thus, the lack of specificity in the 2014 Framework document regarding the objectives that BAFs under it are expected to address made it very difficult for the SAB to assess whether the types of models, data, and baselines suggested by the Framework are appropriate, and has limited the ability of the SAB to fully address some of the charge questions. We thus preface the SAB's comments with this observation on the consequences of having made this revised 2014 Framework so unspecific with respect to its intended and potential applications. The SAB concluded that evaluation of EPA's plan for a science-based regulatory framework in the absence of defined regulatory objectives is not useful. Rather than assume a specific objective, or evaluate the charge questions across numerous putative objectives of interest, the SAB has focused on providing input on considerations that affect the usefulness and scientific integrity of EPA's approach in general.

 $^{{}^1\}text{ [HYPERLINK "https://19 january 2017 snapshot.epa.gov/climatechange/carbon-dioxide-emissions-dioxide-emission-d$ associated-bioenergy-and-other-biogenic-sources .html"

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

Region- and Feedstock-Specific Biogenic Assessment Factors, baselines and modeling

As recommended previously by the SAB, BAFs should be feedstock-specific and region-specific and not facility-specific. Facility-specific BAFs are conceptually and practically challenging to estimate due to the absence of well-defined spatial boundaries for feedstock supply to each facility and the role of market-induced effects on land use, on biomass production and market demand for fiber, and on carbon stocks across space. To obtain a region-specific BAF for feedstocks, it is necessary to address region-specific, feedstock-specific demand for biomass and to assess the impact of this increased demand for biomass on net carbon stocks. Changes in demand for biomass feedstocks should be assessed based on historical data on forest carbon stocks, resource use, and observed information on current and planned expansions to facilities using biomass feedstocks. There is no single answer to what these BAFs should be, as not all biogenic emissions are carbon neutral nor net additional to the atmosphere, and assuming so is inconsistent with the underlying science.

Projections of the interactions that must be assessed to compute a BAF can be obtained from diverse model types, from simple empirically and statistically-based models, to complex integrated assessment models that combine biophysical and economic factors. For all model types, sensitivity and uncertainty analyses are needed to adequately interpret the results and understand the dependency of the BAF on the choices and assumptions used as part of its computation.

To compare changes in any system over time there must be a reference scenario (without increased demand for biomass feedstocks) against which to assess the net impacts on the variable of interest. In 2012, the SAB recommended a future anticipated baseline approach to capture the *additional* CO₂ emissions to, or uptake from, the atmosphere created by any increased use of biomass feedstocks for electricity generation. The EPA acknowledged this limitation of its earlier approach and included a future anticipated baseline analysis *along with* a reference point approach in its 2014 Framework. Both the future anticipated baseline and the reference point baseline (with regular updates) are challenging to apply due to data and modeling limitations.

Regardless of the baseline structure chosen (adjusted reference or future anticipated), validation and evaluation of the model used to compute the BAFs will be critical. Model validation is essential to assessing any model's ability to replicate observed phenomenon over time, ensuring that simulations based on the model appear reasonable. Similarly, understanding model sensitivity to input parameters and assumptions is important with respect to assessing model applicability over time. The model selected for estimating BAFs should be reviewed and updated at regular intervals, capturing observed changes in economic and land use conditions that may be due to increased biomass demand or other related conditions, as well as the latest scientific information on biophysical and biogeochemical properties of feedstocks. The appropriate review interval should be selected based on the timeframe of the regulatory objective(s) as well as the timeframe associated with updates to the underlying data.

Charge Question 1

Temporal and Spatial Scales

9

10

11

12

14

15

16

17

19

20 21

22 23

24

25

26

27 28 29

30

31

32

33 34

35

36

37

38

39

40 41

42 43

44 45 A sustained increased demand for biomass feedstocks by stationary facilities in a region is likely to trigger changes in carbon stocks through one or more pathways that could generate a new (steady-state) equilibrium stock of carbon that may be higher or lower than the current stock of carbon on the land. The demand for biomass feedstocks for use in stationary facilities can affect carbon stocks by increasing harvesting intensity for standing biomass, diverting biomass feedstocks from other non-energy products and landfills, converting land from other uses to plant new biomass feedstocks for the future, and utilizing biomass residues that might otherwise decay. Each of these responses may differ over time, and thus, the overall effect of all these responses to gother on demand for biomass feedstocks may differ over time. Therefore, the time period selected for estimating the carbon stock or net carbon emissions impacts of an increased demand for biomass feedstocks can strongly affect that these estimates. The selection of the time period for assessment is not a purely scientific question, and may be driven primarily by the objectives associated with the use of BAFs to be estimated using this Framework. For example, consider an objective to limit peak planetary warming versus an objective of controlling emissions of greenhouse gases in 2050: the same feedstock in the same region could have widely varying impacts on terrestrial carbon stocks because the timeframe defining the endpoint of the relevant analysis would differ. Since BAFs will be computed to serve specific regulatory objectives, there are no scientific criteria by which to pick a single 'right' timeframe for their determination independent of their regulatory context (Ocko et al 2017).

Stationary facilities require a continuous supply of feedstock, thus a landscape approach for accounting of impacts on carbon stocks is more appropriate than a stand-level approach for this application. A landscape approach expands the boundaries of analysis to include all effects and recognizes that there is uptake as well as loss of carbon associated with the production of feedstocks concurrently occurring across the landscape. It is the overall balance of losses and gains that determines carbon stock effects. Moreover, economic considerations will determine the size of the landscape providing feedstocks over time and the potential for land-use changes that can positively or negatively impact carbon stocks.

Stock-Based Accounting Preferred to Emissions-Based Accounting

Carbon accounting associated with determining BAFs should be based on changes in carbon stocks on the land rather than changes in carbon emissions (as used in EPA's 2011 and 2014 Frameworks). A key feature of using carbon stocks is that all terms can be readily aggregated or disaggregated, subject to validation via mass balance and an existing comprehensive system of empirical measurements is already in place for the US. The stock-based approach comports with the current conventions in carbon accounting, which essentially use input-output tracking of carbon throughout a system with well-defined boundaries. These stocks can be aggregated and rearranged as needed, and they are appropriately constrained by conservation of mass and therefore can be checked and their precision can be determined using mass balance calculations, in addition to other checks.

policy

Two Cumulative Biogenic Assessment Factor Approaches

The SAB recommends a cumulative carbon accounting metric; however, there are alternative ways to calculate cumulative BAFs. EPA's cumulative BAF (called BAF_T in the 2014 Framework) applied to

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

stocks is one option, reflecting the carbon stocks at the end of the time horizon—specifically, changes in carbon stocks by time, T. One can also calculate a cumulative BAF that is based on the accumulation of annual differences in carbon *stocks* on the land *over the time horizon until equilibrium is reached*, here called BAF $_{\Sigma T}$. Until the implications of the differences are better understood, we support EPA's cumulative BAF approach, i.e., the difference in carbon stocks *at the end of the selected time horizon*.

Scales of Biomass Use and Modeling Approach

Projections for aggregate demand for all biomass changes should be bounded by historical data on resource use, observed information on current and planned expansions to facilities using biogenic feedstocks, and reasonable projections of cost-effective deployment of biomass feedstocks for meeting the energy/feedstock needs of stationary facilities.

In addition, regular retrospective evaluations of observed levels of demand and the mix of feedstocks would enable revisions to EPA's estimates of feedstock demand. Retrospective evaluations of BAF performance will be important for understanding how effective the modeling has been in predicting what occurred. Thus, projections about biomass feedstock demand should be revised based on actual observations, and these updated demands should be used to inform modeling that generates BAFs.

Recommendations

Charge Question 2

As we have observed above, a sound biogenic carbon accounting approach for estimating BAFs will depend on the specific regulatory objectives for those BAFs, which are yet to be defined. Recognizing this limiting factor in the SAB's ability to review the 2014 Framework, we make the following recommendations.

- EPA should identify and evaluate its criteria for choosing a model and modeling features that
 affect BAF results. EPA should explore the sensitivity of BAFs to different modeling
 approaches, assumptions, transaction costs, and uncertainties in model input parameters.
- Stationary facilities require a continuous supply of biomass feedstocks, thus a landscape approach is appropriate and likely most reliable for accounting for the impacts of feedstock demand on carbon stocks.
- 3. The estimate of the direction and magnitude of the impact of using biogenic feedstocks in stationary facilities on terrestrial carbon stocks depends on the time horizon considered. There is no optimal time horizon for evaluating these impacts, and it may be primarily determined by the regulatory context mandating use of BAFs.
- Changes in carbon stocks (e.g., live and dead biomass, soil, products, material lost in transport
 and waste), should be used to account for biogenic carbon, rather than an emissions (flux-based)
 approach.

5. The SAB suggests exploration of two cumulative BAF metrics. Until the implications of the different metrics are clear, the SAB recommends using the metric proposed by EPA, i.e., net changes in stock over a specified time.

2. INTRODUCTION

2.1. Background

EPA's Science Advisory Board (SAB) was asked by the EPA Office of Air and Radiation to review and comment on its *Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources* (U.S. EPA 2014).

The purpose of the 2014 Framework was to develop a method for calculating the adjustment, or Biogenic Assessment Factor (BAF), for CO₂ emissions associated with the use of biogenic feedstocks in stationary facilities, taking into account the biological carbon cycle associated with the growth, harvest, and processing of plant biomass. This mathematical adjustment to stack emissions is needed because of the unique ability of biological systems to sequester CO₂ from the atmosphere through photosynthesis in living biomass, to sequester carbon in dead biomass and soil, and to release CO₂ through respiration and biologically-mediated decay of organic matter. These attributes of ecosystems mean that there can be wide variation in the net effect of using biomass feedstocks in stationary facilities on emissions of carbon dioxide to the atmosphere and thus it is scientifically indefensible to assume all bioenergy has no net carbon dioxide emissions to the atmosphere, or the reverse, that all emissions represent a net addition to the atmosphere. The BAF is an accounting term developed in the Framework to estimate the net CO₂ emissions to the atmosphere over a specified period of time associated with burning biomass feedstocks to produce energy. These net emissions reflect the changes in carbon stocks of above and below ground biomass (live and dead), soils, and wastes. The 2014 Framework is a revision of the 2011 Framework (U.S. EPA 2011), which the SAB previously reviewed (U.S. EPA SAB 2012).

The EPA's charge to the SAB (Appendix A) requests advice and recommendations on its revised 2014 Framework, which was developed with consideration of the SAB's 2012 recommendations as well as the latest information and input from the scientific community and other stakeholders. The EPA asked the SAB to review and offer recommendations on specific technical elements of the 2014 Framework for assessing the extent to which the production, processing, and use of biogenic feedstocks at stationary facilities results in net emissions of CO₂ to the atmosphere so that it could be quantified through calculation of a BAF.

To conduct the present review, the SAB Staff Office reconstituted the Biogenic Carbon Emissions Panel (Appendix B), which had reviewed the 2011 Framework. That panel met multiple times between March 2015 and August 2017. The Panel presented a draft report (February 2016) to the SAB for quality review. The SAB quality review was conducted in March 2016; this quality review resulted in requested revisions from the Panel. The revised draft report (June 2017) was reviewed by the Board in 2017. The 2017 revision of the report was not approved by the SAB based on the deliberations of the quality review. The present report is a product of SAB's direct efforts and utilizes portions of the Panel's report. Previous drafts of the Panel's report are retained on the SAB website and available [HYPERLINK "https://yosemite.epa.gov/sab/sabproduct.nsf/LookupWebProjectsCurrentBOARD/3235dac747c16fe985 257da90053f252!OpenDocument&TableRow=2.2" \lambda "2." \la

The 2014 Framework does <u>not</u> provide the regulatory context, specific BAF calculations for that context, or the implementation details the SAB requested in its review of the 2011 Framework. That is, EPA's Framework report does not identify the specific metric of climate impact (or "objective") that a

BAF estimate should reflect, and further notes that BAFs that may be developed under the Framework

could entail a wide range of objectives, depending on the regulation or policy-specific approach that would require use of a BAF. (For example, some regulations may impose objectives related to different time horizons than others; similarly, under some regulations the BAF may need to address a temperature impact objective, while other regulations may impose a net CO₂ emissions objective.) Lack of specificity in the Framework document regarding the objectives to be estimated makes it very difficult for the SAB to assess whether the suggested types of models, data, and baselines are appropriate. While it would, in this situation, be desirable to identify a universal modeling methodology that could be applied to any of a wide range of potential objectives, this poses significant new analytical and data challenges on the Framework, and the SAB is not endorsing such an approach. Thus, we note as a preface to this set of SAB comments that a consequence of having made the 2014 Framework so general in its potential applications is that it has limited SAB's ability to fully address the charge questions presented to it for this review.

8

10

11

12 13

14

3. OVERARCHING COMMENTS

8

11

12

13 14 This section addresses issues that lie outside the scope of EPA's charge questions, but which the SAB considered critical to place the responses to the charge questions in context. The charge questions are narrowly focused on specific technical aspects in the structure of the 2014 Framework. However, the SAB had important general advice regarding the Framework. This first section outlines that advice.

3.1. Defining Objectives through the Regulatory Context

For its review of the 2011 Framework, the SAB requested and was given a regulatory context for use of 10 BAFs that would result from the biogenic CO₂ accounting framework. The SAB was told that the 2011 Framework was intended to guide the determination of CO₂ emissions from regulated stationary sources under the Clean Air Act, specifically those facilities receiving a prevention of significant deterioration (PSD) air permit and that were required to conduct a best available control technology (BACT) analysis for CO₂ emissions. The question before the agency, and hence the SAB, was whether and how to consider biogenic greenhouse gas (GHG) emissions in reaching thresholds for permitting and decisions about BACT for CO₂ emissions from the use of bioenergy in stationary facilities.

19

20

21

22

23

The agency has removed this regulatory context from its 2014 Framework, and the EPA's charge questions seek guidance on issues related to the choice of temporal, spatial and production scale for determining BAFs in a regulatory-neutral context. In the absence of a specific regulatory context, which would define the objectives that a BAF must estimate, the SAB limited its review to providing general comments about how to consider the questions posed. More specific answers to the questions posed will vary with the objective (as defined by the regulatory context), most notably the appropriate time period over which to determine the net biogenic emissions, and to a lesser degree, the appropriate geographical scale for consideration.

28

29

30

31

32

33 34 will need to account for the emissions of all greenhouse gases that alter the climate. If this is the case, then it will be important that the analytic methods described by the Framework account for the effect of biogenic feedstocks on non-CO₂ gases such as N₂O and CH₄ and to examine how the emission or uptake of these gases differ across space, time, and feedstocks. Given the large difference in the mean residence time of these gases in the atmosphere, their relative importance can vary widely over different time horizons. If climate impact over 20 or 40 years is the objective, then methane and carbon particulate emissions could be very important, while if the objective's period of concern is hundreds of years, their importance will drop significantly (Shoemaker, et. al., 2013). Non-CO₂ gases are particularly important for feedstocks grown with nitrogen fertilizer and for waste materials from landfills.

A regulatory context with explicit objectives would clarify if the procedures for determining the BAF

39

40

41

42

43

As an additional caveat, the SAB is aware that the EPA report and this review are focused only on accounting for carbon dioxide related to the use of biomass in stationary facilities for energy generation. Neither EPA nor the SAB evaluated other concerns like forest conservation, biodiversity, and ecosystem services. If, for example, biomass pellets were sourced from old growth forests, this would pose unique risks that would not be reflected in a BAF calculated for net effects on carbon dioxide. We offer this caution about the model boundaries as defined by EPA's method and identified in the SAB review. In

addition, we recognize that biodiversity and ecosystem health are valid concerns worthy of a different analysis and regulatory response.

Recommendation

- BAFs will vary depending on their specific objective, which will depend upon the regulatory
 context, particularly in selection of the time horizon and geographic scope. Thus, future efforts to
 define specific biogenic accounting factors should be conducted in a regulatory-specific context,
 with the objectives and relevant time frame specified.
- It is inappropriate to use default assumptions, including assuming there are no net emissions or that all emissions are additive.

3.2. Baseline Approach

To compare change in any system over time, there must be a baseline scenario against which to assess changes, in this case, changes due to demand for biogenic feedstocks; a baseline allows different scenarios to be compared. In the 2011 Framework, the EPA assesses the estimated net change in land-based biogenic CO₂ fluxes and/or carbon stocks between two points in time, with the first time point called the reference point. In the 2012 SAB report, we noted temporal problems with the reference point baseline approach. The EPA has acknowledged this in its 2014 Framework and included a future anticipated baseline analysis alternative along with a reference point baseline approach. The 2014 framework notes that the choice of baseline (reference point or anticipated) depends on the question to be answered and the specific context in which the framework is applied.

order to try to capture interactions among the market, land use, investment decisions, and emissions and ecosystem feedbacks, and to construct a counter-factual scenario that does not include increased bioenergy use. In the case of long rotation feedstocks, biomass feedstock demand can affect carbon stocks in many ways including the age of trees harvested, the diversion of forest biomass from traditional forest product markets to bioenergy, and the rates of afforestation and deforestation. Estimating the net effect of these changes on carbon stocks requires a model that integrates market demand and supply conditions with biophysical conditions that determine growth of forest biomass, losses via decomposition, carbon sequestration and fluxes due to harvests and land use change and incorporates the spatial variability in these effects across the U.S. The complexity of such a modeling approach can make it difficult to parameterize and validate, and thus poses a significant challenge for use in any context. Extra effort will be needed to provide the public with thorough sensitivity analyses of parameters and model assumptions, and explicit recognition of model uncertainties in resulting BAF estimates.

The SAB's 2012 advice on the anticipated baseline approach explored the use of complex modeling in

Also, consistent with the SAB's 2012 recommendations, the EPA has now moved toward a "representative factor" approach that would include an assessment of the biogenic landscape attributes (type of feedstock, region where produced). The EPA initially considered calculating a BAF for an individual stationary facility; however, the data needs for a facility-specific approach are daunting if they are to be accurate (e.g., case-specific measurements and calculations of carbon stocks and chain-of-custody carbon accounting, integration of land use changes on a broader landscape level). EPA's use of

a representative factor approach is an advance in its accounting methodology, although overly-broad feedstock categories may not reflect important extant or likely future variation in feedstock production or processing (e.g., roundwood in the Southeast, logging residues in the Pacific Northwest, and corn stover in the Corn Belt). The overall approach is a positive development, but caution is required to ensure such inclusiveness does not produce unintentionally negative outcomes, e.g. feedstocks with large net emissions to the atmosphere lumped together with those with more limited net emissions. The EPA should evaluate the "representativeness" of the factors and refine the approach over time with additional data.

As stated in the SAB's 2012 report, there are tradeoffs between ease of implementation (transaction

8 additional dat

costs), generalizability (getting it right at every location), accuracy (getting the overall stock change correct), and regulatory effectiveness (ensuring that the regulatory objectives are being met). The SAB continues to recognize the difficulty of undertaking the recommended anticipated future baseline approach, and practicality should be an important consideration in the agency's decision making. While the reference point baseline approach has significant limitations as noted in the SAB's 2012 report, these might be mitigated if regular updating with empirical data to capture regional carbon stock changes (increases or decreases) were employed. All methods considered should be subject to an evaluation of the costs of implementation and compliance and weighed against any increase in accuracy that they might yield. Ultimately it is critical that there is a balance among these considerations.

20

10

11

12

13 14

15

16 17

18 19

21

22

23

24

25

26

27

28

29

30

Recommendation

• The EPA should identify and evaluate its criteria for choosing a model and its underlying assumptions with regards to how these criteria and assumptions affect the robustness and reliability of calculated representative BAFs. In addition, the EPA should periodically update and validate the selected model to incorporate the latest scientific knowledge while ensuring that the model outputs are consistent with empirical observations (e.g. shifts in measured carbon stocks as determined the Forest Inventory Analysis program). Any model chosen should be subject to sensitivity analysis to evaluate its efficacy under different conditions and to identify data needs and prioritize future research.

3.3. Alternative Fate Approach for Waste-Derived Feedstocks

- 31 In 2012, the SAB recommended that the EPA consider alternative fates (i.e., if not used as fuel for
- 32 electricity generation or process heat) of waste-derived feedstocks diverted from the waste stream, e.g.,
- 33 whether these feedstocks might decompose over a long period of time, whether they would be deposited
- 34 in anaerobic landfills, whether they would be diverted from recycling and reuse, etc. In the 2014
- 35 Framework, the EPA has conducted extensive alternative fate calculations; however, the agency drew a
- 36 narrow boundary around point source emissions and neglected other significant considerations that
- 37 affect the GHG footprint of alternative municipal solid waste management scenarios. Specifically, the
- 38 EPA neglected to quantify a potential alternative fate of municipal solid waste through landfill-derived
- 39 methane combustion. Under the Clean Air Act New Source Performance Standards, the EPA requires
- 40 landfills above a certain size to, at a minimum, collect and control landfill gas (e.g., through flaring or
- 41 use). As such, a baseline of direct venting is misleading, although almost all these facilities are likely to
- 42 produce large emissions of methane, even when in compliance with current regulations (Lamb et al
- 43 2016: [HYPERLINK

"file:///C:\\Users\\tcarpent\\AppData\\Local\\Microsoft\\Windows\\INetCache\\Content.Outlook\\9EYA Z1S8\\www.epa.gov\\lmop\\basic-information-about-landfill-gas"]). The relative rankings of BAFs across waste treatment options assessed in the 2014 Framework might change considerably if a more complete accounting were undertaken (e.g., energy recovery from landfill-derived methane and combustion of waste, and carbon storage associated with landfills.)

3.4. Temporal and Spatial considerations Considerations in Biogenic Assessment Factor Calculations

The goal of the EPA Framework reviewed is to account for effects of biomass feedstocks used for energy generation at stationary facilities on terrestrial carbon stocks. BAFs are a carbon accounting method based on expected future changes in carbon stocks (measured in tons of carbon). They are designed to assess the net contribution of CO_2 from a stationary facility that uses biomass feedstocks, due to shifts of terrestrial carbon to and from the atmosphere over a specified period of time. The time scale selected will vary depending on regulatory-defined objectives (e.g., reduction of GHG emissions in 2050 or 2100, or limiting global temperature change resulting from greenhouse gas emissions). Over the selected time period, all greenhouse gas impacts (not just CO_2) – both positive and negative – should be accounted for (as completely as is feasible).

Stationary facilities require a continuous supply of feedstock, thus a landscape approach for accounting of impacts on carbon stocks is more appropriate than a stand-level approach for the application EPA defines (stationary facility for energy production). A landscape approach expands the boundaries of analysis to include all effects and recognizes that there is uptake as well as loss of carbon associated with the production of feedstocks concurrently occurring across the landscape. It is the overall balance of losses and gains that determines carbon stock effects. Moreover, economic considerations will determine the size of the landscape providing feedstocks over time and the potential for land-use changes that can positively or negatively impact carbon stocks. As noted by Cintas et al. (2016), "assessment at the landscape scale integrates the effects of all changes in the forest management and harvesting regime that take place in response to – experienced or anticipated – bioenergy demand. Taken together, these changes may have a positive, negative or neutral influence on the development of forest carbon balances." Landscape level accounting of effects of forest-based feedstocks on carbon stocks can result in a net gain or loss of carbon stocks in the near to medium term; a carbon debt could be followed by a carbon dividend or the other way around.

BAFs are a carbon accounting tool for assessing CO₂ emissions from facilities that consume biomass feedstocks for production of energy and are not life cycle assessments of net greenhouse gas emissions or their climate change effects. The distinction is that not all indirect systemic effects are considered in the BAF, nor are all GHG effects included. We also underscore our caution that the net accumulation of forest and soil carbon over time should not be assumed to occur automatically or to be permanent; rather, growth and accumulation should be monitored and evaluated for changes resulting from management, regulatory efforts, market forces, or natural causes. If such monitoring demonstrates changes that are not included in the model used to develop the BAF, the BAF should be updated to align with the empirical data.

Recommendation

Stationary facilities require a continuous supply of feedstock, thus a landscape approach is appropriate and likely most reliable for accounting for the impacts of feedstock demand on

3 4

RESPONSES TO EPA'S CHARGE QUESTIONS

carbon stocks.

3.5. Temporal/Spatial Scale for Biogenic Accounting

Charge Question 1: What criteria could be used when considering different temporal scales and the tradeoffs in choosing between them in the context of assessing the net atmospheric contribution of biogenic CO₂ emissions from the production, processing, and use of biogenic material at stationary sources using a future anticipated baseline?

There are several key factors that impact the dynamic nature of the BAF for a specific feedstock and region. The first is that the increased demand for biomass feedstocks in a region could potentially be met by a variety of sources obtained from the agricultural and forestry sectors, including annual and perennial agricultural crops, short rotation woody biomass and pulpwood, and crop and forest residues. Any increase in demand might involve using a larger proportion of an existing resource or diversion from non-energy products and landfills, converting land from other uses to growing biomass feedstocks, changing use of existing feedstocks, utilization of residues that would otherwise decay over some period of time. The effect of increased demand for biomass feedstocks on carbon stocks will depend on the mix of these feedstocks demanded and the scale of demand for these feedstocks.

Second, different biomass sources have different effects on carbon stocks over different timeframes. The plant systems, e.g. forests, agronomic systems, producing feedstocks differ in their rate of growth/regrowth, yield, potential to sequester carbon in biomass and soils, decay rates after harvest, and the type of land-use change that accompanies their production. These effects continue after the feedstock has been consumed by a stationary facility. We therefore recommend computing a cumulative BAF over the relevant time horizon. This cumulative BAF would be based on the difference in carbon stocks between a scenario without change (either computed using a reference point or anticipated baseline) and the increased biomass feedstock demand scenario and would vary with the time horizon selected by the objective in the relevant regulations.

 Key principles for calculating changes in the net carbon stocks should include: (1) the positive and negative impacts of demand for biomass over time, (2) a system-wide (landscape and economy) approach to account for direct and indirect effects, and (3) consistency across each region. Selecting different time horizons for different feedstocks being used to meet the same regulatory objective would be inappropriate as it would yield inconsistent effects.

Determining the scale of appropriate regions for calculating BAFs will require balancing similarity in the biophysical characteristics, similar growing conditions (growing season length, vegetation type) and economic factors, biomass demand, with ensuring that the edge to volume ratios of the regions are small enough to ensure minimizing incentives to manipulate the movement of biomass feedstocks among regions due to differing BAFs.

To fully account for all positive and negative terrestrial effects over time, we recommend using the "emissions horizon" that is determined to be relevant by the specific -regulatory objective. As defined by the EPA, this "emissions horizon is the period of time during which the carbon fluxes resulting from actions taking place today actually occur ..." (U.S. EPA 2014). If the objective associated with formations taking place today actually occur ..." (U.S. EPA 2014). If the objective associated with formation BAF is to have an effect on greenhouse gas emissions by a certain date, then the impacts agreeded by that date are the relevant metric to assess meeting the objective, and that date is the appropriate time horizon under which the that BAF is should be calculated. Accordingly, there is no single time horizon that will effectively address all policies or feedstock spotential BAF needs since feedstock net effects are time-dependent and desired different BAF objectives for regulatory changes may target different time horizons. Accordingly, (The SAB does not support a single time horizon as appropriate for estimating BAFs, because the computed values can vary significantly over different time horizons and different objectives will be met over different time horizons.

The Panel suggested that the time horizon should be the length of time it would take for the effect of increased demand for biogenic feedstock on the carbon cycle to reach a steady-state. This occurs when the difference in carbon stocks between the increased biomass feedstock demand scenario and the business-as-usual scenario is no longer changing or when the difference is approaching an asymptote. This could result in a very long time horizon being selected for the BAF calculation, potentially hundreds of years if all feedstocks across all regions were to be included. The selection of such a time horizon would mean that for regulatory objectives with shorter time horizons (e.g., meeting a 2050 emissions target), the accounting would not align with relevant effects of biomass feedstock use at stationary sources on the regulatory objective. Whether it would be appropriate to use a model that can estimate effects over a much longer time horizon to estimate a BAF requiring a schorter time horizon will depend on whether that model can produce reasonable estimates of impacts at the nearer term point in time as well.

Several factors determine the difference in carbon stocks between the business-as-usual scenario and the increased biomass feedstock demand scenario. A major factor is the "speed" with which carbon stocks respond after harvest; this can be influenced by several factors: the speed with which a feedstock regrows and can be harvested again, the mix of feedstocks produced, and the rate at which soil carbon stocks change. Thus, the mix of feedstocks used can influence the shape of the curve and when it reaches equilibrium.

Previous studies have shown that estimates of the effects of biomass harvest on carbon stocks depend on the spatial scale of consideration (stand level or landscape level), the initial conditions of carbon stock on the land (e.g., managed forestland, old growth forestland, or agricultural land), the management practices used, and the time horizon over which effects are measured (Walker et al., 2010; Jonker et al., 2014; Mitchell et al., 2012; Galik and Abt, 2012; Ter-Mikaelian et al., 2015). Harvest of an existing forest stand for use as a feedstock results in an immediate reduction of carbon on the site; the amount of carbon lost at the stand level is directly related to the intensity of the disturbance. At a stand level, harvest followed by regrowth (most US forests regenerate without intervention/planting) usually results in a cycle of loss followed by gain. The amount of carbon regained on the site can vary: in some cases, all is regained, in others only part is regained, and in others, more can be gained than is released.

Since stationary facilities require a continuous supply of feedstock, multiple stands will be disturbed asynchronously; the order in which losses and gains occur becomes meaningless at the landscape level

[PAGE * MERGEFORMAT]

Commented [SA3]: Wordiness that seems unnecessary; point of sentence seems clearer without them.

Commented [SA4]: This portion seemed garbled; edits are intended to make it clearer.

Commented [SA5]: Seems repetitive with prior sentences in parag, and the point of this sentence seems more crisp without the "because..."

because both simultaneously occur. Thus, the operative issue is the overall balance between losses and gains of carbon at the landscape scale. Thus, stand level accounting is not relevant to the calculation of BAFs for biomass feedstocks used at stationary sources. If harvest does not exceed the rate of carbon accumulation, the landscape-level carbon stocks are stable or increasing. However, there could be a net loss of carbon to the atmosphere at the landscape level, compared with the business-as-usual scenario, if trees are harvested at younger ages or if trees that would otherwise have been unharvested are harvested.

Biomass, particularly from forest sources, is also used for producing non-energy products. The demand for biomass feedstocks for energy generation can lead to a diversion of biomass from those products and lead to an immediate reduction in carbon stocks in products. It is also possible that anticipation of future demand for biomass feedstocks by stationary facilities could lead to land conversion, reforestation and retention, or accumulation of carbon stocks in a growing forest. In general terms, the amount of either net loss or net gain of carbon on the landscape is influenced by changes in many factors including those influencing net primary production and removals, and the net effect can be expected to vary over time.

When agricultural feedstocks are harvested annually from land under continuous production, the time lag between harvest, CO₂ emissions from conversion to energy, and regrowth on land is likely to be close to one year, and the harvested carbon will be fully regained, with no net impact on above-ground carbon stocks. The production of these feedstocks may directly affect carbon stocks below-ground by increasing or decreasing soil carbon stocks relative to the use of the land in the business-as-usual scenario. The demand for biomass feedstocks can also affect carbon stocks by leading to a change in the use of land which could either release carbon stored in the land (for example if permanent grasslands are converted to annual agricultural production) or accumulate carbon on the land (for example through reforestation as annual cropland is converted back to forests).

Recommendation

 The estimate of direction and magnitude of the impact of using biogenic feedstocks in stationary facilities on terrestrial carbon stocks depends on the time horizon considered. There is no optimal time horizon for evaluating these impacts, and it may be primarily determined by the regulatory context mandating use of BAF.

Charge Question 1(a): Should the temporal scale for computing biogenic assessment factors vary by policy (e.g., near-term policies with a 10-15 year policy horizon vs. mid-term policies or goals with a 30-50 year policy horizon vs. long-term climate goals with a 100+ year time horizon), feedstocks (e.g., long rotation vs. annual/short-rotation feedstocks), landscape conditions, and/or other metrics? It is important to acknowledge that if temporal scales vary by policy, feedstock or landscape conditions, or other factors, it may restrict the ability to compare estimates/results across different policies or different feedstock types, or to evaluate the effects across all feedstock groups simultaneously.

Charge Question 1(a)(i). If temporal scales for computing biogenic assessment factors vary by policy, how should emissions that are covered by multiple policies be treated (e.g., emissions may be covered both by a short-term policy, and a long-term national emissions goal)? What goals/criteria might support choices between shorter and longer temporal scales?

of a regulatory requirement.

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

Charge Question 1(a)(ii). Similarly, if temporal scales vary by feedstock or landscape conditions, what goals/criteria might support choices between shorter and longer temporal scales for these metrics?

Charge Question 1(a)(iii). Would the criteria for considering different temporal scales and the related tradeoffs differ when generating policy neutral default biogenic assessment factors versus crafting policy specific biogenic assessment factors?

Charge Question 1(b). Should the consideration of the effects of a policy with a certain end date (policy horizon) only include emissions that occur within that specific temporal scale or should it consider emissions that occur due to changes that were made during the policy horizon but continue on past that end date (emissions horizon)?

The responses to questions 1(a), 1(a)(i), 1(a)(ii), 1(a)(iii), and 1(b) are combined because these questions all relate to goals or criteria that may affect choices of differing temporal scales for calculating BAFs.

Question 1a asks specifically if the temporal scale for computing BAFs should vary by regulatory policy. As noted in the overall response to Charge Question 1 (above), the SAB concludes that the BAF computation should be informed by the regulatory objectives, including with respect to time.

If there are different objectives in multiple regulations mandating use of BAFs (as discussed in charge question 1(a)(i)), there are no overriding scientific principles that can be applied *a priori* to guide alignment in the tools to be used for calculating BAFs for different objectives.

One could advocate for a host of approaches to selecting a time horizon for evaluation; all would be plausible but not inherently aligned with the objective of the regulations being promulgated. At the extremes one could consider only the carbon accounting over the year in which the biomass was combusted; such an approach would mean that almost all feedstocks would be assigned a BAF close to one, representing no net benefit to reducing atmospheric carbon dioxide concentrations. Conversely one could only consider net impacts on the carbon cycle over several hundred years, which would mean for most feedstocks the BAF would be close to zero (assuming steady demand and unchanged rotation lengths thus allowing stocks to come into equilibrium), indicating all biogenic emissions being net beneficial to the atmosphere. Neither of these approaches would align with the most likely objectives of BAFs; however, neither is inherently correct or incorrect.

Charge Question 1(c). Should calculation of the biogenic assessment factor include all future fluxes into one number applied at time of combustion (cumulative – or apply an emission factor only once), or should there be a default biogenic assessment schedule of emissions to be accounted for in the period in

The time horizon for consideration of carbon stock changes should be chosen based on the specific objective of a regulation, once it is identified (e.g., minimizing net greenhouse gas emissions over a

specified period or temperature increase by a certain date). The SAB makes no assertion regarding the

appropriate regulatory use of the BAF and thus supports no specific time horizon selected independent

which they occur (marginal – apply emission factor each year reflecting current and past biomass usage)?

Accumulating all effects of the use of a biogenic feedstock over a time horizon is preferred to a marginal or instantaneous ("per period") BAF. (For the purposes of answering this question, the SAB interprets "marginal" to mean "annual" or "per period" so as to distinguish it from the meaning of "marginal" that typically refers to the last unit of emissions or the additional effect of the last unit of biomass.)

As described in the overall response to Charge Question 1 (above), the SAB recommends a cumulative carbon accounting metric; however, there are alternative ways to calculate cumulative BAFs. EPA's cumulative BAF (called BAF_T in the 2014 Framework) applied to stocks is one option, reflecting the carbon stocks at the end of the time horizon—specifically, changes in carbon stocks by time, T. One can also calculate a cumulative BAF that is based on the accumulation of annual differences in carbon *stocks* on the land *over the time horizon until equilibrium is reached*, here called BAF $_{\Sigma T}$. By accumulating annual differences across the projection period, this alternative cumulative BAF metric attempts to incorporate "residence time" in the sense that it is a proxy for the length of time carbon stays in the atmosphere until it is modified by changing stocks of carbon on the land. While intended to generate a single BAF term at the end of the selected time horizon, either computation can be evaluated at any time of interest. Until the implications of the differences are better understood, we support EPA's cumulative BAF approach, i.e., the difference in carbon stocks at the end of the selected time horizon.

The choice of an appropriate cumulative BAF should be informed by a scientific assessment of the dynamics of additions to atmospheric carbon stocks as well as the complexities and uncertainties of these determinations, ensuring the accounting is accurate and verifiable. Both cumulative BAFs attempt to capture net changes in biogenic carbon stocks. A key feature of using carbon stocks is that all terms can be readily aggregated or disaggregated and are still subject to mass balance.

With either approach to evaluating BAFs, caution is advised with projections into the future. A BAF is inherently based on some type of modeling that employs assumptions about the relationship of variables in the future based on current observations. These assumptions may not be robust in the future. Each BAF will need to be assessed periodically to see if changing conditions warrant a revision (Bucholz et al. 2014).

Carbon accounting for biogenic emissions can be framed either using differences in carbon emissions to the atmosphere or using differences in carbon stocks on the land. Conservation of mass dictates that any carbon taken from the land (through increased harvests or other disturbances) will result, in the nearterm, in equivalent increases of carbon in the atmosphere, followed by longer-run changes in ocean and land-based carbon. Thus, these approaches are compatible, but examining changes in stocks is operationally more direct and can be done periodically, rather than requiring continuous measurements to be accurate. However, both approaches should account for changes within the boundaries of the analysis, such as import and export of biogenic feedstocks and other associated products.

Long-Term Trends in Biogenic Assessment Factors

The Panel has suggested that cumulative BAFs might approach zero as T is reached. However, that is only true for BAF $_{\Delta t}$ and not the cumulative BAFs – BAF $_{T}$ and BAF $_{\Sigma T}$. Mathematically cumulative BAFs

are hyperbolic functions once T is reached and have extremely long "tails", representing a period of net CO₂ emissions to the atmosphere.

3

An approach to determining a baseline that includes an historical time period could be used to
periodically reset a reference baseline based on re-measuring carbon stocks on the landscape using data
from existing inventory programs. Carbon stock measurements have been made for more than a half
century in the US, offering a robust record of change. This approach could improve the accuracy of the
baseline over time; however, as noted above, the preference for use of a reference or future anticipated
baseline depends on the objective. Future changes in growth-to-harvest ratios could be used to inform

the model assumptions and modify the BAF that would be applicable going forward. This could create long-term incentives for sustainable management of land resources. In any accounting framework that

assumes future regeneration and regrowth, it is important to periodically test this assumption against actual data as they become available. If assumptions of future regeneration and regrowth are not

supported by observations, adjustments need to be made to models that are used to determine BAFs.

Recommendations

15

16

17

18

19

20 21

22

23

24

25 26

27

28

29

30 31

32

33

34

41

- The SAB recommends formulating BAFs based on changes in carbon stocks (terrestrial pools such
 as live, dead, soil, products, material lost in transport and waste), rather than an emissions-based
 (flux-based) approach, because the former comports with conventional carbon accounting, has welldefined boundaries, and follows the conservation of mass.
- The SAB suggests consideration of two cumulative BAFs—that proposed by EPA and an alternative
 metric that takes into account the changes in terrestrial carbon stocks over time. The appropriate
 cumulative metric for calculating BAFs will depend on the understanding of the carbon system and
 climate response for which there is uncertainty.

Charge Question 1(d). What considerations could be useful when evaluating the performance of a future anticipated baseline application on a retrospective basis (e.g., looking at the future anticipated baseline emissions estimates versus actual emissions ex post), particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward?

It is appropriate to periodically revise the modeling and the BAFs. The goal of such revisions would be to update underlying economic and biophysical assumptions and modeling trends in light of new data to reduce uncertainty and to increase accuracy of future projections.

A retrospective comparison would compare model-projected behavior to newly available historical observations and estimates, such as regional feedstock demand, land-use changes (e.g., reforestation, management intensity, forest rotations characteristics and conversion of land to other land uses including dedicated energy crops), and forest carbon measurements and estimates (both level and composition). It would be important to re-examine parameters, functional forms, and other assumptions of the modeling

40 approach as part of an *ex post* evaluation.

3.6. Scales of Biomass Use

42 Charge Question 2: What is/are the appropriate scale(s) of biogenic feedstock demand changes for 43 evaluation of the extent to which the production, processing, and use of biogenic material at stationary

sources results in a net atmospheric contribution of biogenic CO2 emissions using a future anticipated baseline approach? In the absence of a specific policy to model/emulate, are there general recommendations for what a representative scale of demand shock could be?

Charge Question 2(a). Should the shock reflect a small incremental increase in use of the feedstock to
 reflect the marginal impact, or a large increase to reflect the average effect of all users?
 Charge Question 2(b). What should the general increment of the shock be? Should it be specified in

Charge Question 2(b). What should the general increment of the shock be? Should it be specified in
 tons, or as a percentage increase?

The responses to questions 2(a) and 2(b) are combined below because both questions relate to the size of the simulated change in demand for biomass feedstocks. The complexities are large and any predictions on scale of demand shock can only be done effectively in a regulatory context as they are very challenging to define otherwise.

13 challenging to define otherwise
14
15 If the EPA's goal is to obtain a

If the EPA's goal is to obtain a region-specific BAF for a feedstock, it will be necessary to project region-specific and feedstock-specific demand for biomass. Since the BAF for a feedstock could differ depending on the method of production (for example, the soil carbon implications of corn stover will depend on the type of tillage practice used and the amount of residue harvested), it will be appropriate to have the BAF for a feedstock in a region reflect the methods used to produce that feedstock. To the extent that BAFs depend on technology and emissions control regulations at a stationary facility in a region, they could also be defined in terms of specific technologies.

Charge Question 2(c). Should the shock be from a business as usual baseline, or from a baseline that includes increased usage of the feedstock (i.e., for a marginal shock, should it be the marginal impact of the first ton, or the marginal impact of something approximating the last ton)?

In the absence of a specific regulation to model, the SAB cannot offer general recommendations for a representative scale of demand shock.

Charge Question 2(d). Should shocks for different feedstocks be implemented in isolation (separate model runs), in aggregate (e.g., across the board increase in biomass usage endogenously allocated by the model across feedstocks), or something in between (e.g., separately model agriculture-derived and forest-derived feedstocks, but endogenously allocate within each category)?

Charge Question 2(e). For feedstocks that are produced as part of a joint production function, how should the shocks be implemented? (e.g., a general increase in all jointly produced products; or, a change in the relative prices of the jointly produced products leading to increased use of the feedstock, and decreased production of some other jointly produced products, but not necessarily an overall increase in production).

The responses to questions 2(d) and 2(e) are combined because both questions relate to modeling biomass feedstocks in isolation or jointly.

In the absence of a mandate for use of specific feedstocks or incentives for specific types of bioenergy which might be prescribed in a regulatory framework, and which would inform the feedstock-specific demand that should be modeled, a reasonable approach is to model the aggregate demand for feedstocks.

This approach assumes facilities are constantly seeking their least-cost alternative. An aggregate demand could be imposed on the model and used to determine demand for different feedstocks in different regions. This would allocate demand across feedstocks as well as within each category to simulate a given target aggregate demand determined by the market's ability to draw from the least cost combination of feedstocks.

Charge Question 2(f). How should scale of the policy be considered, particularly for default factors? (e.g., can a single set of default factors be applied to policies that lead to substantially different increases in feedstock usage)?

Default BAFs would likely vary by the scale of demand. In fact, a single set of default BAFs is unlikely to be robust across a wide range of scales of demand. The scale of demand is likely to influence the mix of feedstocks that is viable to produce because it can be expected to affect the market price of biomass. Low levels of demand for biomass may be met relatively easily by crop residues, forest residues and mill residues; high levels of demand could lead to dramatically increased harvests of forest biomass or production of dedicated energy crops. The BAF of a feedstock in a region can be expected to vary depending on whether there is a 1-million-ton increase in biomass demand or a 1-billion-ton increase in biomass demand.

In the absence of information about the scale of demand, BAFs could be determined for different threshold levels of aggregate demand for biomass feedstocks and consequent feedstock/region-specific demand.

Charge Question 2(g). Would the answers to any of the above questions differ when generating policy neutral default factors, versus generating factors directly tied to a specific policy?

While the methodological framework for different policies could be similar, we expect differences as follows: (1) BAFs that are tied to a particular regulatory approach, versus a particular period of time, would be based on simulating the aggregate and feedstock-specific demand that is expected to emanate from that regulation, while regulatory neutral factors would be based on various exogenously specified quantities of demand for biomass and corresponding endogenously determined levels of feedstock specific demand, and (2) different regulations may require different production and use practices, and thus result in different biogenic factors. Isolating the extent to which expected increase in demand for biomass and its consequences for CO₂ emissions can be attributed to a specific regulation (when there are multiple regulations inducing a shift to renewable energy) is likely to be complicated and challenging to convert into regulatory-specific BAFs. It could also create unintentionally negative incentives for feedstock choice to comply with various regulations.

Charge Question 2(h). What considerations could be useful when evaluating the performance of the demand shock choice ex post, particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward?

It is likely that the observed feedstock demand in response to a specific regulation will differ from the forecast because the regulation can be expected to increase demand for feedstocks with lower BAF and decrease demand for feedstocks with a high BAF. Since feedstock-specific demand and the feedstock

- BAFs are likely to be jointly determined, while the approach proposed above determines them sequentially, divergence between model simulated demand for feedstocks and observations is inevitable.
- An evaluation using actual data would also allow revisions to the EPA's estimates of feedstock demand changes (as discussed in response to Question 1d) based on updated data. To improve the performance
- of the model for assessing BAFs retrospectively, quantities of biomass feedstock (by feedstock category)
- 7 harvested could be updated with actual observations. New data should improve the estimate of the
- 8 portion of total biomass demand that is attributable to stationary facilities. This information could be
- used to improve BAFs.

10

1 2	REFERENCES
3 4 5	Bucholz, T., Prisley, S., Marland, G., Canham, C. and Sampson, N. (2014) Uncertainty in predicting GHG emissions from bioenergy. <i>Nature Climate Change</i> 4:1045
6 7 8 9	Cherubini, F., Guest, G. and Stromman, A. (2012). Application of Probability Distributions to the Modeling of Biogenic CO2 Fluxes in Lifecycle Assessment. <i>Global Change Biology Bioenergy</i> 1 - 15.
10 11 12 13 14	Cintas, Olivia, Göran, B., Cowie, A., Egnell, G., Holmstrom, H., Marland, G and Ågren, G. (2017). Carbon balances of bioenergy systems using biomass from forests managed with long rotations: bridging the gap between stand and landscape assessments. <i>Global Change Biology Bioenergy</i> . Retrieved from doi: 10.1111/gcbb.12425, 2017
15 16 17	Galik, C.S. and Abt. R.C. (2012). The effect of assessment scale and metric selection on the greenhouse gas benefits of woody biomass. <i>Biomass and Bioenergy</i> 44:1–7.
18 19 20 21 22 23	Galik, Christopher S, and Robert C. Abt. (2012). "The Effect of Assessment Scale and Metric Selection on the Greenhouse Gas Benefits of Woody Biomass." <i>Biomass and Bioenergy</i> 44 (September): 1–7. doi:http://dx.doi.org/10.1016/j.biombioe.2012.04.009.
24 25 26 27 28 29	IPCC (Intergovernmental Panel on Climate Change). (2007). Changes in Atmospheric Constituents and in Radiative Forcing. In: Climate Change 2007. Cambridge, United Kingdom and New York, NY. Retrieved from [HYPERLINK "http://www.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-chapter2.pdf"].
30 31 32 33	Jonker, Jan G.G., Junginger, M. and Faaij, A. (2014). "Carbon Payback Period and Carbon Offset Parity Point of Wood Pellet Production in the South-Eastern United States." Global Change Biology Bioenergy 6 (4): 371–89. doi:10.1111/gcbb.12056.
34 35 36 37 38 39 40 41 42	 Lamb, B.K., Cambaliza, M.O.L., Davis K.J., Edburg, S.L., Ferrara, T.W., Floerchinger, C., Heimburger A.M.F., Herndon, S., Lauvaux, T., Lavoie, T., Lyon, D.R., Miles, N., Prasad, K.R., Richardson, S., Roscioli, J.R., Salmon, O.E., Shepson, P.B., Stirm, B.H. and Whetstone, J. (2016) Direct and Indirect Measurements and Modeling of Methane Emissions in Indianapolis, Indiana Environmental Science and Technology. 50: 8910-8917
43 44 45 46	Mitchell, Stephen R., Harmon, M.E. and O'Connell, K.E.B. (2012). "Carbon Debt and Carbon Sequestration Parity in Forest Bioenergy Production." <i>GCB Bioenergy</i> 4 (6): 818–27. doi:10.1111/j.1757-1707.2012.01173.x.

[PAGE * MERGEFORMAT]

Commented [LSM6]: It is not apparent which of these is in the text at the two points they occur. Maybe a 2012a and 2012 b?

National Council for Air and Stream Improvement. (2015). Comment to the Biogenic Carbon Emissions Panel of the EPA Science Advisory Board. August 5, 2015. Retrieved from [HYPERLINK "http://yosemite.epa.gov/sab/sabproduct.nsf/254A0104C4745E5785257E98006493E4/\$File/NC 5 ASI+comments+for+Aug.+6,+2015.pdf"] 6 Ocko, I.B., Hamburg, S.P., Jacob, D.J., Keith, D.W., Keohane, N.O., Oppenheimer, M., Roy-Mayhew, J.D., Schrag, D. P. and Pacala, S.W. (2017) Two-valued Global Warming Potential Effectively 10 Captures Long- and Short-term Climate Forcing. Science. 356:492-493 11 12 Shoemaker, J.K., Schrag, D.P., Molina, M.J. and Ramanathan, V. (2013). "What Role for short-Lived 13 14 Climate Pollutants in Mitigation Policy?" Science 342: 1323-1324. 15 16 Ter-Mikaelian, Michael T., Colombo, S.J. and Chen, J. (2015). "The Burning Question: Does Forest 17 Bioenergy Reduce Carbon Emissions? A Review of Common Misconceptions about Forest 18 Carbon Accounting." Journal of Forestry 113 (1): 57-68. 19 20 U.S. EPA (Environmental Protection Agency). (2011). Accounting Framework for Biogenic CO₂ 21 Emissions from Stationary Sources. Office of Atmospheric Programs. Retrieved from https://yosemite.epa.gov/sab/sabproduct.nsf/0/2F9B572C712AC52E8525783100704886/\$File/Biogenic Acceptable (Control of the Control of Control o22 23 CO2_Accounting_Framework_Report_LATEST.pdf. 24 U.S. EPA (Environmental Protection Agency). (2014). Framework for Assessing Biogenic CO₂ 25 Emissions from Stationary Sources. Retrieved from 26 https://yosemite.epa.gov/sab/sabproduct.nsf//LookupWebProjectsCurrentBOARD/3235DAC747C16FE 27 985257DA90053F252/\$File/Framework-for-Assessing-Biogenic-CO2-28 Emissions+(Nov+2014).pdf. 29 30 U.S. EPA (Environmental Protection Agency). (2015). Response to the SAB Panel Peer Review 31 Advisory. Retrieved from SAB Biogenic Carbon Emissions Panel Meeting Webpage. Retrieved 32 from [HYPERLINK "http://yosemite.epa.gov/sab/SABPRODUCT.nsf/5295DAC6053510F285257DFD0075C181/\$Fi 33 34 le/OAR+Response+to+SAB's+2012+Advice.pdf"]. 35 36 U.S. EPA SAB (U.S. EPA Science Advisory Board). (2012). SAB Review of EPA's Accounting 37 Framework for Biogenic CO2 Emissions from Stationary Sources. Retrieved from SAB website: [HYPERLINK 38 39 "http://yosemite.epa.gov/sab/sabproduct.nsf/57B7A4F1987D7F7385257A87007977F6/\$File/EP 40 A-SAB-12-011-unsigned.pdf"]. 41 42 Walker, Thomas, Cardellichio, P., Colnes, A., Gunn, J., Kittler, B. Perschel, B., Recchia, C. and Saah, D. 43 (2010). "Massachusetts Biomass Sustainability and Carbon Policy Study: Report to the 44 Commonwealth of Massachusetts Department of Energy Resources." Manomet Center for

[PAGE * MERGEFORMAT]

Conservation Sciences, no. June: 182. doi:NCI-2010-03.

45

Commented [LSM7]: I cant find this in the document – there is a portion that talks avout NCASI's comments in 2011, though.

[PAGE * MERGEFORMAT]

1 2

APPENDIX A: CHARGE TO THE SAB

2 3

February 25, 2015

MEMORANDUM

To: Holly Stallworth, Designated Federal Official

From: Paul Gunning, Director

Climate Change Division

g

Subject: Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources and

Charge Questions for SAB peer review

Science Advisory Board Staff Office

18 T1 19 En

The purpose of this memorandum is to transmit the revised Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources, related documentation and charge questions for consideration by the Science Advisory Board (SAB) during your upcoming peer review.

In January 2011, the U.S. Environmental Protection Agency (EPA) announced a series of steps it would take to address biogenic CO₂ emissions from stationary sources. EPA committed to conduct a detailed examination of the science and technical issues related to assessing biogenic CO₂ emissions from stationary sources and to develop a framework for evaluating those emissions. The draft study was released in September 2011 and subsequently peer reviewed by the SAB Ad-Hoc Panel on Biogenic Carbon Emissions (SAB Panel). The final peer review report was published September 2012.

To continue advancing the agency's technical understanding of the role that biomass use can play in reducing overall greenhouse gas emissions, the EPA released a second draft of the technical report, Framework for Assessing Biogenic Carbon Dioxide for Stationary Sources, in November 2014. This revised report presents a methodological framework for assessing the extent to which the production, processing, and use of biogenic material at stationary sources results in a net atmospheric contribution of biogenic CO₂ emissions. The revised report takes into account the SAB Panel's peer review recommendations on the draft 2011 Framework as well as the latest information and input from the scientific community and other stakeholders.

The revised framework addressed many of the SAB Panel's key concerns and recommendations by incorporating: an anticipated baseline approach analysis, including an alternative fate approach for waste-derived feedstocks and certain industrial processing products and byproducts; an evaluation of tradeoffs from using different temporal scales; an improved representation of the framework equation; and illustrative case studies demonstrating how the framework equation can be applied, using region-feedstock combinations to generate regional defaults per different baseline approaches and temporal scales.

We ask the SAB to review and offer recommendations on specific technical elements of the revised framework for assessing the extent to which the production, processing, and use of biogenic material at stationary sources results in a net atmospheric contribution of biogenic CO₂ emissions, as identified in the charge accompanying this memo. We look forward to the SAB's review.

Please contact me if you have any questions about the attached study and charge.

Attachments:

- 1) Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources
- 2) Technical Appendices
- 3) Response to the 2011 SAB Panel Peer Review Advisory

13

5 6

7 8

9

10

11

12

15

Peer Review Charge on the Framework for Assessing Biogenic CO2 Emissions from **Stationary Sources**

To improve the quality, utility, and scientific integrity of the Framework, EPA is providing this study, 16 17

- Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources (November 2014) and
- 18 related materials to the Science Advisory Board (SAB). The revised report takes into account the SAB
- 19 Biogenic Carbon Emissions Panel's ("SAB Panel") peer review recommendations² on the draft 2011
- 20 Framework³ as well as the latest information and input from the scientific community and other
- stakeholders. The "Response to SAB" document included in the materials provided for this review 21
- 22 discusses and responds to the SAB Panel key points and recommendations, serving as a guide to how the
- 23 revised framework incorporates their recommendations. This charge narrowly focuses on a few specific
- 24 remaining questions that were not explicitly addressed in the initial SAB Panel peer review report.
- 25 The revised 2014 framework report identifies key scientific and technical factors associated with
- 26 assessing biogenic CO2 emissions from stationary sources using biogenic feedstocks, taking into account
- 27 information about the carbon cycle. It also presents a methodological framework for assessing the extent
- 28 to which the production, processing, and use of biogenic material at stationary sources for energy
- 29 production results in a net atmospheric contribution of biogenic CO₂ emissions.
- 30 The revised framework and the technical appendices address many of the SAB Panel's key concerns and
- 31 recommendations by incorporating: an anticipated baseline approach analysis (Appendices J-L); an
- alternative fate approach for waste-derived feedstocks (Appendix N); and certain industrial processing 32
- products and byproducts (Appendix D Addendum); an evaluation of tradeoffs from using different
- 34 temporal scales (Appendix B); an improved representation of the framework equation (Appendix F); and
- 35 illustrative case studies demonstrating how the framework equation can be applied, using region-

² The final peer review report from the SAB Panel on the draft 2011 framework was published on September 28, 2012 (Swackhamer and Khanna, 2011). Information about the SAB peer review process for the September 2011 draft framework is available at [HYPERLINK "http://yosemite.epa.gov/sab/sabproduct.nsf/0/2F9B572C712AC52E8525783100704886"

 $^{^3}$ The 2011 Draft Accounting Framework for Biogenic CO $_2$ Emissions from Stationary Sources is available at [HYPERLINK "http://www.epa.gov/climatechange/ghgemissions/biogenic-emissions.html"].

- 1 feedstock combinations to generate regional defaults per different baseline approaches and temporal
- 2 scales (Appendices H-N).
- 3 As explained in the revised framework introduction and accompanying SAB response document, the
- 4 revised framework maintains the policy neutral approach from the 2011 draft Framework. It is a
- 5 technical document that does not set regulatory policy nor does it provide a detailed discussion of
- specific policy and implementation options. Ultimately, the framework provides a methodological
- 7 approach for considering, and a technical tool (the framework equation) for assessing, the extent to
- 8 which there is a net atmospheric contribution of biogenic CO₂ emissions from the production,
- 9 processing, and use of biogenic material at stationary sources. The revised framework details technical
- 10 elements that should be considered as appropriate per specific policy applications or biogenic carbon-
- 11 based feedstock assessments. Therefore, this charge excludes policy and regulatory recommendations or
- 12 legal interpretation of the Clean Air Act's provisions related to stationary sources.
- 13 The revised report does not provide any final values or determinations: it offers indications of different
- 14 biogenic feedstock production effects per research and analyses conducted, including illustrative
- 15 example results per specific case study parameters. As discussed by the previous SAB Panel, this report
- also finds that biophysical and market differences between feedstocks may necessitate different
- 17 technical approaches. Even using a future anticipated baseline approach, forest- and agriculture-derived
- 18 feedstock characteristics, and thus analyses and results, may vary per region and per feedstock, and may
- 19 be influenced by land use change effects. Illustrative analyses conducted for specific waste-derived
- 20 feedstock case studies using a counterfactual anticipated baseline, as recommended by the SAB Panel,
- 21 yielded minimal or negative net emissions effects.
- 22 This charge focuses on questions that remain regarding whether there are more definitive technical
- 23 determinations appropriate for parameterizing key elements of the revised framework, regardless of
- 24 application to a specific policy or program. Specifically, we ask that the SAB Panel examine and offer
- 25 recommendations on future anticipated baseline specification issues in the context of assessing the
- extent to which the production, processing, and use of forest- and agriculture-derived biogenic material
- 27 at stationary sources for energy production results in a net atmospheric contribution of biogenic CO₂
- emissions such as appropriate temporal scales and the scale of biogenic feedstock usage (model
- 29 perturbations or 'shocks') for analyzing future potential bioenergy production changes.

30 Technical approaches, merits and challenges with applying a future anticipated baseline

- 31 Establishing a baseline creates a point of comparison necessary for evaluating changes to a system.⁴
- 32 Baseline specification can vary in terms of what entity or groups of entities are being analyzed (e.g.,
- 33 industries, economic sectors), temporal and spatial scales, geographic resolution, and, depending on
- 34 context, environmental issues/attributes (EPA, 2010). The choice of baseline approach can also depend
- on the question being asked and the goal of the analysis at hand. For example, some GHG analysis may

⁴ Definitions for baseline vary, including "the reference for measurable quantities from which an alternative outcome can be measured" (IPCC AR4 WGIII, 2007) or "the baseline (or reference) is the state against which change is measured. It might be a 'current baseline,' in which case it represents observable, present-day conditions. It might also be a 'future baseline,' which is a projected future set of conditions excluding the driving factor of interest. Alternative interpretations of the reference conditions can give rise to multiple baselines" (IPCC AR4 WGII, 2007).

 $^{^{5}}$ Guidelines for Preparing Economics Analyses (NCEE), Chapter 5: [$\ensuremath{HYPERLINK}$

[&]quot;http://yosemite.epa.gov/ee/epa/eerm.nsf/vwAN/EE-0568-05.pdf/\$file/EE-0568-05.pdf"]

- 1 require a baseline against which historic changes of landscape carbon stocks can be measured. Other
- 2 applications may necessitate a baseline against which the estimated GHG emissions and sequestration
- 3 associated with potential future changes in related commodity markets and policy arenas. Analyses of
- 4 the estimated GHG emissions and sequestration effects from changes in biomass use have used different
- baseline approaches, as well as a wide range of different temporal scales and alternative scenario
- 6 parameters (Sohngen and Sedjo, 2000; Fargione, 2008; UNFCCC, 2009; Walker et al., 2010; Cherubini
- 7 et al, 2011; Galik and Abt, 2012; Latta et al., 2013; Walker et al., 2013; AEO, 2014; U.S. EPA, 2014;
- 8 Miner et al., 2014).
- 9 The draft 2011 framework had discussed three different potential baseline approaches reference point,
- 10 future anticipated and comparative and used the reference point baseline in its hypothetical case study
- 11 applications of the Framework. The SAB Panel in its review stated that "the choice of a fixed reference
- 12 point may be the simplest to execute, but it does not actually address the question of the extent to which
- 13 forest stocks would have been growing/declining over time in the absence of a particular bioenergy
- 14 facility" (SAB Advisory, p. 29). The SAB Panel expressed concern that the reference point baseline
- does not address the important question of additionality, or what would have been the trajectory of
- 16 biogenic CO₂ stocks and fluxes in the absence of an activity or activities using biogenic feedstocks for
- 17 energy, especially in the context of forest-derived feedstocks.⁶ "Estimating additionality, i.e., the extent
- 18 to which forest stocks would have been growing or declining over time in the absence of harvest for
- 19 bioenergy, is essential, as it is the crux of the question at hand. To do so requires an anticipated baseline
- blochergy, is essential, as it is the crux of the question at hand. To do so requires an anticipated basen
- 20 approach" (SAB Letter, p. 2).

30

- 21 Through public comments to the SAB Panel during the 2011-2012 SAB peer review process, various
- stakeholders expressed divergent perspectives on the appropriate baseline for the draft 2011 framework
- 23 report. The revised 2014 framework retains the reference point baseline and adds the anticipated
- 24 baseline in order to retain adaptability for potential applications, and discusses both approaches at length
- 25 in the revised report and several technical appendices. However, as the SAB Panel was clear in its
- previous review of the reference point baseline, EPA has no outstanding technical questions for the SAB
- 27 Panel on that baseline approach. This charge focuses specifically on remaining technical questions that
- 28 EPA has on the future anticipated baseline approach.

29 Part 1 – Future anticipated baseline approach and temporal scale

- It is important to consider possible treatments of time and the implications of these treatments in
- 31 developing strategies for long-term and short-term emissions assessment, because the choice of

⁶ The difference in net atmospheric CO₂ emissions contributions with and without changes in biogenic feedstock use is known as additionality (Murray et al., 2007). Additionality can be determined by assessing the difference in potential net atmospheric CO₂ emissions of a specific level of biogenic feedstock use over a certain period of time (in many cases the business-as-usual [BAU] baseline) versus the net atmospheric CO₂ emissions contributions that would have occurred over the same time period with a different level of biogenic feedstock use (counterfactual scenario), holding other factors and assumptions consistent between scenarios.

⁷ The American Forest and Paper Association (AF&PA) supported the reference point baseline (e.g., comments submitted October 2011, March 2012) applied historically (January 2012, March 2012). The National Alliance of Forest Owners (NAFO) stated if certain feedstocks weren't categorically excluded, then the historical reference point baseline should be used (e.g., March 2012, August 2012). The U.S. Department of Agriculture stated preference for a historic baseline approach (May 2012). The Environmental Defense Fund (EDF) (January 2012, May 2012) and NCASI (October 2011, March 2012) both supported the retrospective reference point approach, though also both offered recommendations if an anticipated baseline approach was included (EDF for future anticipated and NCASI for counterfactual). Others, such as Green Power Institute (March 2012), the National Resource Defense Council (NRDC, August 2012), Becker et al. (August 2012), Biomass Energy Resource Center et al. (February 2012), and a group scientists letter to EPA (June 2014) all support some form of the anticipated baseline approach (future anticipated and/or counterfactual).

treatment may have significant impacts on the resultof an assessment framework application. For the

- intended use of the revised Framework assessing the extent to which the production, processing, and
- use of biogenic material at stationary sources results in a net atmospheric contribution of biogenic CO₂
- 4 emissions there are different elements of time to consider when using a future anticipated baseline
- 5 approach. These elements can include:
 - Emissions horizons, assessment or policy horizons, and reporting periods (i.e., fluxes related to feedstock production may occur over many years to decades, whereas reporting may be the current year and policies may cover only a few years or decades), and
 - Differences in temporal characteristics of different feedstocks (i.e., annual crops, short rotation energy crops, and longer rotation forestry systems).
 - Changes in biophysical and economic conditions over time may affect or differ from those in future anticipated baseline and scenario estimates.

12 13

6

7

10

11

14

- The SAB Panel in its previous peer review noted that "this is a complicated subject because there are
- 15 many different time scales that are important for the issues associated with biogenic carbon emissions"
- 16 (Advisory, page 13). They discussed multiple temporal scales associated with mixing of carbon
- 17 throughout the different reservoirs on the Earth's surface at the global scale (Advisory, page 13) and
- 18 climate responses to CO₂ and other greenhouse gases (Advisory, page 15), implications of temporal
- 19 scales greater and shorter than 100 years, and those related to the growth cycles of different feedstock
- 20 types (Advisory, page 15). The SAB Panel specifically highlighted considerations for using a 100-year
- or longer temporal scale for evaluating climate impacts and radiative forcing⁸ as well as decay rates and
- 22 carbon storage in forest ecosystems in the main text as well as in Appendices B-D. However, in its
- 23 recommendations, including those for developing default BAFs per region, the SAB Panel did not offer
- 24 recommendations per what temporal scale to use in the specific context of the Framework for its
- 25 intended use and scope. Instead, the SAB Panel stated that "there is no scientifically correct answer
- 26 when choosing a time horizon, although the *Framework* should be clear about what time horizon it uses,
- and what that choice means in terms of valuing long term versus shorter term climate impacts
- 28 (Advisory, page 15) and recommended that a revised framework "incorporate various time scales and
- 29 consider the tradeoffs in choosing between different time scales" (Advisory, page 43).
- 30 Multiple stakeholders have also weighed in on temporal scales, some with specific recommendations on
- 31 what temporal scale should/could be used for framework assessments, others with no specific
- 32 recommendations but emphasizing the importance of time. In various comments submitted during the
- 33 2011-2012 SAB process, NAFO supported a 100-year timeframe (March 2012). The National Council
- 34 for Air and Stream Improvement (NCASI) in October 2011 comments suggested "the need for
- 35 considerable flexibility in setting the temporal scales for determining the stability of forest carbon

⁸ EPA acknowledges that the long-term climate impacts of shifting from fossil fuel to biogenic energy sources is an important topic for climate change mitigation policy and also recognizes the extensive work being conducted by EPA and throughout the research community on this question. However, EPA's focus here is on a narrower, more targeted goal of developing tools to assess the extent to which there is a net atmospheric contribution of biogenic CO₂ emissions from the production, processing, and use of biogenic feedstocks at stationary sources. This more narrowly defined assessment is anticipated to be a better fit for the types of program and policy applications in which this framework may potentially be applied.

- stocks. There are a range of circumstances that can cause transient trends in carbon stocks that can
- obscure the more relevant long-term picture."
- Other groups, such as The Wilderness Society (TWS), NRDC, EDF and others, submitted comments
- supporting consideration of shorter temporal scales. In its comments and example calculations, TWS (in
- October 2011 comments) implied support for shorter temporal scales, and stated in later comments that
- the SAB "text appears biased toward ignoring effects that occur within a 100-year period" (May 2012). 6
- NRDC (August 2014) implied support for shorter temporal scales: "even if near-term carbon emissions
- 8 increases are eventually 'made up' by regrowth over the very long term, the carbon emission from these
- types of biomass actually exceed those from fossil fuels for decades. This puts use of these types of 9
- 10 biomass fuels in conflict with the urgent need for near-term carbon emissions reductions. The time
- 11 profile of the carbon emission from biogenic fuel sources matters because it is critical to limit near-term
- global GHG emissions." This perspective was similar to that shared by Becker et al. in their August 12
- 13 2012 comments. EDF (January 2012) suggested a very short temporal scale (in the context of supporting
- a retrospective reference baseline). Others, such as the Biotechnology Industry Organization (October 14
- 2011) simply asked for "clarification on the methodology used to identify the time scale of carbon 15
- 16 cycles."

38

39 40

41

- 17 Per the various recommendations above, the revised framework report and the technical appendices
- 18 include a more detailed discussion of intertemporal tradeoffs inherent in various options for treating
- 19 emissions over time in the context of assessing biogenic CO₂ emissions from stationary sources.
- 20 Specifically, the revised report has: a section on key temporal scale considerations (pages 33-38); an
- 21 appendix dedicated to temporal scale issues (Appendix B), which includes further discussion of
- 22 temporal scales in the context of future anticipated baselines and decay rates for feedstocks that would
- 23 have otherwise decayed if not used for energy, and; an appendix describing the background of and
- 24 modeling considerations for constructing an anticipated baseline approach (Appendix J). Also,
- 25 illustrative calculations using the future anticipated baseline estimates use future simulations and thereby
- 26 explicitly incorporate temporal patterns of different feedstocks (e.g., feedstock growth rates, decay rates)
- into the analysis and shows how results can vary per temporal scale used (as seen in Appendices K and 27 28 L). The revised framework does not recommend specific temporal scales for framework applications,
- 29 but rather identifies different elements of and considerations concerning time to provide insights into the
- 30 potential implications of using different temporal scales.
- EPA seeks guidance on the following issues regarding appropriate temporal scales for assessing 31
- 32 biogenic CO₂ emissions using a future anticipated baseline, using the above referenced components of
- 33 the revised framework report as the starting point for the SAB Panel's discussion. As the previous SAB
- 34 Panel recommended developing default assessment factors by feedstock category and region that may
- 35 need to be developed outside of a specific policy context, and as the framework could be also be used in
- specific policy contexts, the questions below relate to the choice of temporal scale both within and 36 37
 - outside of a specific policy context.

Part 1 – Future anticipated baseline approach and temporal scale

1. What criteria could be used when considering different temporal scales and the tradeoffs in choosing between them in the context of assessing the net atmospheric contribution of

45

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

biogenic CO2 emissions from the production, processing, and use of biogenic material at stationary sources using a future anticipated baseline?

- a. Should the temporal scale for computing BAFs vary by policy (e.g., near-term policies with a 10-15 year policy horizon vs. mid-term policies or goals with a 30-50 year policy horizon vs. long-term climate goals with a 100+ year time horizon), feedstocks (e.g., long rotation vs. annual/short-rotation feedstocks), landscape conditions, and/or other metrics? It is important to acknowledge that if temporal scales vary by policy, feedstock or landscape conditions, or other factors, it may restrict the ability to compare estimates/results across different policies or different feedstock types, or to evaluate the effects across all feedstock groups simultaneously.
 - i. If temporal scales for computing BAFs vary by policy, how should emissions that are covered by multiple policies be treated (e.g., emissions may be covered both by a short-term policy, and a long-term national emissions goal)? What goals/criteria might support choices between shorter and longer temporal scales?
 - ii. Similarly, if temporal scales vary by feedstock or landscape conditions, what goals/criteria might support choices between shorter and longer temporal scales for these metrics?
 - iii. Would the criteria for considering different temporal scales and the related tradeoffs differ when generating policy neutral default BAFs versus crafting policy specific BAFs?
- b. Should the consideration of the effects of a policy with a certain end date (policy horizon) only include emissions that occur within that specific temporal scale or should it consider emissions that occur due to changes that were made during the policy horizon but continue on past that end date (emissions horizon)?
- c. Should calculation of the BAF include all future fluxes into one number applied at time of combustion (cumulative or apply an emission factor only once), or should there be a default biogenic assessment schedule of emissions to be accounted for in the period in which they occur (marginal apply emission factor each year reflecting current and past biomass usage)?
- d. What considerations could be useful when evaluating the performance of a future anticipated baseline application on a retrospective basis (e.g., looking at the future anticipated baseline emissions estimates versus actual emissions ex post), particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward?

Part 2 – Scales of biomass use when applying future anticipated baseline approach

EPA seeks guidance on technical considerations concerning how to select model perturbations ('shocks') for future anticipated baseline simulations estimating the net atmospheric contribution of biogenic CO2 emissions from the production, processing, and use of biogenic material at stationary sources, using the above referenced components of the revised framework report as the starting point for the SAB Panel's discussion. As the SAB Panel recommended developing default assessment factors by feedstock category and region that may need to be developed outside of a specific policy context, and as the framework

29

30

31

32

33

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

could be also be used in specific policy contexts, the questions below relate to the choice of model shocks both within and outside of a specific policy context.

- 2. What is/are the appropriate scale(s) of biogenic feedstock demand changes for evaluation of the extent to which the production, processing, and use of biogenic material at stationary sources results in a net atmospheric contribution of biogenic CO2 emissions using a future anticipated baseline approach? In the absence of a specific policy to model/emulate, are there general recommendations for what a representative scale of demand shock could be?
 - a. Should the shock reflect a small incremental increase in use of the feedstock to reflect the marginal impact, or a large increase to reflect the average effect of all users?
 - b. What should the general increment of the shock be? Should it be specified in tons, or as a percentage increase?
 - c. Should the shock be from a business as usual baseline, or from a baseline that includes increased usage of the feedstock (i.e., for a marginal shock, should it be the marginal impact of the first ton, or the marginal impact of something approximating the last ton)?
 - d. Should shocks for different feedstocks be implemented in isolation (separate model runs), in aggregate (e.g., across the board increase in biomass usage endogenously allocated by the model across feedstocks), or something in between (e.g., separately model agriculture-derived and forest-derived feedstocks, but endogenously allocate within each category)?
 - e. For feedstocks that are produced as part of a joint production function, how should the shocks be implemented? (e.g., a general increase in all jointly produced products; or, a change in the relative prices of the jointly produced products leading to increased use of the feedstock, and decreased production of some other jointly produced products, but not necessarily an overall increase in production).
 - f. How should scale of the policy be considered, particularly for default factors? (e.g., can a single set of default factors be applied to policies that lead to substantially different increases in feedstock usage)?
 - g. Would the answers to any of the above questions differ when generating policy neutral default factors, versus generating factors directly tied to a specific policy?
 - h. What considerations could be useful when evaluating the performance of the demand shock choice *ex post*, particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward

APPENDIX B: MEMBERS OF THE BIOGENIC CARBON EMISSIONS PANEL

2	
3	CHAIR
4	Dr. Madhu Khanna, ACES Distinguished Professor in Environmental Economics, Department of
5	Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, Urbana, IL
6	
7	
8	PANEL MEMBERS
9	Dr. Robert Abt, Professor of Forestry, Department of Forestry and Environmental Resources, College
0	of Natural Resources, North Carolina State University, Raleigh, NC
1	on the second of
2	Dr. Morton Barlaz, Professor, Civil, Construction, and Environmental Engineering, Engineering, North
3	Carolina State University, Raleigh, NC
4	Caronia Sano Cinversity, Raiolga, Ne
5	Dr. Marilyn Buford, National Program Leader, Silviculture Research, Research & Development,
6	USDA Forest Service, Washington, DC
17	CODA Polest Scivice, Washington, De
8	Dr. Mark Harmon, Professor and Richardson Chair, College of Forestry, Oregon State University,
9	Corvallis, OR
20	Corvains, OK
21	Dr. Jason Hill, Associate Professor, Bioproducts and Biosystems Engineering, College of Food,
22	Agricultural and Natural Resource Sciences, University of Minnesota, St. Paul, MN
23	Agricultural and Natural Resource Sciences, Oniversity of Millinesota, 5t. 1 aut, Mil
24	Dr. John Reilly, Senior Lecturer and Co-Director, Joint Program on the Science and Policy of Global
25	Change, Center for Environmental Policy Research, E19-439L, Massachusetts Institute of Technology,
26	Cambridge, MA
27	De Charles Bire Districted Defense Description of Assessment Scill Manchisters Viscon State
8.0	Dr. Charles Rice , Distinguished Professor, Department of Agronomy, Soil Microbiology, Kansas State
29	University, Manhattan, KS
30	D G D G D D D D D D D D D D D D D D D D
31	Dr. Steven Rose , Senior Research Economist, Energy and Environmental Analysis Research Group,
32	Electric Power Research Institute, Palo Alto, CA
33	
34	Dr. Daniel Schrag , Professor of Earth and Planetary Sciences, Harvard University, Cambridge, MA
35	
36	Dr. Roger Sedjo , Senior Fellow and Director of the Center for Forest Economics and Policy Program,
37	Resources for the Future, Washington, DC
88	
39	Dr. Ken Skog, Supervisory Research Forester (retired), Economics and Statistics Research, Forest
10	Products Laboratory, USDA Forest Service, Madison, WI
11	
12	Dr. Tristram West, Ecosystem Scientist, Joint Global Change Research Institute, University of
13	Maryland, College Park, MD
14	
15	Dr. Peter Woodbury, Senior Research Associate, Department of Crop and Soil Sciences, College of
16	Agriculture and Life Sciences, Cornell University, Ithaca, NY, U.S.A.
	B-[PAGE * MERGEFORMAT]

SCIENCE ADVISORY BOARD STAFF

Dr. Holly Stallworth, Designated Federal Officer, U.S. Environmental Protection Agency, Washington,

5 DC

Message

From: Carpenter, Thomas [Carpenter.Thomas@epa.gov]

Sent: 12/19/2018 9:34:14 PM

To: 'shamburg@edf.org' [shamburg@edf.org]; 'drlarrymonroe@gmail.com' [drlarrymonroe@gmail.com];

'anne.smith@nera.com' [anne.smith@nera.com]

CC: Michael Honeycutt [Michael.honeycutt@tceq.texas.gov]; Brennan, Thomas [Brennan.Thomas@epa.gov]; Johnston,

Khanna [Johnston.Khanna@epa.gov]

Subject: RE: Biogenic Carbon Emissions Report - Review and comments

Attachments: Biogenic Carbon-telecon 12192019.docx

All.

Thank you for another very productive call today and being able to stay on a little longer.

Attached are the edits I captured from today's call. They are on TOP off the version Larry mailed at 11:00 am today.

Please review the changes and email to all any concerns and later than 1/4/2019. The SAB Staff Office will then conduct final proofing/formating review to finalize the report by the middle of January.

I will be checking in over the holidays and responding to emails.

Thank you once again for all your great work in finalizing the report.

Happy Holidays to you and yours!

Best

Tom

----Original Appointment----

From: Carpenter, Thomas

Sent: Friday, December 07, 2018 3:39 PM

To: Carpenter, Thomas; 'shamburg@edf.org'; 'drlarrymonroe@gmail.com'; 'anne.smith@nera.com'

Cc: 'Michael Honeycutt (Michael.honeycutt@tceq.texas.gov)'; Brennan, Thomas; Johnston, Khanna; 'Matthew Welch';

Ismonroe9@gmail.com

Subject: Biogenic Carbon Emissions Report - Review and comments

When: Wednesday, December 19, 2018 12:00 PM-1:00 PM (UTC-05:00) Eastern Time (US & Canada).

Where: Teleconference

Call in Code

Ex. 6 Personal Privacy

From: Carpenter, Thomas

Sent: Friday, December 07, 2018 3:33 PM

To: 'shamburg@edf.org' <shamburg@edf.org>; 'drlarrymonroe@gmail.com' <drlarrymonroe@gmail.com>;

'anne.smith@nera.com' <<u>anne.smith@nera.com</u>>

 $\label{linear_continuous_contin$

Subject: Biogenic Carbon Emissions Report - Review and comments

Greetings,

Thank you for sending in your availability. I would like to book two sessions in case we need the extra time. I also want to get this report finalized. Dr Hamburg and I will send along the Report as soon as we can for your review. If you have time to provide any comments or suggestions by 12/13 please copy the group to facilitate our preparations.

Hopefully we can give some time back to folks on the 19th.

Mon – 12/17 9-10 AM EST Initial Discussion of Quality Review revisions to report Identify and changes or additional language Set schedule for posting and sending to the Administrator

Wed – 12/19 12-1 PM EST Continue if needed.

Message

From: Steven Hamburg [shamburg@edf.org]

Sent: 12/16/2018 7:57:04 PM

To: Carpenter, Thomas [Carpenter.Thomas@epa.gov]; 'drlarrymonroe@gmail.com' [drlarrymonroe@gmail.com];

'anne.smith@nera.com' [anne.smith@nera.com]

CC: Michael Honeycutt [Michael.honeycutt@tceq.texas.gov]; Brennan, Thomas [Brennan.Thomas@epa.gov]; Johnston,

Khanna [Johnston.Khanna@epa.gov]; Matthew Welch [mwelch@edf.org]; Ismonroe9@gmail.com

Subject: RE: Biogenic Carbon Emissions Report - Review and comments

Attachments: Biogenic Carbon-8-29-18 12-16-18 edits.docx

Dear Colleagues,

My sincerest apologies for taking so long to get proposed revisions to the biogenic carbon Accounting Report to you. Attached is the revised report with all additional text highlighted. Jeanne VanBriesen prior to leaving the board very graciously put together a draft of the report with all of the comments and suggested changes. I used the version she prepared to address the requested/suggested edits. I believe I was able to address most of the them. In order to try to make the attached document readable it highlights all added text and any comments that I felt I was not able to deal with in a direct way. I would like to highlight the following issues:

- Overall took the approach that removing text was preferable to adding text given that the report has been
 approved subject to addressing concerns outlined. If there were statements that created confusion or required
 additional analyses to address and did not seem central to the overall recommendations I removed the text in
 question (generally a sentence and in a few cases a paragraph).
- Shifted several declarative statements to subjective.
- Tried to simply language where there were comments reflecting confusion about the underlying message/conclusions.
- Worked to ensure that the material in the Executive Summary reflects what was said in the body of the report
 and the recommendations align with those in the main report in language and order (a few are shorter in the
 Exec Summary than in the body of the report that seemed ok to me).
- Removed the two figures there were several issues regarding how they were integrated in our report relative
 to the Panel report from which they were taken. We had discussed not including them in the original drafting of
 this report and the review comments indicated that would have been a better approach.
- There were numerous comments about the lack of detail regarding charge question 2. I retained comments
 regarding this issue, many from Larry. I am looking for advice on how to address. My concern is that we would
 have to create significant new material and analyses to fully address the concerns raised neither of which
 seemed appropriate at this stage of the process.

Look forward to discussing this draft with everyone.

Cheers Steve

From: Carpenter, Thomas < Carpenter. Thomas@epa.gov>

Sent: December 14, 2018 7:35 PM

To: Steven Hamburg <shamburg@edf.org>; 'drlarrymonroe@gmail.com' <drlarrymonroe@gmail.com>;

'anne.smith@nera.com' <anne.smith@nera.com>

Cc: Michael Honeycutt <Michael.honeycutt@tceq.texas.gov>; Brennan, Thomas <Brennan.Thomas@epa.gov>; Johnston,

Khanna < Johnston. Khanna@epa.gov>; Matthew Welch < mwelch@edf.org>; Ismonroe9@gmail.com

Subject: RE: Biogenic Carbon Emissions Report - Review and comments

All,

We are wrapping up the Biogenic Carbon Emissions report and will email a revised document over the weekend. Thank you for your patience.

Tom

-----Original Appointment-----**From:** Carpenter, Thomas

Sent: Friday, December 07, 2018 3:38 PM

To: Carpenter, Thomas; 'shamburg@edf.org'; 'drlarrymonroe@gmail.com'; 'anne.smith@nera.com'

Cc: 'Michael Honeycutt (Michael.honeycutt@tceq.texas.gov)'; Brennan, Thomas; Johnston, Khanna; 'Matthew Welch';

Ismonroe9@gmail.com

Subject: Biogenic Carbon Emissions Report - Review and comments

When: Monday, December 17, 2018 9:00 AM-10:00 AM (UTC-05:00) Eastern Time (US & Canada).

Where: Teleconference

Call in Ex. 6 Personal Privacy
Conf Code Ex. 6 Personal Privacy

From: Carpenter, Thomas

Sent: Friday, December 07, 2018 3:33 PM

 $\textbf{To: 'shamburg@edf.org'} < \underline{shamburg@edf.org} >; 'drlarrymonroe@gmail.com' < \underline{drlarrymonroe@gmail.com} >; 'drlarrymonroe@gmail.$

'anne.smith@nera.com' <anne.smith@nera.com>

Cc: Michael Honeycutt (<u>Michael.honeycutt@tceq.texas.gov</u>) <<u>Michael.honeycutt@tceq.texas.gov</u>>; Brennan, Thomas <<u>Brennan.Thomas@epa.gov</u>>; Johnston, Khanna <<u>Johnston.Khanna@epa.gov</u>>; Matthew Welch <<u>mwelch@edf.org</u>>

Subject: Biogenic Carbon Emissions Report - Review and comments

Greetings,

Thank you for sending in your availability. I would like to book two sessions in case we need the extra time. I also want to get this report finalized. Dr Hamburg and I will send along the Report as soon as we can for your review. If you have time to provide any comments or suggestions by 12/13 please copy the group to facilitate our preparations.

Hopefully we can give some time back to folks on the 19th.

Mon – 12/17 9-10 AM EST Initial Discussion of Quality Review revisions to report Identify and changes or additional language Set schedule for posting and sending to the Administrator

Wed – 12/19 12-1 PM EST Continue if needed.

This e-mail and any attachments may contain confidential and privileged information. If you are not the intended recipient, please notify the sender immediately by return e-mail, delete this e-mail and destroy any copies. Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal.

EPA-SAB-19-xxx

DATE

6
7 The Honorable Andrew Wheeler
8 Acting Administrator
9 U.S. Environmental Protection Agency
10 1200 Pennsylvania Avenue, NW
11 Washington, D.C. 20460

Subject: SAB review of Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources (2014)

Dear Acting Administrator Wheeler:

The EPA Science Advisory Board (SAB) was asked by the EPA Office of Air and Radiation to review and comment on its *Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources* (2014) ("2014 Framework"). The 2014 Framework considers the scientific and technical issues associated with accounting for emissions of carbon dioxide (CO₂) from biogenic feedstocks used at stationary sources.

The purpose of the 2014 Framework was to develop a method for calculating the adjustment, or Biogenic Assessment Factor, for CO2 emissions associated with the combustion of biogenic feedstocks at stationary facilities by accounting for the biological carbon cycle effects associated with growth, harvest, and processing of these feedstocks. The BAF is an accounting term developed by EPA to adjust stack emissions to reflect a feedstock's *net* carbon emissions after accounting for subsequent sequestration of carbon in regrown biomass or soil, and after considering emissions that might have occurred with an alternate fate had the biomass not been used for fuel.

EPA's 2014 Framework is a revision of is 2011 Framework, which the SAB previously reviewed. The SAB notes that the 2014 Framework incorporated some of the SAB's prior advice and advanced the analytical foundation for making determinations about the net contribution of biogenic feedstocks to CO₂ in the atmosphere. Specifically, the 2014 Framework has incorporated the SAB's prior advice as follows:

- It has adopted an alternate fate approach (i.e., a counterfactual evaluation of what the net biogenic atmospheric contribution might have been if the feedstocks were not used for energy) to the collection and use of waste-derived feedstocks, including avoided methane (CH₄) emissions.
- It includes a discussion of the trade-offs inherent in the selection of a temporal scale for considering net emissions.
- It has developed representative BAFs by feedstock and region rather than facility-specific BAFs.
- It includes a review of existing approaches to addressing leakage, the phenomenon by which efforts to reduce emissions in one place affect market prices that shift emissions to another location

It offers an approach to construct an anticipated baseline that allows assessment of the additional CO₂ emissions to, or uptake from, the atmosphere that can be attributed to biogenic feedstocks as a result of changes in biomass feedstock demand.

The 2014 Framework does not, however, provide the policy context, specific BAF calculations for that context, or the implementation details the SAB previously requested. In fact, the lack of information in both Frameworks on how the EPA may use potential BAFs made it difficult to fully evaluate these frameworks. The BAF is a construct designed to evaluate the importance of the stack emissions of CO2 at a given time relative to their climate impacts at some point in the future when some of the emitted CO₂ may have been sequestered by regrowth of biogenic feedstocks. As such, the computation of the BAF for a feedstock in a region depends upon the future point in time that is of interest, which is a choice that depends upon the objective of interest. If the objective of interest for the BAF computation is defined by short term processes, then the relevant time-period for the BAF computation needs to be consistent. In addition to providing details on the objective to inform the relevant time frame, a policy context would have provided other information necessary to the assessment of the science underpinning the BAFs, such as the scale of demand for biogenic feedstocks and the anticipated time frame for that demand and eligible feedstocks to meet it. Policy choices are expected to affect actions taken in

17 18 feedstock markets, and these anticipated actions affect the assumptions in the models used to compute

19 the BAF. 20

8

10

11

12

13

15

16

21 While the SAB agreed with many of the recommendations developed by the Biogenic Carbon Emissions 22 Panel in previous drafts of the report, it disagreed with the extended time frame recommended for BAF 23 computation. There was extended discussion between the SAB and the Biogenic Carbon Emissions 24 Panel over the significance of the time horizon used to calculate BAFs. The Panel recommended that a 25 general principle for determining the time horizon for BAF calculations should be to select a time 26 horizon that fully accounts for the temporal dynamics for all feedstocks to accommodate the Agency's 27 preference for a policy-neutral approach. During quality reviews the SAB disagreed with this 28 recommendation noting that for policy initiatives that focus on effectives that reflect shorter time 29 horizons it may not accurately capture the net carbon dioxide emissions relevant to that policy if a BAF 30 is calculated to incorporate nearly all carbon stock effects over a much longer period of time. The SAB 31 favors selecting the time horizon for calculating the BAF to comport with the objective under 32 consideration, which is generally incorporated into the policy choice. The Panel's previous reports remain available on the SAB [HYPERLINK 33

"https://yosemite.epa.gov/sab/sabproduct.nsf/LookupWebProjectsCurrentBOARD/3235DAC747C16FE 985257DA90053F252?OpenDocument"].

39

40

41 42

43

34

As we stated in our 2012 report and we reiterate here: this SAB review would have been enhanced if the Agency offered a specific regulatory application that, among other things, provided explicit proposed BAF calculations and defined the applicable boundaries regarding upstream and downstream emissions in the feedstock life cycles. The 2014 Framework lacks specificity and is written in a way that is too generic, with too many possibilities that would require assessment of different underlying science. Rather than offering a lengthy menu of calculation options, the EPA Framework needs to define its scenarios and justify those choices. This would enable the SAB to evaluate the science underpinning those decisions and justifications.

44 45

Despite this significant limitation, the SAB offers overarching suggestions for moving forward with a framework for assessing the BAFs of biogenic feedstocks. In addition we offer specific responses to EPA's charge questions when possible, the SAB offers general guidance regarding the calculation of BAFs. EPA's equations were based on emissions (fluxes) with some adjustment terms to account for carbon mass escaping the system between the point of assessment and the point of emissions. In the enclosed report, the SAB recommends an alternative formulation based on changes in terrestrial (nonatmospheric) carbon stocks (or pools) such as the live stocks in biomass, dead stocks, soil stocks, etc., that explicitly incorporates the principle of conservation of mass. While the carbon-stock-based accounting system results in a similar formula for BAF as the EPA's emissions-based approach, it offers multiple advantages: the component stocks are regularly inventoried and modeled by the scientific community; the different stocks can be aggregated and rearranged as needed or further subdivided; and it is appropriately constrained by conservation of mass and therefore the precision of the results can be assessed using mass balance calculations. Although this alternative formulation provides these benefits, other important modeling issues remain. These include selecting appropriate temporal or spatial boundaries, considering variability among classes of feedstocks, accounting for non-CO2 greenhouse gases such as nitrous oxide and methane, and quantifying stocks and fluxes that are difficult to measure or estimate.

17 18 19

20

21

22

23

10

11

12

13 14

15

16

As an additional caveat, the SAB is aware that the EPA report and this review are focused only on accounting for carbon dioxide related to the use of biomass for electricity generation. Neither EPA nor the SAB evaluated other concerns like forest conservation, biodiversity, and ecosystem services. We offer this caution about the model boundaries as defined by EPA's method and identified in the SAB review. In addition, we recognize that biodiversity and ecosystem health are valid concerns worthy of a whole different analysis and policy response.

24 25 26

2.7

28

29

30

31

Finally, EPA did not ask the SAB for feedback on its modeling approach. We think this was an oversight, given that modeling is critical to the development of the BAF and different modeling approaches can yield different results. The 2014 Framework employed an integrated model that captures economic and biophysical dynamics and interactions for some of its alternative BAF calculations; however, EPA did not offer explicit justification for its modeling choices derived from articulated criteria. In addition, the sensitivity of BAF responses to some underlying features of the model was not examined by the EPA or the SAB. Thus, we conclude EPA should identify and evaluate its criteria for choosing a model or models and examine the sensitivity of BAF estimates to key modeling features.

33 34 35

The SAB appreciates the opportunity to provide advice on the 2014 Framework and looks forward to your response.

Sincerely,

40 41 42

43

44 45

Enclosure

NOTICE

2

3 T 4 a 5 o 6 a 7 r 8 a 9 th

This report has been written as part of the activities of the EPA Science Advisory Board (SAB), a public advisory group providing extramural scientific information and advice to the Administrator and other officials of the Environmental Protection Agency. The SAB is structured to provide balanced, expert assessment of scientific matters related to problems facing the Agency. This report has not been reviewed for approval by the Agency and, hence, the contents of this report do not represent the views and policies of the Environmental Protection Agency, nor of other agencies in the Executive Branch of the Federal government, nor does mention of trade names of commercial products constitute a recommendation for use. Reports of the SAB are posted on the EPA Web site at [HYPERLINK "http://www.epa.gov/sab"].

1 2	U.S. Environmental Protection Agency Science Advisory Board
3	·
4	
5	CHAIR
6 7	Dr. Michael Honeycutt , Division Director, Toxicology Division, Texas Commission on Environment Quality, Austin, TX
8	
9	MEMBERS
10 11	Dr. Rodney Andrews , Director, Center for Applied Energy Research, UK Research, University of Kentucky, Lexington, KY
12	
13	Dr. Deborah Hall Bennett, Professor and Interim Chief, Environmental and Occupational Health
14 15	Division, Department of Public Health Sciences, School of Medicine, University of California, Davis, Davis, CA
16	
17	Dr. Frederick Bernthal, President Emeritus and Senior Advisor to the Board of Trustees, Universities
18	Research Association, Washington, DC
19	D. D. Diese Chief T. Initial Office Advance Department of Environmental Octable North Little
20 21	Dr. Bob Blanz , Chief Technical Officer, Arkansas Department of Environmental Quality, North Little Rock, AR
22 23	Dr. Todd Brewer, Senior Manager, Partnership Programs, American Water Works Association,
24 25	Denver, CO
26	Dr. Joel G. Burken, Curator's Professor and Chair, Civil, Architectural, and Environmental
27	Engineering, College of Engineering and Computing, Missouri University of Science and Technology,
28	Rolla, MO
29	Rollin, MO
30	Dr. Janice E. Chambers, William L. Giles Distinguished Professor and Director, Center for
31	Environmental Health and Sciences, College of Veterinary Medicine, Mississippi State University,
32	Starkville, MS
33	
34	Dr. Samuel Cohen, Professor, Pathology and Microbiology, University of Nebraska Medical Center,
35	Omaha, NE
36	-
37	Dr. Louis Anthony (Tony) Cox, Jr., President, Cox Associates, Denver, CO
38	Also Member: CASAC
39	
40	Dr. Alison C. Cullen, Professor, Daniel J. Evans School of Public Policy and Governance, University
41	of Washington, Seattle, WA
42	
43	Dr. Otto C. Doering III, Professor, Department of Agricultural Economics, Purdue University, W.
44	Lafayette, IN
45	
46	[DACE *MEDCEEODMAT]

	Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.
1 2 3	Dr. Joel J. Ducoste , Professor, Department of Civil, Construction, and Environmental Engineering, College of Engineering, North Carolina State University, Raleigh, NC
4 5	Dr. Susan P. Felter, Research Fellow, Global Product Stewardship, Procter & Gamble, Mason, OH
6 7 8	Dr. R. William Field , Professor, Department of Occupational and Environmental Health and Department of Epidemiology, College of Public Health, University of Iowa, Iowa City, IA
9 10 11 12	Dr. H. Christopher Frey , Glenn E. Futrell Distinguished University Professor, Department of Civil, Construction and Environmental Engineering, College of Engineering, North Carolina State University, Raleigh, NC
13 14 15	Dr. Joseph A. Gardella , SUNY Distinguished Professor and John and Frances Larkin Professor of Chemistry, Department of Chemistry, College of Arts and Sciences, University at Buffalo, Buffalo, NY
16 17 18	Dr. John D. Graham , Dean, School of Public and Environmental Affairs, Indiana University, Bloomington, IN
19 20	Dr. Steven P. Hamburg, Chief Scientist, Environmental Defense Fund, Boston, MA
21 22	Dr. Cynthia M. Harris , Director and Professor, Institute of Public Health, Florida A&M University, Tallahassee, FL
23 24 25	Dr. Merlin R. Lindstrom, Vice President Technology, Phillips 66 Research Center, Bartlesville, OK
26 27 28	Dr. Robert E. Mace , The Meadows Center for Water and the Environment, Texas State University, San Marcos, TX
29 30 31	Dr. Clyde F. Martin , Horn Professor of Mathematics, Emeritus, Department of Mathematics and Statistics, Texas Tech University, Crofton, MD
32 33 34	Dr. Sue Marty , Senior Toxicology Leader, Toxicology & Environmental Research, The Dow Chemical Company, Midland, MI
35 36 37	Dr. Kristina D. Mena , Associate Professor, Epidemiology, Human Genetics and Environmental Sciences, School of Public Health, University of Texas Health Science Center at Houston, El Paso, TX
38 39	Dr. Surabi Menon, Director of Research, ClimateWorks Foundation, San Francisco, CA
40 41	Mr. Robert W. Merritt, Independent Consultant, Houston, TX
42	Dr. Larry Monroe, Independent Consultant, Braselton, GA

[PAGE * MERGEFORMAT]

Dr. Thomas F. Parkerton, Senior Environmental Associate, Toxicology & Environmental Science

Division, ExxonMobil Biomedical Science, Houston, TX

43 44

45

1 2	Dr. Robert Phalen , Professor, Air Pollution Health Effects Laboratory, Medicine, Department of Medicine, University of California-Irvine, Irvine, CA
3 4 5	Mr. Richard L. Poirot, Independent Consultant, Burlington, VT
6 7	Dr. Kenneth M. Portier, Independent Consultant, Athens, GA
8 9	Dr. Robert Puls, Owner/Principal, Robert Puls Environmental Consulting, Hilton Head Island, SC
0 1 2	Dr. Kenneth Ramos , Associate Vice-President of Precision Health Sciences and Professor of Medicine, Arizona Health Sciences Center, University of Arizona, Tucson, AZ
3 4 5	Dr. Tara L. Sabo-Attwood , Associate Professor and Chair, Department of Environmental and Global Health, College of Public Health and Health Professionals, University of Florida, Gainesville, FL
6 7	Dr. William Schlesinger, President Emeritus, Cary Institute of Ecosystem Studies, Millbrook, NY
8 9	Dr. Anne Smith, Managing Director, NERA Economic Consulting, Washington, DC
.0 .1 .2	Dr. Richard Smith , Professor, Department of Statistics and Operations Research, University of North Carolina, Chapel Hill, NC
3 4 5 6	Dr. Jay Turner , Associate Professor and Vice Dean for Education, Department of Energy, Environmental and Chemical Engineering, School of Engineering & Applied Science, Washington University, St. Louis, MO
.7 .8 .9	Dr. Jeanne M. VanBriesen , Duquesne Light Company Professor of Civil and Environmental Engineering, and Director, Center for Water Quality in Urban Environmental Systems (Water-QUEST), Department of Civil and Environmental Engineering, Carnegie Mellon University, Pittsburgh, PA
1	Dr. Donald vanderVaart, Independent Consultant, Raleigh, NC
2 3 4 5	Dr. Kimberly Whit e, Senior Director, Chemical Products and Technology Division, American Chemistry Council, Washington, DC
6 7 8 9	Dr. Peter J. Wilcoxen , Laura J. and L. Douglas Meredith Professor for Teaching Excellence, Director, Center for Environmental Policy and Administration, The Maxwell School, Syracuse University, Syracuse, NY
0 1 2 3	Dr. S. Stanley Young, Chief Executive Officer, CGStat, Raleigh, NC
.4 .5 .6	SCIENCE ADVISORY BOARD STAFF Mr. Thomas Carpenter, Designated Federal Officer, U.S. Environmental Protection Agency, Science Advisory Board, Washington, DC [PAGE * MERGEFORMAT]

TABLE OF CONTENTS

3 [TOC \O "1-3" \H \Z \U \T "HEADING 7,1"]

1 2

List of Figures

Toc \h \z \t "Caption" \c]

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote.

This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

Acronyms and Abbreviations 7 AVOIDEMIT Avoided Emissions 8 BACT Best Available Control Technology 9 **BAF** Biogenic Assessment Factor 10 BAU Business as Usual 11 CH4 Methane 12 CO_2 Carbon Dioxide 13 CO_2e Carbon Dioxide Equivalent DOE 14 Department of Energy **EPA** Environmental Protection Agency 15 16 **FASOM** Forestry and Agricultural Sector Optimization Model 17 **GHG** Greenhouse Gas 18 **GROW** Term in EPA's BAF equation representing net feedstock growth (or removals) 19 GWP Global Warming Potential 20 **PSD** Prevention of Significant Deterioration 21 N_2O Nitrous Oxide 22 SAB Science Advisory Board 23 U.S. Department of Agriculture **USDA** 24

Commented [J1]: Recheck that these all actually appear in this report. Some are from the Framework, and might have been referred to in the Panel's report but may not currently appear in this draft.

E.g., I'm fairly certain AVOIDEMIT does not get used.

Others that I think might not come up in the report: CO2e, DOE, GROW, GWP

| 17 | 18 | 19

1. EXECUTIVE SUMMARY

The EPA requested the SAB review a revised framework for accounting for biogenic carbon emissions, which the agency defines as "CO₂ emissions related to the natural carbon cycle, as well as those resulting from the combustion, harvest, digestion, fermentation, decomposition, or processing of biologically based materials." The goal of the 2014 Framework was to evaluate biogenic CO₂ emissions from stationary sources that use biomass feedstocks, given the ability of green plants to remove CO₂ from the atmosphere through photosynthesis. The 2014 Framework and its 2011 predecessor introduced the concept of a Biogenic Assessment Factor (BAF), which is the proposed adjustment for carbon emissions associated with the combustion of biomass feedstocks. The BAF is an accounting term developed in the Framework to denote the offset to stack emissions (mathematical adjustment) to reflect net carbon emissions after taking into account the sequestration of carbon in regrown biomass or soil, as well as emissions that might have occurred with an alternate fate had the biomass not been used for fuel.

Importance of Defining Objectives through the Policy Context

The questions before the <u>EPA</u> in 2011 and presented for the SAB's review, were whether and how to consider greenhouse gas (GHG) emissions and decisions about best available control technology (BACT) for CO₂ emissions from biomass feedstocks used for electricity generation at stationary facilities. EPA proposed to address this issue by defining a term. Biogenic Assessment Factor, intended to be used to assess effects relative to the desired objectives. The 2014 Framework; however, removed the policy context, and did not include specific BAF calculations for any policy context, or the implementation details the SAB previously requested. In fact, the lack of information in both Frameworks on how the EPA may use potential BAFs made it difficult to fully evaluate these frameworks. Thus, evaluation of this construct for a science-based regulatory framework in the absence of the defined objectives is not useful. Rather than assume a set of objectives (articulated in a policy context) or evaluate the charge questions across numerous putative objectives of interest, the SAB focused on providing input on considerations that affect the usefulness and scientific integrity of EPA's approach.

Region- and Feedstock-Specific Biogenic Assessment Factors, baselines and modeling

As recommended previously by the SAB, BAFs should be feedstock-specific and region-specific and not facility-specific. Facility-specific BAFs are conceptually and practically challenging to estimate due to the absence of well-defined spatial boundaries for feedstock supply to each facility and the role of market-induced effects on land use, on biomass production and market demand for fiber, and on carbon stocks across space. To obtain a region-specific BAF for feedstocks, it is necessary to address region-specific, feedstock-specific demand for biomass and to assess the impact of this increased demand for biomass on net carbon stocks. Changes in demand for biomass feedstocks should be assessed based on historical data on forest carbon stocks, resource use, and observed information on current and planned expansions to facilities using biomass feedstocks. There is no single answer to what these BAFs should

[PAGE * MERGEFORMAT]

Commented [J2]: Larry Monroe

The whole section has statements that are not clearly in the body of the report. It does not reflect the organization of the body of the report.

Did not attempt to reorganize the report, though did ensure that the recommendations are arranged as they appear in the body of the report and reflect common language — though some are shorter in the Executive Summary.

 $^{^1}$ [<code>HYPERLINK</code> "https://19january2017snapshot.epa.gov/climatechange/carbon-dioxide-emissions-associated-bioenergy-and-other-biogenic-sources_.html"]

| 43 | 44 | 45 | 46 Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

be, as not all biogenic emissions are carbon neutral nor net additional to the atmosphere, and assuming so is inconsistent with the underlying science.

Projections of the interactions that must be assessed to compute a BAF can be obtained from diverse model types, from simple empirically and statistically-based models, to complex integrated assessment models that combine biophysical and economic factors. The more complex the model, the greater the dependence of outputs on input assumptions and available data, which may limit the applicability of these models. For all model types, sensitivity and uncertainty analyses are needed to adequately interpret the results and understand the dependency of the BAF on the choices and assumptions used as part of its computation.

To compare changes in any system over time there must be a reference scenario (without increased demand for bromass feedstocks) against which to assess the net impacts on the variable of interest. In 2012, the SAB recommended a future anticipated baseline approach to capture the additional CO₂ emissions to, or uptake from, the atmosphere created by any increased use of biomass feedstocks for electricity generation. The EPA acknowledged this limitation of its earlier approach and included a future anticipated baseline analysis along with a reference point approach in its 2014 Framework. Both the future anticipated baseline and the reference point baseline (with regular updates) are challenging to apply due to data and modeling limitations.

Regardless of the <u>baseline</u> structure chosen (<u>admisted</u> reference or future anticipated), validation and evaluation of the model <u>used to compute the BAFs</u> will be critical. Model validation is essential to assessing any model's ability to replicate observed phenomenon over time, <u>ensuring that simulations</u> <u>based on the model are capturing expected behavior in the system</u>. Similarly, understanding model sensitivity to input parameters and assumptions is important with respect to assessing model applicability over time. The model selected for estimating BAFs should be reviewed and updated at regular intervals, <u>capturing</u> observed changes in economic and land use conditions that may be due to increased biomass demand or other related conditions, as well as the latest scientific information on biophysical and biogeochemical properties of feedstocks. The appropriate review interval should be selected based on the timeframe of the <u>policy objective(s)</u> as well as the timeframe associated with updates to the underlying data.

Charge Question 1

Temporal and Spatial Scales

A sustained increased demand for biomass feedstocks by stationary facilities in a region is likely to trigger changes in carbon stocks through one or more pathways that could generate a new (steady-state) equilibrium stock of carbon that may be higher or lower than the current stock of carbon on the land. The demand for biomass feedstocks for use in stationary facilities can affect carbon stocks by increasing harvesting intensity for standing biomass, diverting biomass feedstocks from other non-energy products and landfills, converting land from other uses to plant new biomass feedstocks for the future, and utilizing biomass residues that might otherwise decay. Each of these responses may differ over time, and thus, the overall effect of all these responses together on demand for biomass feedstocks may differ over

time. Therefore, the time period selected for the analysis can strongly affect the assessed impact of an increased demand for biomass feedstocks by stationary facilities on carbon stocks and net emissions of carbon dioxide to the atmosphere. The selection of the time period for assessment is not a scientific question, but rather is closely associated with the policy objectives being addressed by the application of a feedstock-specific and region-specific BAF to a facilit(y/ies). For example, consider an objective to limit peak planetary warming versus an objective of controlling emissions of greenhouse gases in 2050; the same feedstock in the same region could have widely varying impacts on terrestrial carbon stocks because the timeframe defining the endpoint of the relevant analysis would differ. Since BAFs are computed by assuming a policy objective, there are no scientific criteria by which to pick a single 'right' timeframe for their determination independent of the policy context (Ocko et al 2017).

Stationary facilities require a continuous supply of feedstock, thus a landscape approach for accounting of impacts on carbon stocks is more appropriate than a stand-level approach for the application EPA defines (stationary facility for energy production). A landscape approach expands the boundaries of analysis to include all effects and recognizes that there is uptake as well as loss of carbon associated with the production of feedstocks concurrently occurring across the landscape. It is the overall balance of losses and gains that determines carbon stock effects. Moreover, economic considerations will determine the size of the landscape providing feedstocks over time and the potential for land-use changes that can positively or negatively impact carbon stocks

Stock-Based Accounting Preferred to Emissions-Based Accounting

2.7

Carbon accounting associated with determining BAFs should be based on changes in carbon stocks on the land rather than changes in carbon emissions (as used in EPA's 2011 and 2014 Frameworks). A key feature of using carbon stocks is that all terms can be readily aggregated or disaggregated, subject to validation via mass balance and an existing comprehensive system of empirical measurements is already in place for the US. The stock-based approach comports with the current conventions in carbon accounting, which essentially use input-output tracking of carbon throughout a system with well-defined boundaries. These stocks can be aggregated and rearranged as needed, and they are appropriately constrained by conservation of mass and therefore can be assessed and precision determined using mass balance calculations.

Two Cumulative Biogenic Assessment Factor Approaches

impacts on stocks over time to determine the net effect on those stocks. A cumulative BAF is preferable to an instantaneous (or annual) BAF because the use of biomass feedstocks can cause changes in earbon stocks that manifest beyond the period in which the feedstock is consumed by a stationary facility. There are two alternative approaches to calculating a cumulative BAF and the implications of these different approaches should be further considered. Until the implications of the differences are better understood, we support EPA's cumulative BAF approach as applied to stocks, i.e., the difference in carbon stocks at the end of the selected time horizon. A second approach was developed by members of the Biogenic Carbon Emissions Panel; it considers the time course of CO₂ emissions by accumulating the annual differences in carbon stocks on the land over the time horizon until equilibrium is reached. By accumulating annual differences across the projection period, the alternative cumulative BAF metric (which the panel designated as BAF_{TT}) attempts to incorporate "residence time" in the sense that it is a

Computing a cumulative BAF over any period of time requires accounting for the positive and negative

 Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

proxy for the length of time carbon stays in the atmosphere until it is modified by changing stocks of carbon on the land. While intended to generate a single BAF term at the end of the selected time horizon, either computation can be evaluated at any time of interest.

Charge Question 2

Scales of Biomass Use and Modeling Approach

Projections for aggregate demand for all biomass changes should be bounded by historical data on resource use, observed information on current and planned expansions to facilities using biogenic feedstocks, and reasonable projections of cost-effective deployment of biomass feedstocks for meeting the energy/feedstock needs of stationary facilities.

In addition, regular retrospective evaluations of observed levels of demand and the mix of feedstocks would enable revisions to EPA's estimates of feedstock demand. Retrospective evaluations of BAF performance will be important for understanding how effective the modeling has been in predicting what occurred. Thus, projections about biomass feedstock demand should be revised based on actual observations, and these updated demands should be used to inform modeling that generates BAFs.

Recommendations

- . An accurate biogenic carbon accounting approach utilizing Biogenic Assessment Factors will vary depending on the objectives for their development, which depend upon the policy context, particularly in selection of the time horizon and geographic scope.
- EPA should identify and evaluate its criteria for choosing a model and modeling features that
 affect BAF results. EPA should explore the sensitivity of BAFs to different modeling
 approaches, assumptions, transaction costs, and uncertainties in model input parameters.
- Stationary facilities require a continuous supply of biomass feedstocks, thus a landscape
 approach is required for accounting for the impacts of feedstock demand on carbon stocks."
- 4. The direction and magnitude of the impact of using biogenic feedstocks in stationary facilities on terrestrial carbon stocks depends on the time horizon considered. There is no single optimal time horizon for evaluating these impacts.
- 4-5. Changes in carbon stocks (e.g., live and dead biomass, soil, products, material lost in transport and waste), should be used to account for biogenic carbon, rather than an emissions (flux-based) approach.
- 2.6. The SAB suggests exploration of two cumulative BAF metrics. Until the implications of the different metrics are clear, the SAB recommends using the metric proposed by EPA, i.e., net changes in stock over a specified time.

[PAGE * MERGEFORMAT]

Commented [s3]: The amount of new text reflects the shift in order more than a shift in words. The recommendations are now in the same order in which they appear in the body of the report.

1 2

2. INTRODUCTION

2.1. Background

EPA's Science Advisory Board (SAB) was asked by the EPA Office of Air and Radiation to review and comment on its *Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources* (U.S. EPA 2014).

The purpose of the 2014 Framework was to develop a method for calculating the adjustment, or

| 19

Biogenic Assessment Factor (BAF), for CO₂ emissions associated with the use of biogenic feedstocks in stationary facilities, taking into account the biological carbon cycle associated with the growth, harvest, and processing of plant biomass. This mathematical adjustment to stack emissions is needed because of the unique ability of biological systems to sequester CO₂ from the atmosphere through photosynthesis in living biomass, to sequester carbon in dead biomass and soil, and to release CO₂ through respiration and biologically-mediated decay of organic matter. These attributes of ecosystems mean that there can be wide variation in the net effect of using biomass feedstocks in stationary facilities on emissions of carbon dioxide to the atmosphere and thus it is scientifically indefensible to assume all bioenergy has no net carbon dioxide emissions to the atmosphere, or the reverse, that all emissions represent a net addition to the atmosphere. The Biogenic Assessment Factor is an accounting term developed in the Framework to estimate the net CO₂ emissions to the atmosphere over a specified period of time associated with burning biomass feedstocks to produce energy. These net emissions reflect the changes in carbon stocks of above and below ground biomass (live and dead), soils, and wastes. The 2014 Framework is a revision of the 2011 Framework (U.S. EPA 2011), which the SAB previously reviewed (U.S. EPA SAB

2012).

The EPA's charge to the SAB (Appendix A) requests advice and recommendations on its revised 2014 Framework, which was developed with consideration of the SAB's 2012 recommendations as well as the latest information and input from the scientific community and other stakeholders. The EPA asked the SAB to review and offer recommendations on specific technical elements of the 2014 Framework for assessing the extent to which the production, processing, and use of biogenic feedsteeks at stationary facilities results in net emissions of CO₂ to the atmosphere so that it could be quantified through calculation of a BAF. The 2014 Framework does not, however, provide the policy context, specific Biogenic Assessment Factor calculations for that context, or the implementation details the SAB previously requested. In fact, the lack of information in both Frameworks on how the EPA may use potential BAFs made it difficult to fully evaluate these frameworks.

To conduct the present review, the SAB Staff Office reconstituted the Biogenic Carbon Emissions Panel (Appendix B), which had reviewed the 2011 Framework. That panel met multiple times between March 2015 and August 2017. The Panel presented a draft report (February 2016) to the SAB for quality review. The SAB quality review was conducted in March 2016; this quality review resulted in requested revisions from the Panel. The revised draft report (June 2017) was reviewed by the Board in 2017. The 2017 revision of the report was not approved by the SAB based on the deliberations of the quality review. The present report is a product of SAB's direct efforts and utilizes portions of the Panel's report. Previous drafts of the Panel's report are retained on the SAB website and available [HYPERLINK "https://yosemite.epa.gov/sab/sabproduct.nsf/LookupWebProjectsCurrentBOARD/3235dac747c16fe985 257da90053f252!OpenDocument&TableRow=2.2" \lambda "2."].

3. OVERARCHING COMMENTS

This section addresses issues that lie outside the scope of EPA's charge questions, but which the SAB considered critical to place the responses to the charge questions in context. The charge questions are narrowly focused on specific technical aspects in the structure of the 2014 Framework. However, the SAB had important general advice regarding the Framework. This first section outlines that advice.

3.1. Defining Objectives through the Policy Context

For its review of the 2011 Framework, the SAB requested and was given a policy context for the biogenic CO₂ accounting framework. The SAB was told that the 2011 Framework was intended to guide the determination of CO₂ emissions from regulated stationary sources under the Clean Air Act, specifically those facilities receiving a prevention of significant deterioration (PSD) air permit and that were required to conduct a best available control technology (BACT) analysis for CO₂ emissions. The question before the agency, and hence the SAB, was whether and how to consider biogenic greenhouse gas (GHG) emissions in reaching thresholds for permitting and decisions about BACT for CO₂ emissions from the use of bioenergy in stationary facilities.

The agency has removed this policy context from its 2014 Framework, and the EPA's charge questions seek general guidance on issues related to the choice of temporal, spatial and production scale for determining BAFs in a policy-neutral context. In the absence of a specific policy context, which would provide the objectives against which the BAF will be evaluated, this review was limited to providing general comments about how to consider the questions posed. More specific answers to the questions posed will vary with the objective (as defined by the policy context), most notably the appropriate time period over which to determine the net biogenic emissions, and to a lesser degree, the appropriate geographical scale for consideration.

A policy context with explicit objectives would clarify if the proposed procedures for determining the BAF will account for the emissions of all greenhouse gases that alter the climate. If this is the case, then it will be important to account for the effect of biogenic feedstocks on non-CO₂ gases such as N₂O and CH₄, to examine how the emission or uptake of these gases differ across space, time, and feedstocks, and to examine how these gases influence BAFs. Given the large difference in the mean residence time of these gases in the atmosphere, their relative importance can vary widely over different time horizons. If the climate impacts over 20 or 40 years is of concern, then methane and carbon particulate emissions could be very important, while if the period of concern is hundreds of years, their importance will drop significantly (Shoemaker, et. al., 2013). Non-CO₂ gases are particularly important for feedstocks grown with nitrogen fertilizer and for waste materials from landfills.

As an additional caveat, the SAB is aware that the EPA report and this review are focused only on accounting for carbon dioxide related to the use of biomass in stationary facilities for energy generation. Neither EPA nor the SAB evaluated other concerns like forest conservation, biodiversity, and ecosystem services. If, for example, biomass pellets were sourced from old growth forests, this would pose unique risks that would not be reflected in a BAF calculated for not effects on embon dioxide. We offer this caution about the model boundaries as defined by EPA's method and identified in the SAB review. In

Commented [34]: Rodney Andrews suggests that this is a good place to mention how differing technologies and conversion rates affect emissions. I get his point, but I don't see how to fit it into this paragraph.

Commented [35]: A reference would be nice

addition, we recognize that biodiversity and ecosystem health are valid concerns worthy of a different analysis and policy response.

Recommendation

Biogenic Assessment Factors will vary depending on the objectives for their development, which
depend upon the policy context, particularly in selection of the time horizon and geographic
scope. Thus, future efforts to define specific biogenic accounting factors should be conducted in
a policy-specific context, with the objectives and relevant time frame specified. It is
inappropriate to use default assumptions, including assuming there are no net emissions or that
all emissions are additive.

3.2. Baseline Approach

To compare change in any system over time, there must be a baseline scenario against which to assess changes, in this case, changes due to demand for biogenic feedstocks; a baseline allows different scenarios to be compared. In the 2011 Framework, the EPA assesses the estimated net change in land-based biogenic CO₂ fluxes and/or carbon stocks between two points in time, with the first time point called the reference point. In the 2012 SAB report, we noted temporal problems with the reference point baseline approach. The EPA has acknowledged this in its 2014 Framework and included a future anticipated baseline analysis alternative along with a reference point baseline approach. The 2014 framework notes that the choice of baseline (reference point or anticipated) depends on the question to be answered and the specific context in which the framework is applied.

The SAB's 2012 advice on the anticipated baseline approach explored the use of complex modeling in order to try to capture interactions among the market, land use, investment decisions, and emissions and ecosystem feedbacks, and to construct a counter-factual scenario that does not include increased bioenergy use. In the case of long rotation feedstocks, biomass feedstock demand can affect carbon stocks in many ways including the age of trees harvested, the diversion of forest biomass from traditional forest product markets to bioenergy, and the rates of afforestation and deforestation. Estimating the net effect of these changes on carbon stocks requires a model that integrates market demand and supply conditions with biophysical conditions that determine growth of forest biomass, losses via decomposition, carbon sequestration and fluxes due to harvests and land use change and incorporates the spatial variability in these effects across the U.S. The complexity of such a modeling approach can make it difficult to parameterize and validate and requires a sensitivity analysis of parameters and model assumptions. The lack of empirical data regarding many of these relationships and the resulting uncertainties pose a significant challenge to use of this type of model in a regulatory context.

Also, consistent with the SAB's 2012 recommendations, the EPA has now moved toward a "representative factor" approach that would include an assessment of the biogenic landscape attributes (type of feedstock, region where produced). The EPA initially considered calculating a BAF for an individual stationary facility; however, the data needs for a facility-specific approach are daunting if they are to be accurate (e.g., case-specific measurements and calculations of carbon stocks and chain-of-custody carbon accounting, integration of land use changes on a broader landscape level). EPA's use of

[PAGE * MERGEFORMAT]

Commented [J6]: Larry Monroe:
"I disagree with the statement that "Biogenic carbon accounting will vary depending on the policy context."

Addressed this by shifting to the issue of objectives, as Bill articulated during the call.

a representative factor approach is an advance in its accounting methodology, although overly-broad feedstock categories may not reflect important extant or likely future variation in feedstock production or processing (e.g., roundwood in the Southeast, logging residues in the Pacific Northwest, and corn stover in the Corn Belt). The overall approach is a positive development, but caution is required to ensure such inclusiveness does not produce maintantonally.negative. outcomes, e.g. feedstocks with large net emissions to the atmosphere lumped together with those with more limited net emissions. The EPA should evaluate the "representativeness" of the factors and refine the approach over time with additional data.

9 10

11

12

13 14

15

16

17

costs), precision (getting it right at every location), accuracy (getting the overall stock change correct), and policy effectiveness (ensuring that the policy objectives are being met). The SAB continues to recognize the difficulty of undertaking the recommended anticipated baseline approach, and practicality should be an important consideration in the agency's decision making. While the reference point baseline approach has significant limitations as noted in the SAB's 2012 report, these might be overcome if regular updating with empirical data to capture regional carbon stock changes (increases or decreases) were employed All methods considered should be subject to an evaluation of the costs of implementation and compliance and weighed against any increase in accuracy and precision that they might yield. Ultimately it is critical that there is a balance between accuracy and minimization of implementation costs.

As stated in the SAB's 2012 report, there are tradeoffs between ease of implementation (transaction

19 20 21

22

23

24

25

26

27

28

29

30

31

32

33

43

2016: [HYPERLINK

Recommendation

• The EPA should identify and evaluate its criteria for choosing a model and its underlying assumptions with regards to how these criteria and assumptions affect calculated representative BAFs. In addition, the EPA should periodically update and validate the selected model to incorporate the latest scientific knowledge while ensuring that the model <u>outputs</u> are consistent with empirical observations (e.g. shifts in measured carbon stocks as determined the Forest Inventory Analysis program). Any model chosen should be subject to sensitivity analysis to evaluate its efficacy under different conditions and to identify data needs and prioritize future research.

3.3. Alternate Fate Approach for Waste-Derived Feedstocks

34 in anaerobic landfills, whether they would be diverted from recycling and reuse, etc. In the 2014 35 Framework, the EPA has conducted extensive alternate fate calculations; however, the agency drew a 36 narrow boundary around point source emissions and neglected other significant considerations that 37 affect the GHG footprint of alternative municipal solid waste management scenarios. Specifically, the 38 EPA neglected to quantify a potential alternate fate of municipal solid waste through landfill-derived 39 methane combustion. Under the Clean Air Act New Source Performance Standards, the EPA requires 40 landfills above a certain size to, at a minimum, collect and control landfill gas (e.g., through flaring or 41 use). As such, a baseline of direct venting is misleading, although almost all these facilities are likely to 42 produce large emissions of methane, even when in compliance with current regulations (Lamb et al

In 2012, the SAB recommended that the EPA consider alternative fates (i.e., if not used as fuel for

electricity acneration or process heat) of waste-derived feedstocks diverted from the waste stream, e.g.,

whether these feedstocks might decompose over a long period of time, whether they would be deposited

[PAGE * MERGEFORMAT]

Commented [37]: Surabi Menon

"In an earlier review the alternative fate approach of waste-derived feedstocks was thought to be not treated well. It is included in this report, but the context and recommendation needs to be elaborated on. As presented it does not fit well, an a recommendation is not included on what needs to be done. Since it is not a charge question, it might need some justification/recommendation and should be caveated appropriately.

"file:///C:\\Users\\tcarpent\\AppData\\Local\\Microsoft\\Windows\\INetCache\\Content.Outlook\\9EYA Z1S8\\www.epa.gov\\Imp\\basic-information-about-landfill-gas"]). The relative rankings of BAFs across waste treatment options assessed in the 2014 Framework might change considerably if a more complete accounting were undertaken (e.g., energy recovery from landfill-derived methane and combustion of waste, and carbon storage associated with landfills

3.4. Temporal and spatial considerations in Biogenic Assessment Factor Calculations

The goal of the EPA Framework reviewed is to account for effects of biomass feedstocks used for energy generation at stationary facilities on terrestrial carbon stocks. BAFs are a carbon accounting method based on expected future changes in carbon stocks (measured in tons of carbon). They are designed to assess the net contribution of CO₂ from a stationary facility that uses biomass feedstocks, due to shifts of terrestrial carbon to and from the atmosphere over a specified period of time. The time scale selected will vary depending on policy defined objectives (e.g. reduction of GHG emissions in 2050 or 2100, or minimizing global temperature change resulting from greenhouse gas emissions). Over the selected time period, all greenhouse gas impacts (not just CO₂) – both positive and negative – should be accounted for (as completely as is feasible).

Stationary facilities require a continuous supply of feedstock, thus a landscape approach for accounting of impacts on carbon stocks is more appropriate than a stand-level approach for the application EPA defines (stationary facility for energy production). A landscape approach expands the boundaries of analysis to include all effects and recognizes that there is uptake as well as loss of carbon associated with the production of feedstocks concurrently occurring across the landscape. It is the overall balance of losses and gains that determines carbon stock effects. Moreover, economic considerations will determine the size of the landscape providing feedstocks over time and the potential for land-use changes that can positively or negatively impact carbon stocks. As noted by Cintas et al. (2016), "assessment at the landscape scale integrates the effects of all changes in the forest management and harvesting regime that take place in response to – experienced or anticipated – bioenergy demand. Taken together, these changes may have a positive, negative or neutral influence on the development of forest carbon balances." Landscape level accounting of effects of forest-based feedstocks on carbon stocks can result in a net gain or loss of carbon stocks in the near to medium term; a carbon debt could be followed by a carbon dividend or the other way around.

BAFs are a carbon accounting tool for assessing <u>CO2</u> emissions from facilities that <u>consume</u> biomass <u>feedstocks for production of energy</u> and are not life cycle assessments of net greenhouse gas emissions or their climate change effects. The distinction is that not all indirect systemic effects are considered in the BAF, <u>nor are all GNG effects included</u>. We also underscore our caution that the net accumulation of forest and soil carbon over time should not be assumed to occur automatically or to be permanent; rather, growth and accumulation should be monitored and evaluated for changes resulting from management, policy, market forces, or natural causes. If such monitoring demonstrates changes that are not included in the model used to develop the BAF, the BAF should be updated to align with the empirical data.

Recommendation

14

15

16

8

9

23

24

25

26

27

34

35

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

 Stationary facilities require a continuous supply of feedstock, thus a landscape approach is required for accounting for the impacts of feedstock demand on carbon stocks.

RESPONSES TO EPA'S CHARGE QUESTIONS

3.5. Temporal/spatial Scale for Biogenic Accounting

Charge Question 1: What criteria could be used when considering different temporal scales and the tradeoffs in choosing between them in the context of assessing the net atmospheric contribution of biogenic CO2 emissions from the production, processing, and use of biogenic material at stationary sources using a future anticipated baseline?

There are several key factors that impact the dynamic nature of the BAF for a specific feedstock and region. The first is that the increased demand for biomass feedstocks in a region could potentially be met by a variety of sources obtained from the agricultural and forestry sectors, including annual and perennial agricultural crops, short rotation woody biomass and pulpwood, and crop and forest residues. Any increase in demand might involve using a larger proportion of an existing resource or diversion from non-energy products and landfills, converting land from other uses to growing biomass feedstocks, changing use of existing feedstocks, utilization of residues that would otherwise decay over some period of time. The effect of increased demand for biomass feedstocks on carbon stocks will depend on the mix of these feedstocks demanded and the scale of demand for these feedstocks.

Second, different biomass sources have different effects on carbon stocks over different timeframes. The plant systems, e.g. forests, agronomic systems, producing feedstocks differ in their rate of growth/regrowth, yield, potential to sequester carbon in biomass and soils, decay rates after harvest, and the type of land-use change that accompanies their production. These effects continue after the feedstock has been consumed by a stationary facility. We therefore recommend computing a cumulative BAF over the relevant time horizon. This cumulative BAF would be based on the difference in carbon stocks between a scenario without change (either computed using a reference point or anticipated baseline) and the increased biomass feedstock demand scenario and would vary with the time horizon selected by the objective in the relevant policy.

Key principles for calculating changes in the net carbon stocks should include: (1) the positive and negative impacts of demand for biomass over time, (2) a system-wide (landscape and economy) approach to account for direct and indirect effects, and (3) consistency across each region. Selecting different time horizons for different feedstocks being used to meet the same policy objective would be inappropriate as it would yield inconsistent effects.

Determining the scale of appropriate regions for calculating BAFs will require balancing similarity in the biophysical characteristics, similar growing conditions (growing season length, vegetation type) and economic factors, biomass demand, with ensuring that the edge to volume ratios of the regions are small enough to ensure minimizing incentives to manipulate the movement of biomass feedstocks among regions due to differing BAFs.

To fully account for all positive and negative terrestrial effects over time, we recommend using the

"emissions horizon" as described by the 2014 Framework applied to a specific policy objective. As defined by the EPA, this "emissions horizon is the period of time during which the carbon fluxes resulting from actions taking place today actually occur ..." (U.S. EPA 2014). If the objective is to have an effect on greenhouse gas emissions by a certain date, then the impacts aggregated by that date are the relevant metric to assess meeting the objective, and that date is the appropriate time horizon. Accordingly, there is no single time horizon that will effectively address all policies or feedstocks since feedstock net effects are time-dependent and desired objectives for policy changes target different time horizons. The SAB does not support a single time horizon as appropriate for determining BAFs, because the computed values can vary significantly over differing time horizons and different objectives will be met over different time horizons.

The Panel suggested that the time horizon should be the length of time it would take for the effect of increased demand for biogenic feedstock on the carbon cycle to reach a steady-state. This occurs when the difference in carbon stocks between the increased biomass feedstock demand scenario and the business-as-usual scenario is no longer changing or when the difference is approaching an asymptote. This could result in a very long time horizon being selected, potentially hundreds of years if all feedstocks across all regions were to be included. The selection of such a time horizon would mean that for policy objectives with shorter time horizons (e.g., meeting a 2050 emissions target), the accounting would not align with relevant effects of biomass feedstock use at stationary sources on the policy objective.

22 | 23

Several factors determine the difference in carbon stocks between the <u>business-as-usual</u> scenario and the increased biomass feedstock demand scenario. A major factor is the "speed" with which carbon stocks respond after harvest; this <u>can be influenced by several factors</u>: the speed with which a feedstock regrows and can be harvested again, the mix of feedstocks produced, and the rate at which soil carbon stocks change. Thus, the mix of feedstocks used can influence the shape of the curve and when it reaches equilibrium.

Previous studies have shown that estimates of the effects of biomass harvest on carbon stocks depend on the spatial scale of consideration (stand level or landscape level), the initial conditions of carbon stock on the land (e.g., managed forestland, old growth forestland, or agricultural land), the management practices used, and the time horizon over which effects are measured (Walker et al., 2010; Jonker et al., 2014; Mitchell et al., 2012; Galik and Abt, 2012; Ter-Mikaelian et al., 2015). Harvest of an existing forest stand for use as a feedstock results in an immediate reduction of carbon on the site; the amount of carbon lost at the stand level is directly related to the intensity of the disturbance. At a stand level, harvest followed by regrowth (most US forests regenerate without intervention/planting) usually results in a cycle of loss followed by gain. The amount of carbon regained on the site can vary: in some cases, all is regained, in others only part is regained, and in others, more can be gained than is released.

| 45

Since stationary facilities require a continuous supply of feedstock, multiple stands will be disturbed asynchronously; the order in which losses and gains occur becomes meaningless at the landscape level because both simultaneously occur. Thus, the operative issue is the overall balance between losses and gains of carbon at the landscape scale. Thus, stand level accounting is not relevant to the calculation of BAFs for biomass feedstocks used at stationary sources. If harvest does not exceed the rate of carbon accumulation, the landscape-level carbon stocks are stable or increasing. However, there could be a net

[PAGE * MERGEFORMAT]

Commented [J8]: This could use a citation.

 Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

loss of carbon to the atmosphere at the landscape level, compared with the <u>business -as-usual</u> scenario, if trees are harvested at younger ages or if trees that would otherwise have been unharvested are harvested.

Biomass, particularly from forest sources, is also used for producing non-energy products. The demand for biomass feedstocks for energy generation can lead to a diversion of biomass from those products and lead to an immediate reduction in earbon stocks in products. It is also possible that anticipation of future demand for biomass feedstocks by stationary facilities could lead to land conversion, reforestation and retention, or accumulation of carbon stocks in a growing forest. In general terms, the amount of either net loss or net gain of carbon on the landscape is influenced by changes in many factors including those influencing net primary production and removals, and the net effect can be expected to vary over time.

When agricultural feedstocks that are harvested annually from land under continuous production, the time lag between harvest, CO₂ emissions from conversion to energy, and regrowth on land is likely to be close to one year, and the harvested carbon will be fully regained, with no net impact on above-ground carbon stocks. The production of these feedstocks may directly affect carbon stocks below-ground by increasing or decreasing soil carbon stocks relative to the use of the land in the <u>business-as-usual</u> scenario. The demand for <u>biomass feedstocks</u> can also affect carbon stocks by leading to a change in the use of land which could either release carbon stored in the land (for example if permanent grasslands are converted to annual agricultural production) or accumulate carbon on the land (for example through reforestation as annual cropland is converted back to forests).

Recommendation

The direction and magnitude of the impact of using biogenic feedstocks in stationary facilities
on terrestrial carbon stocks depends on the time horizon considered. There is no single optimal
time horizon for evaluating these impacts.

Charge Question 1(a): Should the temporal scale for computing biogenic assessment factors vary by policy (e.g., near-term policies with a 10-15 year policy horizon vs. mid-term policies or goals with a 30-50 year policy horizon vs. long-term climate goals with a 100+ year time horizon), feedstocks (e.g., long rotation vs. annual/short-rotation feedstocks), landscape conditions, and/or other metrics? It is important to acknowledge that if temporal scales vary by policy, feedstock or landscape conditions, or other factors, it may restrict the ability to compare estimates/results across different policies or different feedstock types, or to evaluate the effects across all feedstock groups simultaneously.

Charge Question 1(a)(i). If temporal scales for computing biogenic assessment factors vary by policy, how should emissions that are covered by multiple policies be treated (e.g., emissions may be covered both by a short-term policy, and a long-term national emissions goal)? What goals/criteria might support choices between shorter and longer temporal scales?

Charge Question 1(a)(ii). Similarly, if temporal scales vary by feedstock or landscape conditions, what goals/criteria might support choices between shorter and longer temporal scales for these metrics?

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

Charge Question 1(a)(iii). Would the criteria for considering different temporal scales and the related tradeoffs differ when generating policy neutral default biogenic assessment factors versus crafting policy specific biogenic assessment factors?

Charge Question 1(b). Should the consideration of the effects of a policy with a certain end date (policy horizon) only include emissions that occur within that specific temporal scale or should it consider emissions that occur due to changes that were made during the policy horizon but continue on past that end date (emissions horizon)?

The responses to questions 1(a), 1(a)(i), 1(a)(ii), 1(a)(iii), and 1(b) are combined because these questions all relate to goals or criteria that may affect choices of differing temporal scales for calculating BAFs.

Question In asks specifically if the temporal scale for computing Biogenic Assessment Factors should vary by policy. As noted in the overall response to Charge Question I (above), the SAB concludes that the BAF computation should be informed by the policy objectives, particularly with respect to time.

If there are multiple objectives in multiple policies (as discussed in charge question 1(a)(i), there are no overriding scientific principles that can be applied *a priori* to guide alignment among these multiple objectives.

One could advocate for a host of approaches to selecting a time horizon for evaluation; all would be plausible but not inherently aligned with the objective of the policy being promulgated. At the extremes one could consider only the carbon accounting over the year in which the biomass was combusted; such an approach would mean that almost all feedstocks would be assigned a BAF close to one, representing no net benefit to reducing atmospheric carbon dioxide concentrations. Conversely one could only consider net impacts on the carbon cycle over several hundred years, which would mean for most feedstocks the BAF would be close to zero (assuming steady demand and unchanged rotation lengths thus allowing stocks to come into equilibrium), indicating all biogenic emissions being net beneficial to the atmosphere. Neither of these approaches would align with the most likely objectives of a biogenic accounting framework; however, neither is inherently correct or incorrect.

The time horizon for consideration of carbon stock changes should be chosen based on the objective (e.g., minimizing net greenhouse gas emissions over a specified period or temperature increase by a certain date), which would be aligned with the policy goals. The SAB makes no assertion regarding the appropriate policy use of the BAF and thus supports no specific time horizon selected independent of a policy objective.

Charge Question 1(c). Should calculation of the biogenic assessment factor include all future fluxes into one number applied at time of combustion (cumulative – or apply an emission factor only once), or should there be a default biogenic assessment schedule of emissions to be accounted for in the period in which they occur (marginal – apply emission factor each year reflecting current and past biomass usage)?

[PAGE * MERGEFORMAT]

Commented [39]: Larry Monroe:

"There is no discussion of either what might be the criteria for different temporal scales and then no discussion of any tradeoffs. I suggest that the section be rewritten to include a robust discussion of the choices between temporal scales (say 5-15, 25-50, and 100 years) and why each one would be appropriate and what the necessary tradeoffs would be from any choice of time scale."

This seems like a section that it would be good to engage further with Larry, hard to imagine how we could provide specific examples without getting into a lengthy analysis that would not fully capture the range of possibilities. The Panel tried to do this and created more confusion than insight.

Accumulating all effects of the use of a biogenic feedstock over a time horizon is preferred to a marginal or instantaneous ("per period") BAF. (For the purposes of answering this question, the SAB interprets "marginal" to mean "annual" or "per period" so as to distinguish it from the meaning of "marginal" that typically refers to the last unit of emissions or the additional effect of the last unit of biomass.)

32

42 43

40 41

44 45

46

As described in the overall response to Charge Question 1 (above), the SAB recommends a cumulative carbon accounting metric; however, there are alternative ways to calculate cumulative BAFs. EPA's cumulative BAF (called BAF_T in the 2014 Framework) applied to stocks is one option, reflecting the carbon stocks at the end of the time horizon—specifically, changes in carbon stocks by time, T. One can also calculate a cumulative BAF that is based on the accumulation of annual differences in carbon stocks on the land over the time horizon until equilibrium is reached, here called BAF $_{\Sigma \Gamma}$. By accumulating annual differences across the projection period, this alternative cumulative BAF metric attempts to incorporate "residence time" in the sense that it is a proxy for the length of time carbon stays in the atmosphere until it is modified by changing stocks of carbon on the land. While intended to generate a single BAF term at the end of the selected time horizon, either computation can be evaluated at any time of interest. Until the implications of the differences are better understood, we support EPA's cumulative BAF approach, i.e., the difference in carbon stocks at the end of the selected time horizon.

The choice of an appropriate cumulative BAF should be informed by a scientific assessment of the dynamics of additions to atmospheric carbon stocks as well as the complexities and uncertainties of these determinations, ensuring the accounting is accurate and verifiable. Both cumulative BAFs attempt to capture net changes in biogenic carbon stocks. A key feature of using carbon stocks is that all terms can be readily aggregated or disaggregated and are still subject to mass balance.

With either approach to evaluating BAFs, caution is advised with projections into the future. A BAF is inherently based on some type of modeling that employs assumptions about the relationship of variables in the future based on current observations. These assumptions may not be robust in the future. Each BAF will need to be assessed periodically to see if changing conditions warrant a revision (Bucholz et

Carbon accounting for biogenic emissions can either be framed using differences in carbon emissions to the atmosphere or using differences in carbon stocks on the land. Conservation of mass dictates that any carbon taken from the land (through increased harvests or other disturbances) will result, in the nearterm, in equivalent increases of carbon in the atmosphere, followed by longer-run changes in ocean and land-based carbon. Thus, these approaches are compatible, but examining changes in stocks is operationally more direct and can be done periodically, rather than requiring continuous measurements to be accurate. However, both approaches should account for changes within the boundaries of the analysis, such as import and export of biogenic feedstocks and other associated products.

Long-Term Trends in Biogenic Assessment Factors

The Panel has suggested that cumulative BAFs might approach zero as T is reached. However, that is only true for BAF_{Δt} and not the cumulative BAFs. Mathematically cumulative BAFs are hyperbolic functions once T is reached and have extremely long "tails", representing a period of net CO2 emissions to the atmosphere.

[PAGE * MERGEFORMAT]

Commented [J10]: Check this. Otherwise use whatever notation

- An approach to determining a baseline that includes an historical time period could be used to
- periodically reset a reference baseline based on re-measuring carbon stocks on the landscape using data
- from existing inventory programs. Carbon stock measurements have been made for more than a half
- century in the US, offering a robust record of change. This approach could improve the accuracy of the
- 5 baseline over time; however, as noted above, the preference for use of a reference or future anticipated
- baseline depends on the objective. Future changes in growth-to-harvest ratios could be used to inform 6
- the model assumptions and modify the BAF that would be applicable going forward. This could create
- long-term incentives for sustainable management of land resources. In any accounting framework that
- assumes future regeneration and regrowth, it is important to periodically test this assumption against
- 10 actual data as they become available. If assumptions of future regeneration and regrowth are not
- 11 supported by observations, adjustments need to be made to models that are used to determine BAFs.

12 Recommendations

13

14

15

16

17 18

19

20

21

23

24

25

26

27

- The SAB recommends formulating BAFs based on changes in carbon stocks (terrestrial pools such as live, dead, soil, products, material lost in transport and waste), rather than an emissions-based (flux-based) approach, because the former comports with conventional carbon accounting, has welldefined boundaries, and follows the conservation of mass.
- The SAB suggests consideration of two cumulative BAFs—that proposed by EPA and an alternative metric that takes into account the changes in terrestrial carbon stocks over time. The appropriate cumulative metric for calculating BAFs will depend on the understanding of the carbon system and climate response for which there is uncertainty.

Charge Question 1(d). What considerations could be useful when evaluating the performance of a future anticipated baseline application on a retrospective basis (e.g., looking at the future anticipated baseline emissions estimates versus actual emissions ex post), particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward?

28 It is appropriate to periodically revise the modeling and the BAFs. The goal of such revisions would be 29 to update underlying economic and biophysical assumptions and modeling trends in light of new data to 30 reduce uncertainty and to increase accuracy of <u>future projections</u>.

31 32 A retrospective comparison would compare model-projected behavior to newly available historical

- 33 observations and estimates, such as regional feedstock demand, land-use changes (e.g., reforestation, 34 management intensity, forest rotations characteristics and conversion of land to other land uses including
- 35 dedicated energy crops), and forest carbon measurements and estimates (both level and composition). It
- 36 would be important to re-examine parameters, functional forms, and other assumptions of the modeling
- 37 approach as part of an ex post evaluation.

38 3.6. Scales of Biomass Use

- 39 Charge Question 2: What is/are the appropriate scale(s) of biogenic feedstock demand changes for
- 40 evaluation of the extent to which the production, processing, and use of biogenic material at stationary
- 41 sources results in a net atmospheric contribution of biogenic CO2 emissions using a future anticipated
- 42 baseline approach? In the absence of a specific policy to model/emulate, are there general
- 43 recommendations for what a representative scale of demand shock could be?

[PAGE * MERGEFORMAT]

Commented [J11]: Larry Monroe suggests strengthening this because "The Agency does not often look back at modeling from the policy formulation stage after the regulations are made and imposed to see whether its modeling was accurate. It is a difficult task, because so many things can change that affect the outcomes in an important way, such as technology advances, consumer preferences, and global economics

I don't disagree with him, but I think a strong recommendation here. which would have impacts beyond policy related to biogenic carbon, is not warranted by any analysis we did. I'm frankly surprised EPA asked this question and I'm not sure how to answer it. JVB

Charge Question 2(a). Should the shock reflect a small incremental increase in use of the feedstock to

8

13

19

28

29

39

40

34

reflect the marginal impact, or a large increase to reflect the average effect of all users? Charge Question 2(b). What should the general increment of the shock be? Should it be specified in tons, or as a percentage increase? The responses to questions 2(a) and 2(b) are combined below because both questions relate to the size of

on scale of demand shock can only be done effectively in a policy context as they are very challenging to define otherwise. If the EPA's goal is to obtain a region-specific BAF for a feedstock, it will be necessary to project region-specific and feedstock-specific demand for biomass. Since the BAF for a feedstock could differ

the simulated change in demand for biomass feedstocks. The complexities are large and any predictions

depending on the method of production (for example, the soil carbon implications of corn stover will depend on the type of tillage practice used and the amount of residue harvested), it will be appropriate to have the BAF for a feedstock in a region reflect the methods used to produce that feedstock. To the extent that BAFs depend on technology and emissions control regulations at a stationary facility in a region, they could also be defined in terms of specific technologies.

Charge Question 2(c). Should the shock be from a business as usual baseline, or from a baseline that includes increased usage of the feedstock (i.e., for a marginal shock, should it be the marginal impact of the first ton, or the marginal impact of something approximating the last ton)?

In the absence of a specific policy to model, the SAB cannot offer general recommendations for a representative scale of demand shock.

Charge Question 2(d). Should shocks for different feedstocks be implemented in isolation (separate model runs), in aggregate (e.g., across the board increase in biomass usage endogenously allocated by the model across feedstocks), or something in between (e.g., separately model agriculture-derived and forest-derived feedstocks, but endogenously allocate within each category)?

Charge Question 2(e). For feedstocks that are produced as part of a joint production function, how should the shocks be implemented? (e.g., a general increase in all jointly produced products; or, a change in the relative prices of the jointly produced products leading to increased use of the feedstock, and decreased production of some other jointly produced products, but not necessarily an overall increase in production).

The responses to questions 2(d) and 2(e) are combined because both questions relate to modeling biomass feedstocks in isolation or jointly.

In the absence of a mandate for use of specific feedstocks or incentives for specific types of bioenergy which might be prescribed in a policy framework, and which would inform the feedstock-specific demand that should be modeled, a reasonable approach is to model the aggregate demand for feedstocks. This approach assumes facilities are constantly seeking their least-cost alternative. An aggregate demand could be imposed on the model and used to determine demand for different feedstocks in different regions. This would allocate demand across feedstocks as well as within each category to simulate a

[PAGE * MERGEFORMAT]

Commented [J12]: Larry Monroe:

The draft answer to this question is non-responsive. For what is essentially a sensitivity study of the impacts of increased demand, there is a bounded universe of the amount of change that can occur Real-world examples of biogenic carbon as energy inputs have occurred and therefore suggest what the scale of demand shock

Work with Larry to write/incorporate the examples he suggests to advise EPA to use this type of information to bound the general increment of the shock

Commented [J13]: Larry Monroe said

"While it is always easier to compare to a specific policy proposal. the answer – or lack of one- in the document is a little bit of a dodge. Normally, the shock should be from a business as usual baseline where reasonable growth and multi-sector economics are used for projections - but not the market changes due to the policy. That is, population increases and energy efficiency improvements are included in a baseline, but not the specific actions that regulated entities may take to comply."

Generally, I agree with him, but this is not a policy focused on compliance. The changes the actors will take are not on the margin of their main economic activity. A BAF of zero would create a market and it is much more difficult for me to envision a baseline without the policy being an adequate comparator

Discuss with Larry what might reasonably be added to address this

given target aggregate demand determined by the market's ability to draw from the least cost combination of feedstocks.

2.7

Charge Question 2(f). How should scale of the policy be considered, particularly for default factors? (e.g., can a single set of default factors be applied to policies that lead to substantially different increases in feedstock usage)?

Default BAFs would likely vary by the scale of demand. In fact, a single set of default BAFs is unlikely to be robust across a wide range of scales of demand. The scale of demand is likely to influence the mix of feedstocks that is viable to produce because it can be expected to affect the market price of biomass. Low levels of demand for biomass may be met relatively easily by crop residues, forest residues and mill residues; high levels of demand could lead to dramatically increased harvests of forest biomass or production of dedicated energy crops. The BAF of a feedstock in a region can be expected to vary depending on whether there is a 1-million-ton increase in biomass demand or a 1-billion-ton increase in biomass demand.

In the absence of information about the scale of demand, BAFs could be determined for different threshold levels of aggregate demand for biomass <u>feedstocks</u> and consequent feedstock/region-specific demand.

Charge Question 2(g). Would the answers to any of the above questions differ when generating policy neutral default factors, versus generating factors directly tied to a specific policy?

While the methodological framework for different policies could be similar, we expect differences as follows: (1) BAFs that are tied to a particular policy, versus a particular period of time, would be based on simulating the aggregate and feedstock-specific demand that is expected to emanate from that policy, while policy neutral factors would be based on various exogenously specified quantities of demand for biomass and corresponding endogenously determined levels of feedstock specific demand, and (2) different policies may require different production and use practices, and thus result in different biogenic factors. Isolating the extent to which expected increase in demand for biomass and its consequences for CO₂ emissions can be attributed to a specific policy (when there are multiple policies inducing a shift to renewable energy) is likely to be complicated and challenging to convert into policy-specific BAFs. It could also create mintentionally negative incentives for feedstock choice to comply with various policies.

Charge Question 2(h). What considerations could be useful when evaluating the performance of the demand shock choice ex post, particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward?

It is likely that the observed feedstock demand in response to a specific policy will differ from the forecast because the policy can be expected to increase demand for feedstocks with lower BAF and decrease demand for feedstocks with a high BAF. Since feedstock-specific demand and the feedstock BAFs are likely to be jointly determined, while the approach proposed above determines them sequentially, divergence between model simulated demand for feedstocks and observations is inevitable.

Commented [J14]: Larry Monroe

"this is a problem that can be bounded. You can always describe the two tails of the distribution and claim there is nothing to be done, but you can use the mean or the median in a generally accepted manner as a first choice for a default factor."

Discuss with Larry what might reasonably be added to address this point

Commented [315]: Thomas Parkerton suggests deleting this sentence.

An evaluation using actual data would also allow revisions to the EPA's estimates of feedstock demand changes (as discussed in response to Question 1d) based on updated data. To improve the performance of the model for assessing BAFs retrospectively, quantities of biomass feedstock (by feedstock category) harvested could be updated with actual <u>observations</u>. New data should improve the estimate of the portion of total biomass demand that is attributable to stationary facilities. This information could be

used to improve BAFs.

Commented [316]: Larry Monroe:

While the response does indicate a normal path forward, it appears that the assumption that the kevel of the BAF may alone drive the feedstock demand, it is just as likely to be driven by feedstock price and competitive demands.

Discuss with Larry what might reasonably be added to address this point.

1 2	REFERENCES
3 4 5	Bucholz, T., Prisley, S., Marland, G., Canham, C. and Sampson, N. (2014) Uncertainty in predicting GHG emissions from bioenergy. <i>Nature Climate Change</i> 4:1045
6 7 8 9	Cherubini, F., Guest, G. and Stromman, A. (2012). Application of Probability Distributions to the Modeling of Biogenic CO2 Fluxes in Lifecycle Assessment. <i>Global Change Biology Bioenergy</i> 1 - 15.
10 11 12 13 14	Cintas, Olivia, Göran, B., Cowie, A., Egnell, G., Holmstrom, H., Marland, G and Ågren, G. (2017). Carbon balances of bioenergy systems using biomass from forests managed with long rotations: bridging the gap between stand and landscape assessments. <i>Global Change Biology Bioenergy</i> . Retrieved from doi: 10.1111/gcbb.12425, 2017
15 16 17	Galik, C.S. and Abt. R.C. (2012). The effect of assessment scale and metric selection on the greenhouse gas benefits of woody biomass. <i>Biomass and Bioenergy</i> 44:1–7.
18 19 20 21 22 23	Galik, Christopher S, and Robert C. Abt. (2012). "The Effect of Assessment Scale and Metric Selection on the Greenhouse Gas Benefits of Woody Biomass." <i>Biomass and Bioenergy</i> 44 (September): 1–7. doi:http://dx.doi.org/10.1016/j.biombioe.2012.04.009.
24 25 26 27 28	IPCC (Intergovernmental Panel on Climate Change). (2007). Changes in Atmospheric Constituents and in Radiative Forcing. In: Climate Change 2007. Cambridge, United Kingdom and New York, NY. Retrieved from [HYPERLINK "http://www.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-chapter2.pdf"].
29 30 31 32 33	Jonker, Jan G.G., Junginger, M. and Faaij, A. (2014). "Carbon Payback Period and Carbon Offset Parity Point of Wood Pellet Production in the South-Eastern United States." Global Change Biology Bioenergy 6 (4): 371–89. doi:10.1111/gcbb.12056.
34 35 36 37 38 39 40 41 42	 Lamb, B.K., Cambaliza, M.O.L., Davis K.J., Edburg, S.L., Ferrara, T.W., Floerchinger, C., Heimburger, A.M.F., Herndon, S., Lauvaux, T., Lavoie, T., Lyon, D.R., Miles, N., Prasad, K.R., Richardson, S., Roscioli, J.R., Salmon, O.E., Shepson, P.B., Stirm, B.H. and Whetstone, J. (2016) Direct and Indirect Measurements and Modeling of Methane Emissions in Indianapolis, Indiana Environmental Science and Technology. 50: 8910-8917
43 44 45 46	Mitchell, Stephen R., Harmon, M.E. and O'Connell, K.E.B. (2012). "Carbon Debt and Carbon Sequestration Parity in Forest Bioenergy Production." <i>GCB Bioenergy</i> 4 (6): 818–27.

1	
2	National Council for Air and Stream Improvement. (2015). Comment to the Biogenic Carbon Emissions
3	Panel of the EPA Science Advisory Board. August 5, 2015. Retrieved from [HYPERLINK
4	"http://yosemite.epa.gov/sab/sabproduct.nsf/254A0104C4745E5785257E98006493E4/\$File/NC
5	ASI+comments+for+Aug.+6,+2015.pdf"]
6	
7 8	Odro I.B. Hamburg C.B. Josek D.I. Keith D.W. Kashena N.O. Omombairean M. Day Maribary
9	Ocko, I.B., Hamburg, S.P., Jacob, D.J., Keith, D.W., Keohane, N.O., Oppenheimer, M., Roy-Mayhew, J.D., Schrag, D. P. and Pacala, S.W. (2017) Two-valued Global Warming Potential Effectively
10	Captures Long- and Short-term Climate Forcing. Science. 356:492-493
11	Captures Long- and Short-term Chinate Potenig. Science. 330.492-493
12	
13	Shoemaker, J.K., Schrag, D.P., Molina, M.J. and Ramanathan, V. (2013). "What Role for short-Lived
14	Climate Pollutants in Mitigation Policy?" Science 342: 1323-1324.
15	Chinace Foliulants in Wingarton Folicy: Science 342, 1323-1324.
16	Ter-Mikaelian, Michael T., Colombo, S.J. and Chen, J. (2015). "The Burning Question: Does Forest
17	Bioenergy Reduce Carbon Emissions? A Review of Common Misconceptions about Forest
18	Carbon Accounting." Journal of Forestry 113 (1): 57–68.
19	ember recomming. Volume of Lorenty 115 (1), 27, 30.
20	U.S. EPA (Environmental Protection Agency). (2011). Accounting Framework for Biogenic CO ₂
21	Emissions from Stationary Sources. Office of Atmospheric Programs. Retrieved from
22	https://yosemite.epa.gov/sab/sabproduct.nsf/0/2F9B572C712AC52E8525783100704886/\$File/Biogenic
23	CO2 Accounting Framework Report LATEST.pdf.
24	U.S. EPA (Environmental Protection Agency). (2014). Framework for Assessing Biogenic CO ₂
25	Emissions from Stationary Sources. Retrieved from
26	https://yosemite.epa.gov/sab/sabproduct.nsf//LookupWebProjectsCurrentBOARD/3235DAC747C16FE
27	985257DA90053F252/\$File/Framework-for-Assessing-Biogenic-CO2-
28	Emissions+(Nov+2014).pdf.
29	
30	U.S. EPA (Environmental Protection Agency). (2015). Response to the SAB Panel Peer Review
31	Advisory. Retrieved from SAB Biogenic Carbon Emissions Panel Meeting Webpage. Retrieved
32	from [HYPERLINK
33	"http://yosemite.epa.gov/sab/SABPRODUCT.nsf/5295DAC6053510F285257DFD0075C181/\$Fi
34	le/OAR+Response+to+SAB's+2012+Advice.pdf"].
35	
36	U.S. EPA SAB (U.S. EPA Science Advisory Board). (2012). SAB Review of EPA's Accounting
37	Framework for Biogenic CO2 Emissions from Stationary Sources. Retrieved from SAB website:
38	[HYPERLINK
39	"http://yosemite.epa.gov/sab/sabproduct.nsf/57B7A4F1987D7F7385257A87007977F6/\$File/EP
40	A-SAB-12-011-unsigned.pdf"].
41	Wallen Thomas Candallistic B. Calmas A. Come I. Walter D. Dereck J. D. Dereck J. C. 10, 1, D.
42	Walker, Thomas, Cardellichio, P., Colnes, A., Gunn, J., Kittler, B. Perschel, B., Recchia, C. and Saah, D.
43 44	(2010). "Massachusetts Biomass Sustainability and Carbon Policy Study: Report to the Commonwealth of Massachusetts Department of Energy Resources." Manomet Center for
44	Commonweath of Massachusetts Department of Energy Resources. Manoinet Center for

[PAGE * MERGEFORMAT]

Commonwealth of Massachusetts Department of Energy Resources." Manomet Center for

Conservation Sciences, no. June: 182. doi:NCI-2010-03.

45

46

1 2

APPENDIX A: CHARGE TO THE SAB

February 25, 2015

MEMORANDUM

To: Holly Stallworth, Designated Federal Official

Science Advisory Board Staff Office

From: Paul Gunning, Director

Climate Change Division

Subject: Framework for Assessing Biogenic CO2 Emissions from Stationary Sources and

Charge Questions for SAB peer review

The purpose of this memorandum is to transmit the revised *Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources*, related documentation and charge questions for consideration by the Science Advisory Board (SAB) during your upcoming peer review.

In January 2011, the U.S. Environmental Protection Agency (EPA) announced a series of steps it would take to address biogenic CO₂ emissions from stationary sources. EPA committed to conduct a detailed examination of the science and technical issues related to assessing biogenic CO₂ emissions from stationary sources and to develop a framework for evaluating those emissions. The draft study was released in September 2011 and subsequently peer reviewed by the SAB Ad-Hoc Panel on Biogenic Carbon Emissions (SAB Panel). The final peer review report was published September 2012.

To continue advancing the agency's technical understanding of the role that biomass use can play in reducing overall greenhouse gas emissions, the EPA released a second draft of the technical report, Framework for Assessing Biogenic Carbon Dioxide for Stationary Sources, in November 2014. This revised report presents a methodological framework for assessing the extent to which the production, processing, and use of biogenic material at stationary sources results in a net atmospheric contribution of biogenic CO₂ emissions. The revised report takes into account the SAB Panel's peer review recommendations on the draft 2011 Framework as well as the latest information and input from the scientific community and other stakeholders.

The revised framework addressed many of the SAB Panel's key concerns and recommendations by incorporating: an anticipated baseline approach analysis, including an alternative fate approach for waste-derived feedstocks and certain industrial processing products and byproducts; an evaluation of tradeoffs from using different temporal scales; an improved representation of the framework equation; and illustrative case studies demonstrating how the framework equation can be applied, using region-feedstock combinations to generate regional defaults per different baseline approaches and temporal scales.

We ask the SAB to review and offer recommendations on specific technical elements of the revised framework for assessing the extent to which the production, processing, and use of biogenic material at stationary sources results in a net atmospheric contribution of biogenic CO₂ emissions, as identified in the charge accompanying this memo. We look forward to the SAB's review.

Please contact me if you have any questions about the attached study and charge.

7 8 Attachments:

- 1) Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources
- 2) Technical Appendices
- 3) Response to the 2011 SAB Panel Peer Review Advisory

13

5 6

9

10

11

12

15

24

27

30

34

Peer Review Charge on the Framework for Assessing Biogenic CO2 Emissions from **Stationary Sources**

To improve the quality, utility, and scientific integrity of the Framework, EPA is providing this study, 16 17

Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources (November 2014) and

18 related materials to the Science Advisory Board (SAB). The revised report takes into account the SAB

19 Biogenic Carbon Emissions Panel's ("SAB Panel") peer review recommendations² on the draft 2011

20 Framework³ as well as the latest information and input from the scientific community and other

stakeholders. The "Response to SAB" document included in the materials provided for this review 21

22 discusses and responds to the SAB Panel key points and recommendations, serving as a guide to how the

23 revised framework incorporates their recommendations. This charge narrowly focuses on a few specific

remaining questions that were not explicitly addressed in the initial SAB Panel peer review report.

25 The revised 2014 framework report identifies key scientific and technical factors associated with

26 assessing biogenic CO2 emissions from stationary sources using biogenic feedstocks, taking into account

information about the carbon cycle. It also presents a methodological framework for assessing the extent

28 to which the production, processing, and use of biogenic material at stationary sources for energy

29 production results in a net atmospheric contribution of biogenic CO₂ emissions.

The revised framework and the technical appendices address many of the SAB Panel's key concerns and

31 recommendations by incorporating: an anticipated baseline approach analysis (Appendices J-L); an

alternative fate approach for waste-derived feedstocks (Appendix N); and certain industrial processing 32

33 products and byproducts (Appendix D Addendum); an evaluation of tradeoffs from using different

temporal scales (Appendix B); an improved representation of the framework equation (Appendix F); and

35 illustrative case studies demonstrating how the framework equation can be applied, using region-

² The final peer review report from the SAB Panel on the draft 2011 framework was published on September 28, 2012 (Swackhamer and Khanna, 2011). Information about the SAB peer review process for the September 2011 draft framework is available at [HYPERLINK "http://yosemite.epa.gov/sab/sabproduct.nsf/0/2F9B572C712AC52E8525783100704886"

 $^{^3}$ The 2011 Draft Accounting Framework for Biogenic CO $_2$ Emissions from Stationary Sources is available at [HYPERLINK "http://www.epa.gov/climatechange/ghgemissions/biogenic-emissions.html"].

- 1 feedstock combinations to generate regional defaults per different baseline approaches and temporal
- 2 scales (Appendices H-N).
- 3 As explained in the revised framework introduction and accompanying SAB response document, the
- 4 revised framework maintains the policy neutral approach from the 2011 draft Framework. It is a
- 5 technical document that does not set regulatory policy nor does it provide a detailed discussion of
- 6 specific policy and implementation options. Ultimately, the framework provides a methodological
- 7 approach for considering, and a technical tool (the framework equation) for assessing, the extent to
- 8 which there is a net atmospheric contribution of biogenic CO₂ emissions from the production,
- 9 processing, and use of biogenic material at stationary sources. The revised framework details technical
- 10 elements that should be considered as appropriate per specific policy applications or biogenic carbon-
- 11 based feedstock assessments. Therefore, this charge excludes policy and regulatory recommendations or
- 12 legal interpretation of the Clean Air Act's provisions related to stationary sources.
- 13 The revised report does not provide any final values or determinations: it offers indications of different
- 14 biogenic feedstock production effects per research and analyses conducted, including illustrative
- 15 example results per specific case study parameters. As discussed by the previous SAB Panel, this report
- 16 also finds that biophysical and market differences between feedstocks may necessitate different
- 17 technical approaches. Even using a future anticipated baseline approach, forest- and agriculture-derived
- 18 feedstock characteristics, and thus analyses and results, may vary per region and per feedstock, and may
- 19 be influenced by land use change effects. Illustrative analyses conducted for specific waste-derived
- 20 feedstock case studies using a counterfactual anticipated baseline, as recommended by the SAB Panel,
- 21 yielded minimal or negative net emissions effects.
- 22 This charge focuses on questions that remain regarding whether there are more definitive technical
- 23 determinations appropriate for parameterizing key elements of the revised framework, regardless of
- 24 application to a specific policy or program. Specifically, we ask that the SAB Panel examine and offer
- recommendations on future anticipated baseline specification issues in the context of assessing the extent to which the production, processing, and use of forest- and agriculture-derived biogenic mate
- extent to which the production, processing, and use of forest- and agriculture-derived biogenic material at stationary sources for energy production results in a net atmospheric contribution of biogenic CO₂
- 28 emissions such as appropriate temporal scales and the scale of biogenic feedstock usage (model
- 29 perturbations or 'shocks') for analyzing future potential bioenergy production changes.
- 30 Technical approaches, merits and challenges with applying a future anticipated baseline
- 31 Establishing a baseline creates a point of comparison necessary for evaluating changes to a system.⁴
- 32 Baseline specification can vary in terms of what entity or groups of entities are being analyzed (e.g.,
- 33 industries, economic sectors), temporal and spatial scales, geographic resolution, and, depending on
- context, environmental issues/attributes (EPA, 2010). The choice of baseline approach can also depend
- on the question being asked and the goal of the analysis at hand. For example, some GHG analysis may

⁴ Definitions for baseline vary, including "the reference for measurable quantities from which an alternative outcome can be measured" (IPCC AR4 WGIII, 2007) or "the baseline (or reference) is the state against which change is measured. It might be a 'current baseline,' in which case it represents observable, present-day conditions. It might also be a 'future baseline,' which is a projected future set of conditions excluding the driving factor of interest. Alternative interpretations of the reference conditions can give rise to multiple baselines" (IPCC AR4 WGII, 2007).

 $^{^{5}}$ Guidelines for Preparing Economics Analyses (NCEE), Chapter 5: [$\ensuremath{HYPERLINK}$

[&]quot;http://yosemite.epa.gov/ee/epa/eerm.nsf/vwAN/EE-0568-05.pdf/\$file/EE-0568-05.pdf"]

- 1 require a baseline against which historic changes of landscape carbon stocks can be measured. Other
- 2 applications may necessitate a baseline against which the estimated GHG emissions and sequestration
- 3 associated with potential future changes in related commodity markets and policy arenas. Analyses of
- 4 the estimated GHG emissions and sequestration effects from changes in biomass use have used different
- 5 baseline approaches, as well as a wide range of different temporal scales and alternative scenario
- 6 parameters (Sohngen and Sedjo, 2000; Fargione, 2008; UNFCCC, 2009; Walker et al., 2010; Cherubini
- 7 et al, 2011; Galik and Abt, 2012; Latta et al., 2013; Walker et al., 2013; AEO, 2014; U.S. EPA, 2014;
- 8 Miner et al., 2014).
- 9 The draft 2011 framework had discussed three different potential baseline approaches reference point,
- 10 future anticipated and comparative and used the reference point baseline in its hypothetical case study
- 11 applications of the Framework. The SAB Panel in its review stated that "the choice of a fixed reference
- 12 point may be the simplest to execute, but it does not actually address the question of the extent to which
- 13 forest stocks would have been growing/declining over time in the absence of a particular bioenergy
- 14 facility" (SAB Advisory, p. 29). The SAB Panel expressed concern that the reference point baseline
- does not address the important question of additionality, or what would have been the trajectory of
- 16 biogenic CO2 stocks and fluxes in the absence of an activity or activities using biogenic feedstocks for
- 17 energy, especially in the context of forest-derived feedstocks. 6 "Estimating additionality, i.e., the extent
- 18 to which forest stocks would have been growing or declining over time in the absence of harvest for
- 19 bioenergy, is essential, as it is the crux of the question at hand. To do so requires an anticipated baseline
- approach" (SAB Letter, p. 2).

30

- 21 Through public comments to the SAB Panel during the 2011-2012 SAB peer review process, various
- stakeholders expressed divergent perspectives on the appropriate baseline for the draft 2011 framework
- 23 report. The revised 2014 framework retains the reference point baseline and adds the anticipated
- 24 baseline in order to retain adaptability for potential applications, and discusses both approaches at length
- in the revised report and several technical appendices. However, as the SAB Panel was clear in its
- 26 previous review of the reference point baseline, EPA has no outstanding technical questions for the SAB
- 27 Panel on that baseline approach. This charge focuses specifically on remaining technical questions that
- 28 EPA has on the future anticipated baseline approach.

29 Part 1 – Future anticipated baseline approach and temporal scale

- It is important to consider possible treatments of time and the implications of these treatments in
- 31 developing strategies for long-term and short-term emissions assessment, because the choice of

⁶ The difference in net atmospheric CO₂ emissions contributions with and without changes in biogenic feedstock use is known as additionality (Murray et al., 2007). Additionality can be determined by assessing the difference in potential net atmospheric CO₂ emissions of a specific level of biogenic feedstock use over a certain period of time (in many cases the business-as-usual [BAU] baseline) versus the net atmospheric CO₂ emissions contributions that would have occurred over the same time period with a different level of biogenic feedstock use (counterfactual scenario), holding other factors and assumptions consistent between scenarios.

⁷ The American Forest and Paper Association (AF&PA) supported the reference point baseline (e.g., comments submitted October 2011, March 2012) applied historically (January 2012, March 2012). The National Alliance of Forest Owners (NAFO) stated if certain feedstocks weren't categorically excluded, then the historical reference point baseline should be used (e.g., March 2012, August 2012). The U.S. Department of Agriculture stated preference for a historic baseline approach (May 2012). The Environmental Defense Fund (EDF) (January 2012, May 2012) and NCASI (October 2011, March 2012) both supported the retrospective reference point approach, though also both offered recommendations if an anticipated baseline approach was included (EDF for future anticipated and NCASI for counterfactual). Others, such as Green Power Institute (March 2012), the National Resource Defense Council (NRDC, August 2012), Becker et al. (August 2012), Biomass Energy Resource Center et al. (February 2012), and a group scientists letter to EPA (June 2014) all support some form of the anticipated baseline approach (future anticipated and/or counterfactual).

- treatment may have significant impacts on the <u>watering result</u> of an assessment framework application.
- 2 For the intended use of the revised Framework assessing the extent to which the production,
- 3 processing, and use of biogenic material at stationary sources results in a net atmospheric contribution of
- 4 biogenic CO₂ emissions there are different elements of time to consider when using a future
- 5 anticipated baseline approach. These elements can include:
 - Emissions horizons, assessment or policy horizons, and reporting periods (i.e., fluxes related to feedstock production may occur over many years to decades, whereas reporting may be the current year and policies may cover only a few years or decades), and
 - Differences in temporal characteristics of different feedstocks (i.e., annual crops, short rotation energy crops, and longer rotation forestry systems).
 - Changes in biophysical and economic conditions over time may affect or differ from those in future anticipated baseline and scenario estimates.

13

6

10

11

12

- 14 The SAB Panel in its previous peer review noted that "this is a complicated subject because there are
- many different time scales that are important for the issues associated with biogenic carbon emissions"
- 16 (Advisory, page 13). They discussed multiple temporal scales associated with mixing of carbon
- 17 throughout the different reservoirs on the Earth's surface at the global scale (Advisory, page 13) and
- 18 climate responses to CO_2 and other greenhouse gases (Advisory, page 15), implications of temporal
- 19 scales greater and shorter than 100 years, and those related to the growth cycles of different feedstock
- types (Advisory, page 15). The SAB Panel specifically highlighted considerations for using a 100-year
- 21 or longer temporal scale for evaluating climate impacts and radiative forcing⁸ as well as decay rates and
- 22 carbon storage in forest ecosystems in the main text as well as in Appendices B-D. However, in its
- 23 recommendations, including those for developing default BAFs per region, the SAB Panel did not offer
- 24 recommendations per what temporal scale to use in the specific context of the Framework for its
- intended use and scope. Instead, the SAB Panel stated that "there is no scientifically correct answer
- when choosing a time horizon, although the *Framework* should be clear about what time horizon it uses,
- and what that choice means in terms of valuing long term versus shorter term climate impacts
- 28 (Advisory, page 15) and recommended that a revised framework "incorporate various time scales and
- 29 consider the tradeoffs in choosing between different time scales" (Advisory, page 43).
- 30 Multiple stakeholders have also weighed in on temporal scales, some with specific recommendations on
- 31 what temporal scale should/could be used for framework assessments, others with no specific
- 32 recommendations but emphasizing the importance of time. In various comments submitted during the
- 33 2011-2012 SAB process, NAFO supported a 100-year timeframe (March 2012). The National Council
- 34 for Air and Stream Improvement (NCASI) in October 2011 comments suggested "the need for
- 35 considerable flexibility in setting the temporal scales for determining the stability of forest carbon

⁸ EPA acknowledges that the long-term climate impacts of shifting from fossil fuel to biogenic energy sources is an important topic for climate change mitigation policy and also recognizes the extensive work being conducted by EPA and throughout the research community on this question. However, EPA's focus here is on a narrower, more targeted goal of developing tools to assess the extent to which there is a net atmospheric contribution of biogenic CO₂ emissions from the production, processing, and use of biogenic feedstocks at stationary sources. This more narrowly defined assessment is anticipated to be a better fit for the types of program and policy applications in which this framework may potentially be applied.

- stocks. There are a range of circumstances that can cause transient trends in carbon stocks that can
- obscure the more relevant long-term picture."
- Other groups, such as The Wilderness Society (TWS), NRDC, EDF and others, submitted comments
- supporting consideration of shorter temporal scales. In its comments and example calculations, TWS (in
- October 2011 comments) implied support for shorter temporal scales, and stated in later comments that
- the SAB "text appears biased toward ignoring effects that occur within a 100-year period" (May 2012). 6
- NRDC (August 2014) implied support for shorter temporal scales: "even if near-term carbon emissions
- 8 increases are eventually 'made up' by regrowth over the very long term, the carbon emission from these
- types of biomass actually exceed those from fossil fuels for decades. This puts use of these types of 9
- 10 biomass fuels in conflict with the urgent need for near-term carbon emissions reductions. The time
- 11 profile of the carbon emission from biogenic fuel sources matters because it is critical to limit near-term
- global GHG emissions." This perspective was similar to that shared by Becker et al. in their August 12
- 13 2012 comments. EDF (January 2012) suggested a very short temporal scale (in the context of supporting
- a retrospective reference baseline). Others, such as the Biotechnology Industry Organization (October 14
- 2011) simply asked for "clarification on the methodology used to identify the time scale of carbon 15
- 16 cycles."

38

39 40

41

- 17 Per the various recommendations above, the revised framework report and the technical appendices
- 18 include a more detailed discussion of intertemporal tradeoffs inherent in various options for treating
- 19 emissions over time in the context of assessing biogenic CO₂ emissions from stationary sources.
- Specifically, the revised report has: a section on key temporal scale considerations (pages 33-38); an 20
- 21 appendix dedicated to temporal scale issues (Appendix B), which includes further discussion of
- 22 temporal scales in the context of future anticipated baselines and decay rates for feedstocks that would
- 23 have otherwise decayed if not used for energy, and; an appendix describing the background of and
- 24 modeling considerations for constructing an anticipated baseline approach (Appendix J). Also,
- 25 illustrative calculations using the future anticipated baseline estimates use future simulations and thereby
- 26 explicitly incorporate temporal patterns of different feedstocks (e.g., feedstock growth rates, decay rates)
- into the analysis and shows how results can vary per temporal scale used (as seen in Appendices K and 27
- 28 L). The revised framework does not recommend specific temporal scales for framework applications,
- 29 but rather identifies different elements of and considerations concerning time to provide insights into the
- 30 potential implications of using different temporal scales.
- EPA seeks guidance on the following issues regarding appropriate temporal scales for assessing 31
- 32 biogenic CO₂ emissions using a future anticipated baseline, using the above referenced components of
- 33 the revised framework report as the starting point for the SAB Panel's discussion. As the previous SAB
- 34 Panel recommended developing default assessment factors by feedstock category and region that may
- 35 need to be developed outside of a specific policy context, and as the framework could be also be used in
- specific policy contexts, the questions below relate to the choice of temporal scale both within and 36
- 37 outside of a specific policy context.

Part 1 – Future anticipated baseline approach and temporal scale

1. What criteria could be used when considering different temporal scales and the tradeoffs in choosing between them in the context of assessing the net atmospheric contribution of

45

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

biogenic CO2 emissions from the production, processing, and use of biogenic material at stationary sources using a future anticipated baseline?

- a. Should the temporal scale for computing BAFs vary by policy (e.g., near-term policies with a 10-15 year policy horizon vs. mid-term policies or goals with a 30-50 year policy horizon vs. long-term climate goals with a 100+ year time horizon), feedstocks (e.g., long rotation vs. annual/short-rotation feedstocks), landscape conditions, and/or other metrics? It is important to acknowledge that if temporal scales vary by policy, feedstock or landscape conditions, or other factors, it may restrict the ability to compare estimates/results across different policies or different feedstock types, or to evaluate the effects across all feedstock groups simultaneously.
 - i. If temporal scales for computing BAFs vary by policy, how should emissions that are covered by multiple policies be treated (e.g., emissions may be covered both by a short-term policy, and a long-term national emissions goal)? What goals/criteria might support choices between shorter and longer temporal scales?
 - ii. Similarly, if temporal scales vary by feedstock or landscape conditions, what goals/criteria might support choices between shorter and longer temporal scales for these metrics?
 - iii. Would the criteria for considering different temporal scales and the related tradeoffs differ when generating policy neutral default BAFs versus crafting policy specific BAFs?
- b. Should the consideration of the effects of a policy with a certain end date (policy horizon) only include emissions that occur within that specific temporal scale or should it consider emissions that occur due to changes that were made during the policy horizon but continue on past that end date (emissions horizon)?
- c. Should calculation of the BAF include all future fluxes into one number applied at time of combustion (cumulative or apply an emission factor only once), or should there be a default biogenic assessment schedule of emissions to be accounted for in the period in which they occur (marginal apply emission factor each year reflecting current and past biomass usage)?
- d. What considerations could be useful when evaluating the performance of a future anticipated baseline application on a retrospective basis (e.g., looking at the future anticipated baseline emissions estimates versus actual emissions ex post), particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward?

Part 2 – Scales of biomass use when applying future anticipated baseline approach

EPA seeks guidance on technical considerations concerning how to select model perturbations ('shocks') for future anticipated baseline simulations estimating the net atmospheric contribution of biogenic CO2 emissions from the production, processing, and use of biogenic material at stationary sources, using the above referenced components of the revised framework report as the starting point for the SAB Panel's discussion. As the SAB Panel recommended developing default assessment factors by feedstock category and region that may need to be developed outside of a specific policy context, and as the framework

30

31

32

33

Science Advisory Board (SAB) 8-29-18 Draft Report for Quality Review - Do Not Cite or Quote. This draft has not been reviewed or approved by the chartered SAB, and does not represent EPA policy.

could be also be used in specific policy contexts, the questions below relate to the choice of model shocks both within and outside of a specific policy context.

- 2. What is/are the appropriate scale(s) of biogenic feedstock demand changes for evaluation of the extent to which the production, processing, and use of biogenic material at stationary sources results in a net atmospheric contribution of biogenic CO2 emissions using a future anticipated baseline approach? In the absence of a specific policy to model/emulate, are there general recommendations for what a representative scale of demand shock could be?
 - a. Should the shock reflect a small incremental increase in use of the feedstock to reflect the marginal impact, or a large increase to reflect the average effect of all users?
 - b. What should the general increment of the shock be? Should it be specified in tons, or as a percentage increase?
 - c. Should the shock be from a business as usual baseline, or from a baseline that includes increased usage of the feedstock (i.e., for a marginal shock, should it be the marginal impact of the first ton, or the marginal impact of something approximating the last ton)?
 - d. Should shocks for different feedstocks be implemented in isolation (separate model runs), in aggregate (e.g., across the board increase in biomass usage endogenously allocated by the model across feedstocks), or something in between (e.g., separately model agriculture-derived and forest-derived feedstocks, but endogenously allocate within each category)?
 - e. For feedstocks that are produced as part of a joint production function, how should the shocks be implemented? (e.g., a general increase in all jointly produced products; or, a change in the relative prices of the jointly produced products leading to increased use of the feedstock, and decreased production of some other jointly produced products, but not necessarily an overall increase in production).
 - f. How should scale of the policy be considered, particularly for default factors? (e.g., can a single set of default factors be applied to policies that lead to substantially different increases in feedstock usage)?
 - g. Would the answers to any of the above questions differ when generating policy neutral default factors, versus generating factors directly tied to a specific policy?
 - h. What considerations could be useful when evaluating the performance of the demand shock choice *ex post*, particularly if evaluating potential implications for/revisions of the future anticipated baseline and alternative scenarios going forward

APPENDIX B: MEMBERS OF THE BIOGENIC CARBON EMISSIONS PANEL

2					
3	CHAIR				
4	Dr. Madhu Khanna, ACES Distinguished Professor in Environmental Economics, Department of				
5	Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, Urbana, IL				
6	1 0				
7					
8	PANEL MEMBERS				
9	Dr. Robert Abt , Professor of Forestry, Department of Forestry and Environmental Resources, College				
0					
1	or National Resources, North Caronia State Christisty, Rateign, Ne				
2	Dr. Morton Barlaz, Professor, Civil, Construction, and Environmental Engineering, Engineering, North				
3	Carolina State University, Raleigh, NC				
4	Carolina State Oliversity, Raieign, Ne				
5	Dr. Marilyn Buford, National Program Leader, Silviculture Research, Research & Development,				
6	USDA Forest Service, Washington, DC				
7	OSDA Potest Service, washington, DC				
8	Du Mault Hauman Professor and Dishardson Chair Callege of Engature Organ State University				
	Dr. Mark Harmon , Professor and Richardson Chair, College of Forestry, Oregon State University,				
9	Corvallis, OR				
0	Du Jane Hill Associate Desferre Disconductored Discontinue Continue College of Food				
1	Dr. Jason Hill, Associate Professor, Bioproducts and Biosystems Engineering, College of Food,				
2	Agricultural and Natural Resource Sciences, University of Minnesota, St. Paul, MN				
3	D. J. D. W. G. S. J. Association of the Company of				
4	Dr. John Reilly, Senior Lecturer and Co-Director, Joint Program on the Science and Policy of Global				
5	Change, Center for Environmental Policy Research, E19-439L, Massachusetts Institute of Technology,				
6	Cambridge, MA				
7					
8	Dr. Charles Rice , Distinguished Professor, Department of Agronomy, Soil Microbiology, Kansas State				
9	University, Manhattan, KS				
0					
1	Dr. Steven Rose, Senior Research Economist, Energy and Environmental Analysis Research Group,				
2	Electric Power Research Institute, Palo Alto, CA				
3					
4	Dr. Daniel Schrag , Professor of Earth and Planetary Sciences, Harvard University, Cambridge, MA				
5					
6	Dr. Roger Sedjo , Senior Fellow and Director of the Center for Forest Economics and Policy Program,				
7	Resources for the Future, Washington, DC				
8					
9	Dr. Ken Skog, Supervisory Research Forester (retired), Economics and Statistics Research, Forest				
0	Products Laboratory, USDA Forest Service, Madison, WI				
1					
2	Dr. Tristram West, Ecosystem Scientist, Joint Global Change Research Institute, University of				
3	Maryland, College Park, MD				
4					
5	Dr. Peter Woodbury, Senior Research Associate, Department of Crop and Soil Sciences, College of				
6	Agriculture and Life Sciences, Cornell University, Ithaca, NY, U.S.A.				
	B-[PAGE * MERGEFORMAT]				
	Agriculture and Life Sciences, Cornell University, Ithaca, NY, U.S.A.				

SCIENCE ADVISORY BOARD STAFF

Dr. Holly Stallworth, Designated Federal Officer, U.S. Environmental Protection Agency, Washington,

5 DC

Message

Sent: 4/15/2020 4:29:39 PM

To: Koerber, Mike [Koerber.Mike@epa.gov]; Cortelyou-Lee, Jan [Cortelyou-Lee.Jan@epa.gov]; Bremer, Kristen

[Bremer.Kristen@epa.gov]; Baker, Sarah [baker.sarah@epa.gov]

CC: Vetter, Cheryl [Vetter.Cheryl@epa.gov]

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

From: Koerber, Mike <Koerber.Mike@epa.gov> Sent: Wednesday, April 15, 2020 12:24 PM

To: Cortelyou-Lee, Jan <Cortelyou-Lee.Jan@epa.gov>; Bremer, Kristen <Bremer.Kristen@epa.gov>; Baker, Sarah

<baker.sarah@epa.gov>

Cc: Vetter, Cheryl < Vetter. Cheryl@epa.gov>; Kornylak, Vera S. < Kornylak. Vera@epa.gov>

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

From: Cortelyou-Lee, Jan < Cortelyou-Lee, Jan@epa.gov>

Sent: Wednesday, April 15, 2020 12:23 PM

To: Bremer, Kristen < Bremer. Kristen@epa.gov>; Koerber, Mike < Koerber. Mike@epa.gov>; Baker, Sarah

<baker.sarah@epa.gov>

Cc: Vetter, Cheryl < Vetter. Cheryl@epa.gov>; Kornylak, Vera S. < Kornylak. Vera@epa.gov>

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

From: Bremer, Kristen < 8remer,Kristen@epa.gov>

Sent: Wednesday, April 15, 2020 12:21 PM

To: Cortelyou-Lee, Jan <Cortelyou-Lee, Jan@epa.gov>; Koerber, Mike <Koerber.Mike@epa.gov>; Baker, Sarah

<baker.sarah@epa.gov>

Cc: Vetter, Cheryl < Vetter. Cheryl@epa.gov >; Kornylak, Vera S. < Kornylak. Vera@epa.gov >

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

Kristen Bremer

Policy Analysis & Communications

U.S. EPA, Office of Air Quality Planning & Standards

Email: bremer.kristen@epa.gov

Phone: 919.541.9424 Cell: 919.321.7652 From: Cortelyou-Lee, Jan < Cortelyou-Lee, Jan@epa.gov>

Sent: Wednesday, April 15, 2020 12:19 PM

To: Koerber, Mike < Koerber. Mike@epa.gov>; Baker, Sarah < baker.sarah@epa.gov>

Cc: Vetter, Cheryl < Vetter. Cheryl @epa.gov >; Kornylak, Vera S. < Kornylak, Vera @epa.gov >; Bremer, Kristen

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

From: Koerber, Mike < Koerber.Mike@epa.gov > Sent: Wednesday, April 15, 2020 12:13 PM
To: Baker, Sarah < baker.sarah@epa.gov >

Cc: Vetter, Cheryl < Vetter. Cheryl@epa.gov>; Kornylak, Vera S. < Kornylak. Vera@epa.gov>; Bremer, Kristen

<Bremer.Kristen@epa.gov>; Cortelyou-Lee, Jan <Cortelyou-Lee.Jan@epa.gov>

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

From: Baker, Sarah < baker.sarah@epa.gov > Sent: Wednesday, April 15, 2020 11:50 AM To: Koerber, Mike < Koerber. Mike@epa.gov >

Cc: Vetter, Cheryl < Vetter. Cheryl@epa.gov>; Kornylak, Vera S. < Kornylak. Vera@epa.gov>

Subject: FW: biogenic carbon

Ex. 5 Deliberative Process (DP)

From: cmiller@ajw-inc.com <cmiller@ajw-inc.com>

Sent: Wednesday, April 15, 2020 11:44 AM **To:** Baker, Sarah baker.sarah@epa.gov

Subject: biogenic carbon

Hi Sarah - my client, the Plant Based Products Council/the Corn Refiners Association, asked me to get some information regarding a statement that AA Idsal made during a recent conference call. The client told me that you were one of 2 or 3 other EPA staff on the call, so I'm hoping you'll know the answer.

They told me that AA Idsal had changed her position from August and that the impending rule regarding biogenic carbon will only cover forest biomass resources and related Clean Air Act permitting actions and will no longer address biogenic carbon emitted during the processing of short-cycle annual crops like corn, soybeans, etc. Apparently, though I'm getting it second hand so it could be mistranslated, she referenced a variety of studies which suggest the science on such crops carbon balance/life cycle analysis is uncertain, insufficent or maybe leaning against EPA making a clear determination, particularly not one declaring these crop-related biogenic emissions as de minimis.

Would you be able to point me to those studies or the information she was referencing? There doesn't seem to be much in the literature to indicate that de minimis is off the table.

Thanks, Chris

Christopher Miller, Partner

AJW, Inc. 2200 Wilson Blvd, Suite 310 Arlington, VA 22201-3352 202-296-8086 x112 desk 202-257-8691 cell

Appointment

From: Wood, Anna [Wood.Anna@epa.gov]

Sent: 12/11/2018 7:27:42 PM

To: Wood, Anna [Wood.Anna@epa.gov]; Kornylak, Vera S. [Kornylak.Vera@epa.gov]; Vetter, Cheryl

[Vetter.Cheryl@epa.gov]; Montanez, Jessica [Montanez.Jessica@epa.gov]; Spangler, Matthew

[Spangler.Matthew@epa.gov]; Baker, Sarah [baker.sarah@epa.gov]

Subject: Treatment of Biogenic CO2 Emissions in Permitting

Attachments: BiogenicCO2EmissionsinAirPermittingBriefingPaperAnnaWood 12202018.docx

Location: RTP-C500A-Max40/RTP-Bldg-C

Start: 12/20/2018 4:30:00 PM **End**: 12/20/2018 5:15:00 PM

Show Time As: Busy

Purpose: To pre-brief Anna on the latest options treating biogenic CO2 emissions in permitting

Appointment

From: Wood, Anna [Wood.Anna@epa.gov]

Sent: 5/7/2018 7:45:55 PM

To: Wood, Anna [Wood.Anna@epa.gov]; Ling, Michael [Ling.Michael@epa.gov]; Mathias, Scott

[Mathias.Scott@epa.gov]; Kornylak, Vera S. [Kornylak.Vera@epa.gov]; Brachtl, Megan [Brachtl.Megan@epa.gov];

Jones, Rhea [Jones.Rhea@epa.gov]; Wayland, Richard [Wayland.Richard@epa.gov]; Timin, Brian

[Timin.Brian@epa.gov]; Misenis, Chris [Misenis.Chris@epa.gov]

CC: Hemby, James [Hemby.James@epa.gov]; Johnson, Steffan [johnson.steffan@epa.gov]; Dolwick, Pat

[Dolwick.Pat@epa.gov]; Henderson, Barron [Henderson.Barron@epa.gov]

Subject: AF&PA RTP Visit (NAAQS & RHaze)

Attachments: AF&PA May 2018.docx

Location: C-112

Start: 5/9/2018 7:00:00 PM **End**: 5/9/2018 8:00:00 PM

Show Time As: Busy

Full agenda and AF&PA attendees attached.

Meet with AQPD & AQAD

- 3:00 4:00
 - NAAQS implementation improvements international transport, 126 petitions, non-attainment designations for ozone, offset policies, other issues from 4/12 Presidential memo
 - Regional Haze
 - o Any other issues identified by EPA or AF&PA/AWC

AF&PA Visit to EPA/RTP May 9, 2018 Room C-112

1 to 2 PM Peter Tsirigotis (and Penny Lassiter, Robin Dunkins, Mike Koerber)

- OAQPS priorities and expectations for 2018 Peter
- Discussion of AF&PA/AWC priorities
 - Boiler MACT
 - PCWP MACT/RTR
 - NAAQS standard setting process PM, ozone
 - Pulp RTR Northern California filing
 - o 1:45 Biomass Anna & Juan to join discussion

2 to 4 PM Meet with AQPD & AQAD

- 2:00 3:00
 - o Biomass rulemaking schedule, scope, rationale
 - NSR/PSD Improvements ambient air, project aggregation, RMRR, PALs, others
 - SSM SIP Call
- Apx. 3:00 4:00
 - NAAQS implementation improvements international transport, 126 petitions, non-attainment designations for ozone, offset policies, other issues from 4/12 Presidential memo
 - Regional Haze
 - Any other issues identified by EPA or AF&PA/AWC

4 to 5 PM Steve Fruh and Jim Eddinger (SPPD)

Attendees: (some of the lumber folks will be at RTP but attending different meetings at the same time)

Roberto	Artiga	Kapstone
Jim	Balik	Resolute
Corey	Brandt	West Rock
Phil	Ferguson	Louisiana-Pacific Corporation
Rich	Garber	Packaging Corporation of America
Tim	Hunt	AF&PA/AWC
Rob	Kaufmann	Koch Companies
Amy	Marshall	AECOM
Paul	Noe	AF&PA/AWC
Annabeth	Reitter	Domtar
Glenn	Rives	International Paper
Gary	Heroux	Composite Panel Association
Russell	Strader	Boise Cascade
Vipin	Varma	NCASI
Denise	Wlodyka	Masonite
Steve	Woock	Weyerhaeuser
Ryan	Gesser	Georgia-Pacific
Harold	Hankins	Hankins Inc.
David	Richbourg	HW Culp Lumber Company
Russell	Frye	Fryelaw PLLC
Jim	Rabe	Masonite
Phil	Witter	Canfor Southern Pine
William	Telligman	Southeastern Lumber Manufacturers Association
Patrick	Harrigan	Harrigan Lumber
Bill	Scott	Collum's Lumber Products
Fred	Taylor	Troy Lumber Company
Caroline	Dauzat	Rex Lumber

Message

From: Vetter, Cheryl [Vetter.Cheryl@epa.gov]

Sent: 4/14/2020 9:30:24 PM

To: Baker, Sarah [baker.sarah@epa.gov]

CC: Kornylak, Vera S. [Kornylak.Vera@epa.gov]

Subject: Anne Idsal 4-20-20 Briefing with Peter Edits

Attachments: Anne Idsal 4-20-20 Briefing with Peter Edits.docx

Just a couple of comments from me – one date- you had 3/8, think you meant 5/8? Otherwise – looks good.

Message

From: Bradfield, John [Bradfield.John@epa.gov]

Sent: 4/14/2020 8:02:47 PM

To: Johnson, Yvonne W [Johnson. Yvonnew@epa.gov]

CC: Mathias, Scott [Mathias.Scott@epa.gov]; Santiago, Juan [Santiago.Juan@epa.gov]; Rao, Raj [Rao.Raj@epa.gov];

Dunkins, Robin [Dunkins.Robin@epa.gov]; Kornylak, Vera S. [Kornylak.Vera@epa.gov]

Subject: RE: May 7

Yvonne,

Thanks for following up, I'll be the POC in SPPD. Robin has talked to Tim and here are several AQPD issues where feedback is needed before we confirm and set up time for this meeting.

- NSR Issues, time needed to discuss
- Carbon Neutrality, biomass fuels issues, time needed to discuss
- Air Quality Guidance Documents issues, time needed to discuss

Since these are AQPD issues we need your feedback both on the issue side as well as the staff availability side. If we go forward, we'll need to know how the calendar looks for the relevant people on May 7th. Tim indicates he'd prefer a midmorning meeting, but that's not his call.

We will look at topics for SPPD. The current plan, if we move forward, is to set up a Skype meeting. Though it is unlikely that this meeting will be held in RTP, previously we had secured a conference room.

John Bradfield

Environmental Engineer

U.S. EPA I Natural Resources Group I Sector Policies and Programs Division, OAQPS 109 T.W. Alexander Drive (Mail Drop E143-03) I Research Triangle Park, NC 27711

Phone: 919.541.3062 | email: Bradfield.John@epa.gov

From: Johnson, Yvonne W < Johnson. Yvonnew@epa.gov>

Sent: Tuesday, April 14, 2020 3:36 PM **To:** Rao, Raj <Rao.Raj@epa.gov>

Cc: Mathias, Scott <Mathias.Scott@epa.gov>; Bradfield, John <Bradfield.John@epa.gov>; Santiago, Juan

<Santiago.Juan@epa.gov>

Subject: RE: May 7

Hello Robin:

Hope you are well and staying safe. Traditionally, I am the POC for AQPD and I have worked with John to set up the meetings. Please let me know what Tim is interested in and I will work through our management team to make sure we have the right folks available. Normally, John is the primary POC with Tim (as well as securing space, phone line, etc. if needed) and then passes the info on to me. Please let me know if you have any questions.

Thank you,

Yvonne W. Johnson

Special Assistant to the Director Air Quality Policy Division Office of Air Quality Planning & Standards

U.S. Environmental Protection Agency 919-541-3921

johnson.yvonnew@epa.gov

From: Rao, Raj <<u>Rao.Raj@epa.gov</u>>
Sent: Tuesday, April 14, 2020 7:44 AM

To: Dunkins, Robin < <u>Dunkins.Robin@epa.gov</u>>; Culligan, Kevin < <u>Culligan.Kevin@epa.gov</u>>; Santiago, Juan

<Santiago.Juan@epa.gov>; Hutson, Nick <Hutson.Nick@epa.gov>

Cc: Bradfield, John <Bradfield.John@epa.gov>; Johnson, Yvonne W <Johnson.Yvonnew@epa.gov>; Mathias, Scott

<Mathias.Scott@epa.gov>

Subject: RE: May 7

Robin, Yvonne normally coordinates for us.

raj

Raj Rao, P.E. Group Leader, New Source Review Group, Air Quality Policy Division, Office of Air Quality Planning and Standards (MD-C504-03) US Environmental Protection Agency 919-541-5344

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

From: Dunkins, Robin < Dunkins. Robin@epa.gov>

Sent: Monday, April 13, 2020 6:05 PM

To: Culligan, Kevin < Culligan. Kevin@epa.gov >; Santiago, Juan < Santiago, Juan@epa.gov >; Rao, Raj < Rao, Raj@epa.gov >;

Hutson, Nick < Hutson. Nick@epa.gov>

Cc: Bradfield, John <Bradfield.John@epa.gov>

Subject: FW: May 7

Hello all,

I'm following up on a few emails and exchanges with Tim Hunt for a virtual meeting in May. He had previously indicated AFPA wanted to come meet with us in May. I'm trying to get Tim to coordinate these sector meetings through one point of contact and allow us opportunity to push back on topics and timeframes.

He wants to meet on May 7th with the topics listed below. Let me know what your thoughts are. I've asked John to be POC on meeting organization. I have not checked Peter's calendar yet. Please let me know if the date, topic, and timeslots identified work for you.

Thanks,

robin

Robin Dunkins, Group Leader

Natural Resources Group
OAR/OAQPS/SPPD Mail Code: E143-03
U.S. Environmental Protection Agency
Research Triangle Park, NC 27711
919-541-5335 office
919-605-1178 mobile
dunkins.robin@epa.gov

From: Hunt, Tim <Tim Hunt@afandpa.org>
Sent: Wednesday, April 08, 2020 1:46 PM
To: Dunkins, Robin <Dunkins.Robin@epa.gov>
Cc: Bradfield, John <Bradfield.John@epa.gov>

Subject: May 7

Robin, I hope you and your loved ones are still safe. We talked about turning May 7 into a briefer 2 hour webinar/Zoom meeting on select topics with my members. Right now, I am thinking Air Guidance and NSR reforms. I talked with Kevin Culligan yesterday and there seems to be several new developments, and perhaps some more in the next month as well as opportunities for stakeholder input so it seems like a good fit. I mentioned the 7th and he is available. Maybe we put him and his team at 10 AM.

Then NSR at 11 AM with Juan, Raj and others from the NSR group. I've exchanged VM with Raj so need to hear more whats up. I think there is less to talk about in the RTR world since our comments have been filed on PCWP and MM and we are waiting for Boiler MACT to come out as well as carbon neutrality. Perhaps a bit of time with Peter T at the end for a wrap up and COVID-OAQPS perspective.

How does that sound? Glad to talk as well (busy this afternoon) but wanted to share my current thinking. Have you heard anything about stakeholder meetings?

Tim Hunt
Senior Director, Air Quality Programs
American Forest & Paper Association
American Wood Council
tim_hunt@afandpa.org
thunt@awc.org
202-463-2588

Message

From: Baker, Sarah [baker.sarah@epa.gov]

Sent: 4/14/2020 12:11:03 PM

To: Vetter, Cheryl [Vetter.Cheryl@epa.gov]; Kornylak, Vera S. [Kornylak.Vera@epa.gov]

Subject: Peter Briefing Paper

Attachments: Anne Idsal 4-20-20 Briefing on Biomass Comments.docx

Importance: High

Attached is a cleaned up version of the Anne briefing paper. I was going to send this to Nicole for this afternoon's briefing with Peter but wanted to give you one more opportunity to let me know if you have any comments (unless you don't think we need a briefing paper for this afternoon as we will be using the same one tomorrow afternoon with Chris). Thanks!

Sarah

Sarah Baker

Environmental Protection Specialist Air Quality Policy Division, Operating Permits Group U.S. EPA, Office of Air Quality Planning and Standards (919) 541-4846 / baker.sarah@epa.gov

Message

From: Baker, Sarah [baker.sarah@epa.gov]

Sent: 4/2/2020 5:53:12 PM

To: Kornylak, Vera S. [Kornylak.Vera@epa.gov]

CC: Long, Pam [Long.Pam@epa.gov]; Vetter, Cheryl [Vetter.Cheryl@epa.gov]

Subject: Biogenic CO2 Idsal Meeting Request Attachments: Idsal Meeting Request 4-20-20.docx

Vera-

Attached is the meeting request that we discussed for Anne Ex. 5 Deliberative Process (DP) Cheryl has reviewed. Please let me know if there are others to add. Thanks.

Sarah

Sarah Baker

Environmental Protection Specialist Air Quality Policy Division, Operating Permits Group U.S. EPA, Office of Air Quality Planning and Standards (919) 541-4846 / baker sarah@epa.gov

[SEQ CHAPTER \h \r 1]OAR Meeting Request Form For Anne Idsal

Date of this Request: 4/3/2020**Scheduling Point of Contact**: Nina McKinney 919-541-5616 **Technical Point of Contact:** Scott Mathias 919-541-5310 **Subject:** Treatment of Biogenic CO2 emissions at stationary sources Ex. 5 Deliberative Process (DP) Next ADP Milestone: If applicable, due date to: OP / / (days review); OMB: / / (days review); Legal deadline: (specify court-ordered, settle agreement, court promise, etc.) due date Other firm deadline: First possible date for meeting: 04/20/2020 Last possible date for meeting: 04/30/2020**Duration:** 1 hour **Requested Audio / Video (**Mark with "X" if requested) **Video Location(s):** List video locations needed (e.g., RTP, DC, Regions) – HQ will set up a bridge if needed **HQ** Conference Line:

Invitees (please list by Office and in Outlook format, e.g. Last, First):

If requested, HO staff will provide in meeting invite

Office/Org Name (Last, First)

OAR Harlow, David; Campbell, Ann

OAQPS: Tsirigotis, Peter; Koerber, Mike; Mathias, Scott; Kornylak, Vera; Vetter, Cheryl;

Baker, Sarah; Svendsgaard, Dave

OGC Leopold, Matthew; Gustafson, Adam; Srinivasan, Gautam; Doster, Brian;

Greenglass, Nora; Krallman, John

OAP Grundler, Chris; Fawcett, Allen; Irving, Bill; Kocchi, Suzanne; Gunning, Paul;

Steller, John; Ohrel, Sara

OP Bolen, Brittany; Elman, Barry

Schedulers to Cc: Massey, Lana; Johnson, Yvonnew; Long, Pam

HQ Meeting Briefing Materials: Must provide to OAQPS IO by 5:00pm, 2 days before meeting

Revised 5/2019

Message

From: Vetter, Cheryl [Vetter.Cheryl@epa.gov]

Sent: 1/24/2020 1:30:08 PM

To: Kornylak, Vera S. [Kornylak.Vera@epa.gov]
Subject: RE: FYI - outreach from Corn Refiners Assn

Ex. 5 Deliberative Process (DP)

Cheryl Vetter

U.S. Environmental Protection Agency
OAQPS/AQPD/OPG (C504-03)
Research Triangle Park, NC 27711
Phone (919) 541-5509

Phone (919) 541-4391 Fax (919) 541-5509

Note: Positions or views expressed here do not represent official EPA policy.

From: Kornylak, Vera S. < Kornylak. Vera@epa.gov>

Sent: Friday, January 24, 2020 8:11 AM

To: Vetter, Cheryl < Vetter. Cheryl@epa.gov > Subject: FYI - outreach from Corn Refiners Assn

Cheryl, good morning! Just sharing the messages below for your information.

Vera

From: Mathias, Scott < Mathias. Scott@epa.gov > Sent: Thursday, January 23, 2020 5:25 PM

To: Kornylak, Vera S. <Kornylak, Vera@epa.gov>; Kornylak, Vera S. <Kornylak, Vera@epa.gov>

Subject: FW: treatment of biogenic CO2 emissions

FYI – I returned his call but have not connected yet.

Scott Mathias | Acting Director, Air Quality Policy Division | U.S. EPA, RTP, NC 27711 | 919.541.5310

CONFIDENTIALITY. This email and any attachments are confidential, except where the email states it can be disclosed; it may also be covered by deliberative privilege. If received in error, please do not disclose the contents to anyone, but notify the sender by return email and delete this email and any attachments from your system.

From: Eamon Monahan <<u>emonahan@corn.org</u>>
Sent: Wednesday, January 22, 2020 1:08 PM
To: Mathias, Scott <<u>Mathias.Scott@epa.gov</u>>
Cc: Robin Bowen <<u>rbowen@corn.org</u>>

Subject: treatment of biogenic CO2 emissions

Hi Scott-

I just left you a voicemail on this as well. I got your contact information from Anne Idsal's office in response to a letter CRA sent regarding biogenic CO2 emissions, and your office's effort to publish a rule on the treatment of biogenic CO2 emissions under the Clean Air Act. A copy of that letter, including a summary of the scientific basis for treating biogenic CO2 as de minimis, is attached for your reference.

Before coming to CRA I was 10 years in OAR, so I recognize the effort it takes to get any rulemaking out the door. I'd appreciate anything you're able to share on the status of the rule and if there is anything CRA can do to assist you and

your staff. I'd be glad to have a conversation on this rulemaking in particular and the treatment of biogenic CO2 emissions in broader regulatory contexts if it would be helpful. Thanks very much, hope to talk to you soon.

Eamon Monahan

Senior Director, Environmental Affairs and Workplace Safety



Corn Refiners Association

1701 Pennsylvania Avenue, NW, Suite 400 Washington, DC 20006-5806 ○ (202) 534-3501 ○ (201) 618-8498

CORN.ORG

This message and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, please immediately advise the sender by reply e-mail that this message has been inadvertently transmitted to you and delete this e-mail from your system. Thank you for your cooperation.

Message

From: Baker, Sarah [baker.sarah@epa.gov]

Sent: 4/15/2020 5:37:31 PM

To: Vetter, Cheryl [Vetter.Cheryl@epa.gov]; Kornylak, Vera S. [Kornylak.Vera@epa.gov]; Petesch, Theresa (Tess)

[petesch.theresa@epa.gov]; Sorrels, Larry [Sorrels.Larry@epa.gov]; Dunkins, Robin [Dunkins.Robin@epa.gov];

Schrock, Bill [Schrock.Bill@epa.gov]; Cortelyou-Lee, Jan [Cortelyou-Lee.Jan@epa.gov]

Subject: Grundler Briefing Document

Attachments: Idsal Biomass Comment Briefing_4 15 20 prebrief.docx

All-

Attached is the revised briefing document that we will be using for this afternoon's briefing with Chris Grundler. The document reflects changes that Peter requested. Thanks!

Sarah

Sarah Baker

Environmental Protection Specialist Air Quality Policy Division, Operating Permits Group U.S. EPA, Office of Air Quality Planning and Standards (919) 541-4846 / baker.samh@epa.gov

Message

From: Vetter, Cheryl [Vetter.Cheryl@epa.gov]

Sent: 4/15/2020 4:31:10 PM

To: Kornylak, Vera S. [Kornylak.Vera@epa.gov]

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

Cheryl Vetter

U.S. Environmental Protection Agency OAQPS/AQPD/OPG (C504-03)
Research Triangle Park, NC 27711

Phone (919) 541-4391 Fax (919) 541-5509

Note: Positions or views expressed here do not represent official EPA policy.

From: Kornylak, Vera S. <Kornylak. Vera@epa.gov>

Sent: Wednesday, April 15, 2020 12:28 PM **To:** Vetter, Cheryl <Vetter.Cheryl@epa.gov>

Subject: RE: biogenic carbon

Ex. 5 Deliberative Process (DP)

Vera

From: Vetter, Cheryl < Vetter. Cheryl@epa.gov > Sent: Wednesday, April 15, 2020 12:02 PM
To: Kornylak, Vera S. < Kornylak, Vera@epa.gov >

Subject: FW: biogenic carbon

Ex. 5 Deliberative Process (DP)

Cheryl Vetter

U.S. Environmental Protection Agency OAQPS/AQPD/OPG (C504-03) Research Triangle Park, NC 27711

Phone (919) 541-4391 Fax (919) 541-5509

Note: Positions or views expressed here do not represent official EPA policy.

From: Baker, Sarah < baker.sarah@epa.gov > Sent: Wednesday, April 15, 2020 11:50 AM To: Koerber, Mike < Koerber.Mike@epa.gov >

Cc: Vetter, Cheryl < Vetter. Cheryl@epa.gov>; Kornylak, Vera S. < Kornylak. Vera@epa.gov>

Subject: FW: biogenic carbon

From: cmiller@ajw-inc.com/cmiller@ajw-inc.com/cmiller@ajw-inc.com/">cmiller@ajw-inc.com/cmiller@ajw-inc.com/

Sent: Wednesday, April 15, 2020 11:44 AM **To:** Baker, Sarah baker.sarah@epa.gov>

Subject: biogenic carbon

Hi Sarah - my client, the Plant Based Products Council/the Corn Refiners Association, asked me to get some information regarding a statement that AA Idsal made during a recent conference call. The client told me that you were one of 2 or 3 other EPA staff on the call, so I'm hoping you'll know the answer.

They told me that AA Idsal had changed her position from August and that the impending rule regarding biogenic carbon will only cover forest biomass resources and related Clean Air Act permitting actions and will no longer address biogenic carbon emitted during the processing of short-cycle annual crops like corn, soybeans, etc. Apparently, though I'm getting it second hand so it could be mistranslated, she referenced a variety of studies which suggest the science on such crops carbon balance/life cycle analysis is uncertain, insufficent or maybe leaning against EPA making a clear determination, particularly not one declaring these crop-related biogenic emissions as de minimis.

Would you be able to point me to those studies or the information she was referencing? There doesn't seem to be much in the literature to indicate that de minimis is off the table.

Thanks, Chris

Christopher Miller, Partner

AJW, Inc. 2200 Wilson Blvd, Suite 310 Arlington, VA 22201-3352 202-296-8086 x112 desk 202-257-8691 cell

Message

From: Lewis, Josh [Lewis.Josh@epa.gov]

Sent: 1/9/2020 3:05:33 PM

To: Kornylak, Vera S. [Kornylak.Vera@epa.gov]

CC: Mathias, Scott [Mathias.Scott@epa.gov]; Santiago, Juan [Santiago.Juan@epa.gov]

Subject: RE: Updated agenda for this Thursday's enviro call

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

please include:

Miles Keogh <mkeogh@4cleanair.org>; Nancy Kruger <nkruger@4cleanair.org>; Jason Sloan <jsloan@csg.org>; Kelly Poole kpoole@ecos.org

Ex. 5 Deliberative Process (DP)

From: Kornylak, Vera S. < Kornylak. Vera@epa.gov>

Sent: Thursday, January 09, 2020 9:34 AM **To:** Lewis, Josh < Lewis. Josh@epa.gov>

Cc: Mathias, Scott <Mathias.Scott@epa.gov>; Santiago, Juan <Santiago.Juan@epa.gov>

Subject: RE: Updated agenda for this Thursday's enviro call

Ex. 5 Deliberative Process (DP)

Vera

Vera Kornylak || Acting Associate Director Air Quality Policy Division || OAQPS 919-541-4067 || kornylak.vera@epa.gov

This message, including attachments, contains information that may be deliberative and confidential, and may be protected by attorney work-product, attorney-client or other applicable privileges. Further, this message, including attachments, may be exempt from disclosure by the U.S. EPA under applicable law. This message, including attachments, is intended to be conveyed only to the named recipient(s). If you received this message in error, or if you are not the intended recipient, please notify the sender listed above and delete the message from your system immediately. The unauthorized use, dissemination, distribution or reproduction of this message, including attachments, by unintended recipients is prohibited and may be unlawful.

From: Lewis, Josh < Lewis.Josh@epa.gov>
Sent: Wednesday, January 08, 2020 4:23 PM

To: OAQPS SMT1 <<u>OAQPS SMT1@epa.gov</u>>; OAQPS SMT2 <<u>OAQPS SMT2@epa.gov</u>>; Terry, Sara <<u>Terry.Sara@epa.gov</u>>; OAQPS OD PACS <<u>OAQPS OD PACS@epa.gov</u>>; Johnson, Yvonne W

<Johnson.Yvonnew@epa.gov>; Santiago, Juan <Santiago.Juan@epa.gov>

Subject: Updated agenda for this Thursday's enviro call

I haven't received any agenda topics from the environmental community (though I imagine I'll get some late hits tonight/tomorrow morning). For now, let's proceed with providing updates in the following order, and then we'll leave time at the end for any Qs they have. (If I get a bunch of additional topics, I'll circulate an updated agenda first thing tomorrow).

AQPD

Ex. 5 Deliberative Process (DP)

• Biogenic CO2 rule update

Message

From: Lewis, Josh [Lewis.Josh@epa.gov]

Sent: 1/9/2020 2:51:05 PM

To: Kornylak, Vera S. [Kornylak.Vera@epa.gov]

CC: Mathias, Scott [Mathias.Scott@epa.gov]; Santiago, Juan [Santiago.Juan@epa.gov]

Subject: RE: Updated agenda for this Thursday's enviro call

Ex. 5 Deliberative Process (DP)

From: Kornylak, Vera S. <Kornylak.Vera@epa.gov>

Sent: Thursday, January 09, 2020 9:34 AM **To:** Lewis, Josh < Lewis. Josh@epa.gov>

Cc: Mathias, Scott <Mathias.Scott@epa.gov>; Santiago, Juan <Santiago.Juan@epa.gov>

Subject: RE: Updated agenda for this Thursday's enviro call

Ex. 5 Deliberative Process (DP)

Vera Kornylak || Acting Associate Director Air Quality Policy Division || OAQP5 919-541-4067 || kornylak.vera@epa.gov

This message, including attachments, contains information that may be deliberative and confidential, and may be protected by attorney work-product, attorney-client or other applicable privileges. Further, this message, including attachments, may be exempt from disclosure by the U.S. EPA under applicable law. This message, including attachments, is intended to be conveyed only to the named recipient(s). If you received this message in error, or if you are not the intended recipient, please notify the sender listed above and delete the message from your system immediately. The unauthorized use, dissemination, distribution or reproduction of this message, including attachments, by unintended recipients is prohibited and may be unlawful.

From: Lewis, Josh < Lewis. Josh@epa.gov > Sent: Wednesday, January 08, 2020 4:23 PM

To: OAQPS SMT1 <<u>OAQPS SMT1@epa.gov</u>>; OAQPS SMT2 <<u>OAQPS SMT2@epa.gov</u>>; Terry, Sara <Terry.Sara@epa.gov>; OAQPS OD PACS@epa.gov>; Johnson, Yvonne W

<Johnson.Yvonnew@epa.gov>; Santiago, Juan <Santiago.Juan@epa.gov>

Subject: Updated agenda for this Thursday's enviro call

I haven't received any agenda topics from the environmental community (though I imagine I'll get some late hits tonight/tomorrow morning). For now, let's proceed with providing updates in the following order, and then we'll leave time at the end for any Qs they have. (If I get a bunch of additional topics, I'll circulate an updated agenda first thing tomorrow).

AQPD

Ex. 5 Deliberative Process (DP)

Biogenic CO2 rule update

Message

From: Rao, Raj [Rao.Raj@epa.gov]
Sent: 1/29/2019 3:27:46 PM

To: Wood, Anna [Wood.Anna@epa.gov]; Santiago, Juan [Santiago.Juan@epa.gov]; Mathias, Scott

[Mathias.Scott@epa.gov]; Vetter, Cheryl [Vetter.Cheryl@epa.gov]

CC: Massey, Lana [massey.lana@epa.gov]

Subject: DRAFT docs for NSR coordination mtg at 10.30 today and proposed agenda for informal check in with David on Wed. Attachments: NSR workload coversheet 012819.docx; NSR Proj Staffing Draft 012819.xlsx; Consolidated NSRG Project Tracker

012819.docx; Agenda for check in with David H 013019.docx

All, attached are **3 work in progress draft documents** – still being refined by Juan, Cheryl and me. I intend to give an overview of the 3 documents and would welcome everyone's feedback. I plan to schedule a more detailed workload planning/staffing meeting in the near future to do a deeper dive of these documents once finalized. Also attached is a draft informal agenda for David check in on Wed.

Talk soon

Raj

NSR Update Meeting with Bill Wehrum October 18, 2018

Follow-up to Phase 2 NSR Improvement Actions Briefing

<u>Objective</u>: Present short list of potential Phase 2 NSR actions based on 9/10/18 briefing and additional OAQPS consideration. Actions represent OAQPS recommended short list of Phase 2 actions based on our own assessment of value and resources considering ongoing work from phase 1 actions.

Considerations/Assumptions

1.	We still have	ongoing work	in progress ass	sociated with	ı Phase 1 NSI	R actions

- •
- Ex. 5 Deliberative Process (DP)
- .
- Biomass/biogenic CO2 emissions
- 2. We assume the following actions are currently approved as part of Phase 2 actions
 - Ex. 5 Deliberative Process (DP)

Short List of Additional Potential Actions

Project Target Date Current Comments **Status** Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Biomass Rulemaking Awaiting direction from OAR

TBD

Currently - Tier 1 Rule

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Key Staff

Ex. 5 Deliberative Process (DP)

Treatment of Biogenic CO ₂ from Biomass Combustion	Currently: Tier 1 Rule NPRM	Policy statement on Forest Biomass issued by the	Discussion with Bill scheduled for 2/14/2019	Jessica Montañez/ Sarah Baker/ Nora Greenglass	
Ex. 5 Deliberative Process (DP)	TBD	Administrator 4/23/18 Interagency letter (EPA, USDA and DOE) to Congress on the future treatment of biomass at these agencies issued 11/1/18.	Next steps TBD		

Phase I Action Litigation Support

Ex. 5 Deliberative Process (DP)

OAQPS/OGC **Project** Target **Current Status** Comments Completion Milestones Staff Date Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) Phase 2 Projects Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
---------	------------------------------	----------------	-------------------	--------------------	----------

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments

Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date

Current Status Key Milestones Staff

Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
	I		1		

.....

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5	Deli	berati	ive Pr	ocess	(DP)
Ex. 5 Deliberative Process (DP)					

Message

 From:
 Rao, Raj [Rao.Raj@epa.gov]

 Sent:
 2/19/2019 6:01:13 PM

To: Santiago, Juan [Santiago.Juan@epa.gov]; Vetter, Cheryl [Vetter.Cheryl@epa.gov]; Mathias, Scott

[Mathias.Scott@epa.gov]

CC: Wood, Anna [Wood.Anna@epa.gov]

Subject: NSR Projects Tracker

Attachments: NSRG Project Tracker 021919.docx

Project Target Current Status Key OAQPS/OGC Comments

Completion Date

Current Status Key Milestones Staff

Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Treatment of Biogenic CO ₂ from	Currently:	Policy statement on	Discussion with Bill	Jessica Montañez/ Sarah	
Biomass	Tier 1 Rule	Forest Biomass	scheduled for	Baker/ Nora	
Combustion	NPRM	issued by the Administrator	2/14/2019	Greenglass	
<u> </u>	TBD	4/23/18	Next steps TBD		
Ex. 5 Deliberative Process (DP)		Interagency letter (EPA, USDA and DOE) to Congress on the future treatment of biomass at these agencies issued 11/1/18.			

Phase I Action Litigation Support

Ex. 5 Deliberative Process (DP)

OAQPS/OGC **Project** Target **Current Status** Comments Completion Milestones Staff Date Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) Phase 2 Projects Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date

Current Status Key Milestones Staff

Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Key Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Key Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
	<u> </u>				
Ev 5	Dali	horati	vo Dr	00000	(DD)
EX. 3	Dell	Derau	ve Fi	ocess	(DP)

Message

From: Rao, Raj [Rao.Raj@epa.gov]
Sent: 10/3/2018 5:23:28 PM

To: Santiago, Juan [Santiago.Juan@epa.gov]

CC: Wood, Anna [Wood.Anna@epa.gov]; Mathias, Scott [Mathias.Scott@epa.gov]; Vetter, Cheryl

[Vetter.Cheryl@epa.gov]; Keller, Peter [keller.peter@epa.gov]

Subject: Phase 2 short list for check in with David H
Attachments: NSR Phase 2 Actions follow-up 100418.docx

Juan, attached is a pager on Phase 2 short list per our conversation – note that in addition to our list of

ongoing work from Phase I – Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Let me know if you have any questions.

raj

Raj Rao, P.E.

Group Leader, New Source Review Group,

Air Quality Policy Division,

Office of Air Quality Planning and Standards (MD-C504-03)

US Environmental Protection Agency

109 TW Alexander Drive

Research Triangle Park, NC 27709

919-541-5344

919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency

Deliberative and Confidential

From: Rao, Raj

Sent: Tuesday, October 02, 2018 2:38 PM **To:** Santiago, Juan <Santiago.Juan@epa.gov>

Cc: Wood, Anna < Wood. Anna@epa.gov>; Mathias, Scott < Mathias. Scott@epa.gov>; Vetter, Cheryl

<Vetter.Cheryl@epa.gov>

Subject: Draft Agenda for check in with David H

Juan, attached is a draft agenda. For phase 2 list, I only have check in for any feedback? We could

Ex. 5 Deliberative Process (DP)

raj

Raj Rao, P.E.

Group Leader, New Source Review Group,

Air Quality Policy Division,

Office of Air Quality Planning and Standards (MD-C504-03) US Environmental Protection Agency 109 TW Alexander Drive Research Triangle Park, NC 27709 919-541-5344 919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

NSR Update Meeting with Bill Wehrum

October ____, 2018

Follow-up to Phase 2 NSR Improvement Actions Briefing

<u>Objective</u>: Present short list of potential Phase 2 NSR actions based on 9/10/18 briefing and additional OAQPS consideration. Actions represent OAQPS recommended short list of Phase 2 actions based on our own assessment of value and resources considering ongoing work from phase 1 actions.

Considerations/Assumptions

1.	We still have	ongoing work	in progress	associated	with Phase	e 1 NSR actions
----	---------------	--------------	-------------	------------	------------	-----------------

Ex. 5 Deliberative Process (DP)

- Biomass/biogenic CO2 emissions
- 2. We assume the following actions are currently approved as part of Phase 2
 - Ex. 5 Deliberative Process (DP)

Short List of Additional Potential Actions

1.	
2.	
3.	
	Ex. 5 Deliberative Process (DP)
4.	
5.	

Message

From: Rao, Raj [Rao.Raj@epa.gov]
Sent: 5/22/2018 2:05:25 PM

To: Mathias, Scott [Mathias.Scott@epa.gov]

CC: Vetter, Cheryl [Vetter.Cheryl@epa.gov]; Nizich, Greg [Nizich.Greg@epa.gov]

Subject: Adjacency Guidance entry in Project Tracker

Attachments: NSRG Project Tracker 052418.docx

Scott et al, I will be sending Anna later today, the agenda and Project Tracker for the NSR Updates meeting with Bill W. on Thursday.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Raj

Raj Rao, P.E.
Group Leader, New Source Review Group,
Air Quality Policy Division,
Office of Air Quality Planning and Standards (MD-C504-03)
US Environmental Protection Agency
109 TW Alexander Drive
Research Triangle Park, NC 27709
919-541-5344
919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key Milestones OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key Milestones OAQPS/OGC Comments Staff

Ex. 5 Deliberative Process (DP)

Project Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
--------------------------------	----------------	-------------------	--------------------	----------

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 Deliberative Process (DP)	Tier 1 Rule NPRM 10/2019	Asked regions for workgroup members by 5/2 and now we are moving forward with officially tiering this action. Met with OGC on 5/7/18 to start refining options for moving forward.	Early Guidance - 7/19/18 Detailed Analytical Blueprint - 8/23/18 Options selection - 10/11/18 Draft proposal FRN to WG on 12/13/18	Jessica Montañez, Carrie Wheeler/Nora Greenglass	Policy statement on Forest Biomass issued by the Administrator on 4/23/18 Background Meeting held on Biogenic CO ₂ Procedural history on 05/16 Kick-off Meeting on 5/23.

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5	Deli	berat	ive P	roces	ss (DP)

From: Rao, Raj [Rao.Raj@epa.gov] 5/18/2018 8:40:23 PM Sent:

To: Wood, Anna [Wood.Anna@epa.gov]; Santiago, Juan [Santiago.Juan@epa.gov] CC: Mathias, Scott [Mathias.Scott@epa.gov]; Vetter, Cheryl [Vetter.Cheryl@epa.gov]

Subject: Draft updated Project Tracker Attachments: NSRG Project Tracker 051818.docx

All, attached is an updated Project Tracker – please pay close attention to the entries on Ex. 5 Deliberative Process IDPJ

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP) we hope to send you a revised draft briefing early next week - looking to brief Mike/Pete the week of 5/29 and Bill W in the NSR update briefing on 6/7/18. The comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Raj

Raj Rao, P.E. Group Leader, New Source Review Group, Air Quality Policy Division, Office of Air Quality Planning and Standards (MD-C504-03) **US** Environmental Protection Agency 109 TW Alexander Drive Research Triangle Park, NC 27709 919-541-5344 919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key Milestones OAQPS/OGC Staff

Completion Date Current Status Key Milestones Staff

Comments

Ex. 5 Deliberative Process (DP)

Project Target Current **Key Milestones** OAQPS/OGC Comments Staff Completion Status Date Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Key Milestones Staff

Comments

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 Deliberative Process (DP)	Tier 1 Rule NPRM 10/2019	Asked regions for workgroup members by 5/2 and now we are moving forward with officially tiering this action. Met with OGC on 5/7/18 to start refining options for moving forward.	Early Guidance - 7/19/18 Detailed Analytical Blueprint - 8/23/18 Options selection - 10/11/18 Draft proposal FRN to WG on 12/13/18	Jessica Montañez, Carrie Wheeler/Nora Greenglass	Policy statement on Forest Biomass issued by the Administrator on 4/23/18 Background Meeting held on Biogenic CO ₂ Procedural history on 05/16 Kick-off Meeting on 5/23.

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
		ł .			

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Treatment of Biogenic CO ₂ from Biomass Combustion Ex. 5 Deliberative Process (DP)	Tier 1 Rule NPRM TBD	Policy statement on Forest Biomass issued by the Administrator 4/23/18 Interagency letter (EPA, USDA and DOE) to Congress on the future treatment of biomass at these agencies issued 11/1/18.	Briefed AQPD I/O – 8/29/2018 Early Guidance – TBD Analytical Blueprint TBD Options Selection TBD	Jessica Montañez/ Sarah Baker/ Nora Greenglass	
			Draft proposal FRN to WG TBD		

Phase I Action Litigation Support

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
SILs Guidance					

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
---------	------------------------------	----------------	-------------------	--------------------	----------

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Completion Date Current Status Key Milestones Staff Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments	
Ex. 5	Delik	oerativ	/e Pro	ocess	(DP)	
Ex. 5 Deliberative Process (C	DP)					

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key Milestones OAQPS/OGC Comments Staff

Date Current Status Key Milestones OAQPS/OGC Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key Milestones OAQPS/OGC Staff

Completion Date Status

Ex. 5 Deliberative Process (DP)

Completion

Date

Staff

Project Target Current Status Key OAQPS/OGC Comments

Milestones

Ex. 5 Deliberative Process (DP)

.....

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Biomass					
Ex. 5 Deliberative Process (DP)	Tier 1 Rule NPRM 05/2020	Policy statement on Forest Biomass issued by the Administrator on	Briefed AQPD I/O – 08/29/2018 Early Guidance	Jessica Montañez /Nora Greenglass	
		4/23/18	- 11/29/2018 Detailed Analytical Blueprint - 12/21/2018		
			Options Selection – 04/11/2019		
			Draft proposal FRN to WG – 07/11/2019		

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Key Milestones Staff

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Date

Project Target Current Status Key Milestones OAQPS/OGC Comments
Completion Staff

Ex. 5 Deliberative Process (DP)

Project Current **Key Milestones** OAQPS/OGC Comments Target Completion Status Staff Date Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5		iber	ative P	rocess	s (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

.....

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 Deliberative Process (DP)	Tier 1 Rule NPRM 10/2019	Policy statement on Forest Biomass issued by the Administrator on 4/23/18 Working on briefing paper for Bill Wehrum.	Brief AQPD I/O - TBD Early Guidance - TBD Detailed Analytical Blueprint - 8/23/18 Options selection - 10/11/18 Draft proposal FRN to WG on 12/13/18	Jessica Montañez /Nora Greenglass	

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Key Milestones Staff

Comments

Ex. 5 Deliberative Process (DP)

Message

From: Wood, Anna [Wood.Anna@epa.gov]

Sent: 4/18/2019 5:40:48 PM

To: Brooks, Phillip [Brooks.Phillip@epa.gov]

CC: Santiago, Juan [Santiago.Juan@epa.gov]; Mathias, Scott [Mathias.Scott@epa.gov]; Chapman, Apple

[Chapman.Apple@epa.gov]

Subject: Updated List of NSR actions

Attachments: NSR Improvements Phase 2 Projects Target Date Tracker 041819.docx

Hi Phil, here is an updated list of the NSR projects we are working on—happy to answer any questions you might have on any of them. Ex. 5 Deliberative Process (DP) Thx

Anna Marie Wood Director, Air Quality Policy Division OAQPS, U.S. EPA 109 T.W. Alexander Drive Research Triangle Park, NC 27711 (919) 541-3604

From: Rao, Raj [Rao.Raj@epa.gov] 4/18/2019 5:29:13 PM Sent:

To: Wood, Anna [Wood.Anna@epa.gov]

CC: Santiago, Juan [Santiago.Juan@epa.gov]; Mathias, Scott [Mathias.Scott@epa.gov]

Subject: RE: Latest version of NSR project tracker

Attachments: NSR Improvements Phase 2 Projects Target Date Tracker 041819.docx

Anna, per our conversation attached is an updated Target Date tracker.

----Original Message----

From: Wood, Anna

Sent: Thursday, April 18, 2019 1:17 PM

To: Rao, Raj <Rao.Raj@epa.gov> Cc: Santiago, Juan <Santiago.Juan@epa.gov>; Mathias, Scott <Mathias.Scott@epa.gov>

Subject: RE: Latest version of NSR project tracker

Ex. 5 Deliberative Process (DP)

----Original Message----

From: Rao, Raj

Sent: Thursday, April 18, 2019 12:23 PM

To: Wood, Anna < Wood. Anna@epa.gov>

Cc: Santiago, Juan <Santiago.Juan@epa.gov>; Mathias, Scott <Mathias.Scott@epa.gov>

Subject: RE: Latest version of NSR project tracker

Ex. 5 Deliberative Process (DP)

----Original Message----

From: Wood, Anna

Sent: Thursday, April 18, 2019 9:08 AM

To: Rao, Raj <Rao.Raj@epa.gov>


Cc: Santiago, Juan <Santiago.Juan@epa.gov>; Mathias, Scott <Mathias.Scott@epa.gov>

Subject: Latest version of NSR project tracker

Hi Raj, can you please send me the latest version. I would like to send it to Phil Brooks in advance of our 1 on 1 today- Thx

Sent from my iPhone

Project Target Date Comments Current **Status** Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)



From: Rao, Raj [Rao.Raj@epa.gov] 4/18/2019 4:22:51 PM Sent:

To: Wood, Anna [Wood.Anna@epa.gov]

CC: Santiago, Juan [Santiago.Juan@epa.gov]; Mathias, Scott [Mathias.Scott@epa.gov]

Subject: RE: Latest version of NSR project tracker Attachments: NSRG Project Tracker 041819.docx

Anna, attached is the latest version of the Project Tracker - i

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

----Original Message----

From: Wood, Anna

Sent: Thursday, April 18, 2019 9:08 AM

To: Rao, Raj <Rao.Raj@epa.gov> Co: Santiago, Juan <Santiago.Juan@epa.gov>; Mathias, Scott <Mathias.Scott@epa.gov>

Subject: Latest version of NSR project tracker

Hi Raj, can you please send me the latest version. I would like to send it to Phil Brooks in advance of our 1 on 1 today- Thx

Sent from my iPhone

Project Target Current Status Key OAQPS/OGC Comments
Completion Date

Current Status Key Staff
Milestones Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Completion Milestones Staff Date	Current Status Key OAQPS/OGC Comments Milestones Staff	,	1	,	Current Status		Project
----------------------------------	--	---	---	---	----------------	--	---------

Treatment of Biogenic CO₂ from Biomass	Currently: Tier 1 Rule	Policy statement on Forest Biomass issued	Discussion with Bill scheduled for	Sarah Baker/ Nora Greenglass	
Combustion	NPRM	by the	2/14/2019		
	TBD	Administrator 4/23/18	Next steps TBD		
Ex. 5 Deliberative Process (DP)		Interagency letter (EPA, USDA and DOE) to Congress on the future treatment of biomass at these agencies issued 11/1/18.			

Phase I Action Litigation Support

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Phase 2 Projects

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date

Current Status Key Staff
Milestones Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

|--|

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Key Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5	Deli	berati	ve Pr	ocess	(DP)

Message

From: Rao, Raj [Rao.Raj@epa.gov]
Sent: 5/14/2018 9:31:29 PM

To: Wood, Anna [Wood.Anna@epa.gov]; Santiago, Juan [Santiago.Juan@epa.gov]; Mathias, Scott

[Mathias.Scott@epa.gov]

Subject: Latest Project Tracker - FYI
Attachments: NSRG Project Tracker 051418.docx

Anna et al, while the NSR coordination meeting has been canceled for tomorrow, please find attached a revised tracker fyi.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Raj

Raj Rao, P.E.
Group Leader, New Source Review Group,
Air Quality Policy Division,
Office of Air Quality Planning and Standards (MD-C504-03)
US Environmental Protection Agency
109 TW Alexander Drive
Research Triangle Park, NC 27709
919-541-5344
919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

Project Current Status Target OAQPS/OGC Comments Completion Milestones Staff Date Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Project Target Current Key Milestones OAQPS/OGC Comments Status Staff

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key Milestones OAQPS/OGC Comments Staff

Ex. 5 Deliberative Process (DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 Deliberative Process (DP)	Tier 1 Rule NPRM 10/2019	Asked regions for workgroup members by 5/2 and now we are moving forward with officially tiering this action. Met with OGC on 5/7/18 to start refining options for moving forward.	Early Guidance - 6/14/18 Detailed Analytical Blueprint - 6/18/18 Options selection - 8/23/18 Draft proposal FRN to WG on 9/27/18	Jessica Montañez, Carrie Wheeler/Nora Greenglass	Policy statement on Forest Biomass issued by the Administrator on 4/23/18 Background Meeting on Biogenic CO ₂ Procedural History on 05/16 Kick-off Meeting on 5/23.

From: Lorang, Phil [Lorang.Phil@epa.gov]

Sent: 5/10/2018 4:47:35 PM

To: Long, Pam [Long.Pam@epa.gov]; OAQPS AQPD GL [OAQPS AQPD GL@epa.gov]

CC: Mathias, Scott [Mathias.Scott@epa.gov]; Ling, Michael [Ling.Michael@epa.gov]; Santiago, Juan

[Santiago.Juan@epa.gov]; Jones, Rhea [Jones.Rhea@epa.gov]; Beaver, Melinda [Beaver.Melinda@epa.gov]

Subject: RE: FOR YOUR REVIEW AND FEEDBACK - Petition Inventory Report - Due May 15 Noon

Attachments: Revised Petition Inventory5-10-18+Lorang.docx

Ex. 5 Deliberative Process (DP)

From: Long, Pam

Sent: Thursday, May 10, 2018 9:02 AM

To: OAQPS AQPD GL < OAQPS AQPD GL@epa.gov>

Cc: Mathias, Scott <Mathias.Scott@epa.gov>; Ling, Michael <Ling.Michael@epa.gov>; Lorang, Phil <Lorang.Phil@epa.gov>; Santiago, Juan <Santiago.Juan@epa.gov>; Jones, Rhea <Jones.Rhea@epa.gov>

Subject: FOR YOUR REVIEW AND FEEDBACK - Petition Inventory Report - Due May 15 Noon

Importance: High

Please review the attached petition inventory report for completeness and accuracy. I went and tried to update it with as much info. as I have knowledge of.... Add any missing petitions, missing updates, etc. by noon, Tuesday May 15.

I need to revise the version on Sharepoint by COB 5/15. I am out of the office on May 16.

Message

From: Long, Pam [Long.Pam@epa.gov]

Sent: 5/10/2018 4:02:12 PM

To: OAQPS AQPD GL [OAQPS AQPD GL@epa.gov]

CC: Mathias, Scott [Mathias.Scott@epa.gov]; Ling, Michael [Ling.Michael@epa.gov]; Lorang, Phil [Lorang.Phil@epa.gov];

Santiago, Juan [Santiago.Juan@epa.gov]; Jones, Rhea [Jones.Rhea@epa.gov]

Subject: FOR YOUR REVIEW AND FEEDBACK - Petition Inventory Report - Due May 15 Noon

Attachments: Revised Petition Inventory5-10-18.docx

Importance: High

Please review the attached petition inventory report for completeness and accuracy. I went and tried to update it with as much info. as I have knowledge of.... Add any missing petitions, missing updates, etc. by noon, Tuesday May 15.

I need to revise the version on Sharepoint by COB 5/15. I am out of the office on May 16.

NSR Update Meeting | MINUTES

March 29, 2018 | 4:00-4:30PM, Eastern Time |

Type of meeting Weekly Update

Attendees

Bill Wehrum, David Harlow, Justin Schwab, Mike Koerber, Scott Mathias, Juan Santiago, Raj Rao, Dave Svendsgaard, Jessica Montanez, Matthew Spangler, Richard Wayland, Brian Doster, John Krallman, Andrea Carillo

MEETING NOTES

	Rai	provided	undates	on the	different	NSR	projects
,	Nai	Diovided	upuaics	on me	unicient	TICIL	DIOICUS.

Ex. 5 Deliberative Process (DP)

0	Biomass Permitting – Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)	7
	Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)	.i
	Ex. 5 Deliberative Process (DP)	
0	Ex. 5 Deliberative Process (DP)	

Action items Person responsible Deadline

No action items discussed.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 D	elibe	rative I	Proces	ss (DP	

Project	Target Completion	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
	Date				

Project Target **Current Status** OAQPS/OGC Comments Key Completion Milestones Staff Date Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)	Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
	Ex. 5 [ative P	roces	s (DP)	

Project	Target Completion	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
	Date				

.....

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Biomass					
Ex. 5 Deliberative Process (DP)	TBD —	Brainstorming session between OAQPS, OGC and OAP held on 1/25/18 and 2/14/18.	TBD	Jessica Montañez, Carrie Wheeler/Nora Greenglass	

Message

 From:
 Rao, Raj [Rao.Raj@epa.gov]

 Sent:
 2/26/2018 2:56:09 PM

To: Vetter, Cheryl [Vetter.Cheryl@epa.gov]; Montanez, Jessica [Montanez.Jessica@epa.gov]
CC: Santiago, Juan [Santiago.Juan@epa.gov]; Mathias, Scott [Mathias.Scott@epa.gov]

Subject: Draft NSR Projects Tracker
Attachments: NSR Project Tracker 2_26_18.docx

Ex. 5 Deliberative Process (DP)

Ex.5 Deliberative Process (DP) Note that for biomass instead of Bill W. briefing in the week of 3/12, I suggest that we use the standing NSR Updates meeting of 3/15 to do that.

Raj

Raj Rao, P.E.
Group Leader, New Source Review Group,
Air Quality Policy Division,
Office of Air Quality Planning and Standards (MD-C504-03)
US Environmental Protection Agency
109 TW Alexander Drive
Research Triangle Park, NC 27709
919-541-5344
919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 D	eliber	ative P	roces	s (DP)	

Project	Target Completion	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
	Date				

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5	Delib	erative	e Proc	cess ([OP)
Ex. 5 D	elibera	ative Pı	rocess	s (DP)	

	Target Completion	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 De	elibera	ative Pı	rocess	(DP)	

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Biomass					
Ex. 5 Deliberative Process (DP)	TBD – [E. S Deliberative Process (DP)] Options will be determined during Wehrum briefing.	Brainstorming session between OAQPS and OGC held on 1/25/18. Team developing issue/options paper.	Share draft issue paper for review by AQPD management by 2/26/18. Brief AQPD/OAQPS the week of 3/05/18. Brief Bill Wehrum in the NSR update meeting on 3/15/18.	Jessica Montañez, Carrie Wheeler/Nora Greenglass	

Message

From: Rao, Raj [Rao.Raj@epa.gov]
Sent: 2/6/2018 6:52:14 PM

To: Wood, Anna [Wood.Anna@epa.gov]

CC: Santiago, Juan [Santiago.Juan@epa.gov]; Vetter, Cheryl [Vetter.Cheryl@epa.gov]; Mathias, Scott

[Mathias.Scott@epa.gov]

Subject: RE: Electronic version of NSR projects table

Attachments: NSR_Improvements_Project_Tracker_02062018 REV.docx

Anna, attached is a Revised table that incorporates your edits from this morning. I have placeholders for Juan to fill in the policy direction for and biomass. Cheryl needs to include any edits on EX. 5 Deliberative Process (DP) and biomass

Raj

Raj Rao, P.E.
Group Leader, New Source Review Group,
Air Quality Policy Division,
Office of Air Quality Planning and Standards (MD-C504-03)
US Environmental Protection Agency
109 TW Alexander Drive
Research Triangle Park, NC 27709
919-541-5344
919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

From: Wood, Anna


Sent: Tuesday, February 06, 2018 12:44 PM


To: Rao, Raj <Rao.Raj@epa.gov>

Cc: Santiago, Juan <Santiago.Juan@epa.gov> **Subject:** Electronic version of NSR projects table

Hi Raj, can you please send this to me, thank you

Anna Marie Wood Director, Air Quality Policy Division OAQPS, U.S. EPA 109 T.W. Alexander Drive Research Triangle Park, NC 27711 (919) 541-3604





	Project	Target Completion Date	Current Status	Key Milestones	OAQPS staff	OGC staff	Comments
	Ex. 5	Delibe	rativ	e Pro	oces	s (D	P)
		5 Delibe				•	OP)
Biomass	Policy Direction — TBD Juan to include	TBD	Brainstorming session held on 1/25/18	Developing issue paper listing prioritized options for OAQPS, OGC and OAP for editing and discussion. Plan to brief Bill Wehrum in the week of 2/26/18.	Jessica Montanez Carrie Wheeler	Nora Greenglass	

From: Rao, Raj [Rao.Raj@epa.gov]
Sent: 6/19/2018 2:22:14 PM

To: Wood, Anna [Wood.Anna@epa.gov]; Santiago, Juan [Santiago.Juan@epa.gov]; Mathias, Scott

[Mathias.Scott@epa.gov]; Vetter, Cheryl [Vetter.Cheryl@epa.gov]

Subject: Latest NSR Project Tracker

Attachments: NSRC Project Tracker 061018 do

Attachments: NSRG Project Tracker 061918.docx

Hi all,

Attached is the latest tracker. I will let Cheryl go first with an and Biomass. My only change is in Ex. 5 Deliberative Process (DP) moved the final date by 4 days.

Ex. 5 Deliberative Process (DP)

Raj

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5	Deli	ibera	tive P	roces	s (DP)

Project Current **Key Milestones** OAQPS/OGC Comments Target Completion Status Staff Date Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) _____

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
				·····	
Ex.	5 Del	iber	ative P	rocess	(DP)

Project Target Current Status Key OAQPS/OGC Comments
Completion Date Staff

Ex. 5 Deliberative Process (DP)

.....

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5 Deliberative Process (DP)	Tier 1 Rule NPRM 10/2019	Policy statement on Forest Biomass issued by the Administrator on 4/23/18 Working on briefing paper for Bill Wehrum.	Brief AQPD I/O - ??? Early Guidance - 7/19/18 Detailed Analytical Blueprint - 8/23/18 Options selection - 10/11/18 Draft proposal FRN to WG on 12/13/18	Jessica Montañez /Nora Greenglass	

Project	Target Completion Date	Current Status	Key Milestones	OAQPS/OGC Staff	Comments
Ex. 5		berat	ive F	Proces	ss (DP)

Message

From: Rao, Raj [Rao.Raj@epa.gov]
Sent: 1/29/2018 2:41:14 PM

To: Santiago, Juan [Santiago.Juan@epa.gov]

CC: Johnson, Yvonne W [Johnson.Yvonnew@epa.gov]; Vetter, Cheryl [Vetter.Cheryl@epa.gov]; Mathias, Scott

[Mathias.Scott@epa.gov]

Subject: Revised Agenda for 2/1 Wehrum meeting

Attachments: NSR Update Meeting with Bill Wehrum 2-1-18 agenda.docx; NSRImprovementsProjectsTracker 012618.docx

Juan,

Attached is a revised agenda. I am also attaching the tracker. Please update the biomass entry and finalize.

Ex. 5 Deliberative Process (DP)

Raj

Raj Rao, P.E.

Group Leader, New Source Review Group,

Air Quality Policy Division,

Office of Air Quality Planning and Standards (MD-C504-03)

US Environmental Protection Agency

109 TW Alexander Drive

Research Triangle Park, NC 27709

919-541-5344

919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency

Deliberative and Confidential

From: Wood, Anna

Sent: Sunday, January 28, 2018 9:38 PM

To: Rao, Raj <Rao.Raj@epa.gov>

Cc: Santiago, Juan <Santiago.Juan@epa.gov>; Johnson, Yvonne W <Johnson.Yvonnew@epa.gov>; Vetter, Cheryl

<Vetter.Cheryl@epa.gov>; Mathias, Scott <Mathias.Scott@epa.gov>

Subject: Re: Draft Agenda for NSR Updates Meeting with Bill W. on 2/1 and revised planning tool

Ex. 5 Deliberative Process (DP)

Juan I'm not sure if you had a chance to weigh in on the agenda and table or not but please let Raj know if you have other feedback.

Juan can you also please coordinate with Scott to make sure we have the following materials for the Wehrum briefing in NSR-

Final agenda and table

Ex. 5 Deliberative Process (DP)

I'll be out of pocket a lot on Monday and Tuesday - should have access to email but not sure how much. Please let me know if you need anything else from

me at this point. I'm CC'ing Scott so he is in the loop. I'm back in the office on Wednesday- thanks everyone for your efforts on this! Anna

Sent from my iPhone

On Jan 26, 2018, at 4:07 PM, Rao, Raj <Rao.Raj@epa.gov> wrote:

Anna,

Attached is a draft "agenda" for the 2/1 meeting. Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Let me know if you need anything else

Rai

Raj Rao, P.E. Group Leader, New Source Review Group, Air Quality Policy Division, Office of Air Quality Planning and Standards (MD-C504-03) US Environmental Protection Agency 109 TW Alexander Drive Research Triangle Park, NC 27709 919-541-5344 919-541-5509 - Fax

Note: Positions or views expressed here do not represent official EPA policy. Interagency Deliberative and Confidential

<NSR Update Meeting with Bill Wehrum 2-1-18 agenda.docx>

<NSRImprovementsProjectsTracker 012618.docx>

NSR Update Meeting with Bill Wehrum

2/1/18

<u>Agenda</u>

- 1. Overview
- 2. Ex. 5 Deliberative Process (DP) 3.
- 4. Status Updates

Ex. 5 Deliberative Process (DP)

b) Biomass

Ex. 5 Deliberative Process (DP)

5. Other Phase I Projects Status Update (see attached NSR Improvement Projects Tracker)

New Source Review (NSR) Group

NSR Improvement Projects Tracker – Date: 01/30/18



Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

ſ

				New So	urce Review (NSR) Group				
Ex. 5 Deliberative Process (DP)									
	Ex. 5 Deliberative Process (DP)								
Biomass	TBD	Brainstorming session held on 1/25/18	Jessica Montanez	Nora Greenglass					